

# Air Louvers List Prices 4/1/2011

# WIRESHIELD 1/4" Glass: WS



PRICES FOR THIS PRODUCT EFFECTIVE 1/15/2012

Fire-Rated  
Safety-Rated

		Width - Actual Glass Size is Order Size																				
		4"	5"	6"	7"	9"	11"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"
Height	4"	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	94	
	6"	94	94	94	94	94	94	94	94	94	94	94	94	94	94	102	109	117	125	133	141	
	9"	94	94	94	94	94	94	94	94	94	100	105	117	129	135	141	152	164	176	188	199	211
	11"	94	94	94	94	94	<b>94</b>	94	100	115	122	129	143	158	165	172	186	201	215	229	243	258
	12"	94	94	94	94	94	94	94	109	125	133	141	156	172	180	188	203	219	234	250	266	281
	14"	94	94	94	94	94	100	109	128	146	155	164	182	201	210	219	237	255	273	292	310	328
	16"	94	94	94	94	94	115	125	146	167	177	188	208	229	240	250	271	292	313	333	354	375
	17"	94	94	94	<b>94</b>	100	122	133	155	177	188	199	221	243	255	266	288	310	332	354	376	398
	19"	94	94	94	94	111	136	148	173	198	210	223	247	272	285	297	322	346	371	396	421	445
	21"	94	94	<b>94</b>	96	123	150	164	191	219	232	246	273	301	314	328	355	383	410	438	465	492
	23"	94	94	94	105	135	165	180	210	240	255	270	299	329	<b>344</b>	359	389	419	449	479	509	539
	24"	94	94	94	109	141	172	188	219	250	266	281	313	344	359	375	406	438	469	500	531	563
	26"	94	<b>94</b>	102	118	152	186	203	237	271	288	305	339	372	389	406	440	474	508	542	576	609
	27"	94	94	94	123	158	193	211	246	281	299	316	352	387	404	422	457	492	527	563	598	633
	29"	94	94	113	<b>132</b>	170	208	227	264	302	321	340	378	415	<b>434</b>	453	491	529	566	604	642	680
	31"	94	101	121	<b>141</b>	182	222	242	283	323	343	363	404	444	<b>464</b>	484	525	565	605	646	686	727
	32"	94	104	125	146	188	229	250	292	333	354	375	417	458	479	500	542	583	625	667	708	750
	34"	<b>94</b>	111	133	155	199	243	266	310	354	376	398	443	487	509	531	576	620	664	708	753	797
	35"	94	114	137	<b>160</b>	205	251	273	319	365	387	410	456	501	<b>524</b>	547	592	638	684	729	775	820
	36"	94	117	141	164	211	258	281	328	375	398	422	469	516	539	563	609	656	703	750	797	844
38"	99	124	148	173	223	272	297	346	396	421	445	495	544	569	594	643	693	742	792	841	891	
40"	104	130	156	182	234	286	313	365	417	443	469	521	573	599	625	677	729	781	833	885	938	
42"	109	137	164	191	246	301	328	383	438	465	492	547	602	629	656	711	766	820	875	930	984	
44"	115	143	172	201	258	315	344	401	458	487	516	573	630	659	688	745	802	859	917	974	1031	
46"	120	150	180	210	270	329	359	419	479	509	539	599	659	689	719	779	839	898	958	1018	1078	
48"	125	156	188	219	281	344	375	438	500	531	563	625	688	719	750	813	875	938	1000	1063	1125	
50"	130	163	195	228	293	358	391	456	521	553	586	651	716	749	781	846	911	977	1042	1107	1172	
52"	135	169	203	237	305	372	406	474	542	576	609	677	745	779	813	880	948	1016	1083	1151	1219	
53"	138	173	207	242	311	380	414	483	552	587	621	690	759	794	828	897	966	1035	1104	1173	1242	
54"	141	176	211	246	316	387	422	492	563	598	633	703	773	809	844	914	984	1055	1125	1195	1266	
56"	146	182	219	255	328	401	438	510	583	620	656	729	802	839	875	948	1021	1094	1167	1240	1313	
58"	151	189	227	264	340	415	453	529	604	642	680	755	831	868	906	982	1057	1133	1208	1284	1359	
59"	154	192	230	269	346	423	461	538	615	653	691	768	845	<b>883</b>	922	999	1076	1152	1229	1306	1383	
60"	156	195	234	273	352	430	469	547	625	664	703	781	859	898	938	1016	1094	1172	1250	1328	1406	
62"	161	202	242	283	363	444	484	565	646	686	727	807	888	928	969	1049	1130	1211	1292	1372	1453	
63"	164	205	246	287	369	451	492	574	656	697	738	820	902	943	984	1066	1148	1230	1313	1395	1477	
64"	167	208	250	292	375	458	500	583	667	708	750	833	917	958	1000	1083	1167	1250	1333	1417	1500	
66"	172	215	258	301	387	473	516	602	688	730	773	859	945	988	1031	1117	1203	1289	1375	1461	1547	
68"	177	221	266	310	398	487	531	620	708	753	797	885	974	1018	1063	1151	1240	1328	1417	1505	1594	
70"	182	228	273	319	410	501	547	638	729	775	820	911	1003	1048	1094	1185	1276	1367	1458	1549	1641	

Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite

**Bold** = 48 Hour Shipment for Many of these Sizes from MN or CA

Minimum Size: 4" x 4", Max Rated Size: 36" x 84"

Fire rating: 20 minutes to 90 minutes

Impact rating: CPSC 16 CFR 1201 CAT I and II

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

\$50 crating charge on all glass shipments less than 15 square feet.

**Round Cut Glass:**

- 11-3/4" or 11"Dia. \$495
- 17-3/4" or 17"Dia. \$560
- 23-3/4" or 23" Dia. \$990

Glass is UL labeled standard. WHI labeling by request only.

[QUOTES@ACTIVARCPG.COM](mailto:QUOTES@ACTIVARCPG.COM)

[ORDERS@ACTIVARCPG.COM](mailto:ORDERS@ACTIVARCPG.COM)

[SALES@AIRLOUVERS.COM](mailto:SALES@AIRLOUVERS.COM)

800-554-6077

WWW.AIRLOUVERS.COM



PRICES FOR THIS PRODUCT EFFECTIVE 1/15/2012

		Width - Actual Glass Size is Order Size																				
		4"	5"	6"	7"	9"	11"	12"	14"	16"	17"	18"	20"	22"	23"	24"	26"	28"	30"	32"	34"	36"
<b>H e i g h t</b>	<b>4"</b>	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	
	<b>6"</b>	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	34	36	39	42	44	47
	<b>9"</b>	31	31	31	31	31	31	31	31	31	33	35	39	43	45	47	51	55	59	62	66	70
	<b>11"</b>	31	31	31	31	31	<b>31</b>	31	33	38	41	43	48	52	55	57	62	67	72	76	81	86
	<b>12"</b>	31	31	31	31	31	31	31	36	42	44	47	52	57	60	62	68	73	78	83	88	94
	<b>14"</b>	31	31	31	31	31	33	36	42	49	52	55	61	67	70	73	79	85	91	97	103	109
	<b>16"</b>	31	31	31	31	31	38	42	49	55	59	62	69	76	80	83	90	97	104	111	118	125
	<b>17"</b>	31	31	31	<b>31</b>	33	41	44	52	59	63	66	74	81	85	88	96	103	111	118	125	133
	<b>19"</b>	31	31	31	31	37	45	49	58	66	70	74	82	91	95	99	107	115	124	132	140	148
	<b>21"</b>	31	31	<b>31</b>	32	31	50	55	64	73	77	82	91	100	105	109	118	127	137	146	155	164
	<b>23"</b>	31	31	31	35	45	55	60	70	80	85	90	100	110	<b>115</b>	120	130	140	150	159	169	179
	<b>24"</b>	31	31	31	31	47	57	62	73	83	88	94	104	114	120	125	135	146	156	166	177	187
	<b>26"</b>	31	<b>31</b>	34	39	51	62	68	79	90	96	101	113	124	130	135	146	158	169	180	192	203
	<b>27"</b>	31	31	35	41	53	64	70	82	94	99	105	117	129	135	140	152	164	176	187	199	211
	<b>29"</b>	31	31	38	<b>44</b>	57	69	75	88	101	107	113	126	138	<b>145</b>	151	163	176	189	201	214	226
	<b>31"</b>	31	34	40	<b>47</b>	60	74	81	94	107	<b>114</b>	121	134	148	<b>154</b>	161	175	188	202	215	228	242
	<b>32"</b>	31	35	42	49	62	76	83	97	111	118	125	139	153	159	166	180	194	208	222	236	250
	<b>34"</b>	<b>31</b>	37	44	52	66	81	88	103	118	125	133	147	162	169	177	192	206	221	236	250	265
	<b>35"</b>	31	38	46	<b>53</b>	68	83	91	106	121	129	137	152	167	<b>174</b>	182	197	212	228	243	258	273
	<b>36"</b>	31	39	47	55	70	86	94	109	125	133	140	156	172	179	187	203	218	234	250	265	281
	<b>38"</b>	33	41	49	58	74	91	99	115	132	140	148	165	181	189	198	214	231	247	263	280	296
<b>40"</b>	35	43	52	61	78	95	104	121	139	147	156	173	191	199	208	225	243	260	277	295	312	
<b>42"</b>	36	46	55	64	82	100	109	127	146	155	164	182	200	209	218	237	255	273	291	309	328	
<b>44"</b>	38	48	57	67	86	105	114	133	153	162	172	191	210	219	229	248	267	286	305	324	343	
<b>46"</b>	40	50	60	70	90	110	120	140	159	169	179	199	219	229	239	259	279	299	319	339	359	
<b>48"</b>	42	52	62	73	94	114	125	146	166	177	187	208	229	239	250	270	291	312	333	354	374	
<b>50"</b>	43	54	65	76	98	119	130	152	173	184	195	217	238	249	260	282	303	325	347	368	390	
<b>52"</b>	45	56	68	79	101	124	135	158	180	192	203	225	248	259	270	293	315	338	361	383	406	
<b>53"</b>	46	57	69	80	103	126	138	161	184	195	207	230	253	264	276	299	322	345	367	390	413	
<b>54"</b>	47	59	70	82	105	129	140	164	187	199	211	234	257	269	281	304	328	351	374	398	421	

Unlisted Sizes: Use next Largest - We can Custom Cut to Fit any Glass Kit or Sidelite

**Bold** = 48 Hour Stock from One or More of our Locations

[View Stock List](#)

**Size:** Minimum 4" x 4", Max Sheet Size: 60" x 100"

**Fire rating:** 20-90 minute, classified B4.

**Impact rating:** CPSC 16 CRF 1201 CAT I

\$50 crating charge on all glass shipments less than 15 square feet.

**Round Cut Glass:**  
11-3/4" or 11"Dia. \$115  
17-3/4" or 17"Dia. \$170  
23-3/4" or 23" Dia. \$240

Install in fire listed and labeled vision frames. We recommend use of glazing compound or glazing tape on both sides of glass, to minimize breakage. See Page 2.

See individual product data sheets for detailed information.

THIS IS NOT A CATEGORY II - RATED PRODUCT: Swinging Doors are considered "Hazardous Locations" according to SECTION 2406.3 of the International Building Code, and require CAT II-rated glazing. Locations other than doors may not be required to have CAT II rating. Please consult your local (AHJ) Authority Having Jurisdiction to determine appropriate standards. See the Glass Selection Chart for others.

**WS PAK For Fire & Safety-Rated 1 3/4" Doors**  
**Vision Lite, WireShield Glass & Glazing Tape Combination**  
**SLIMLINE (VSL) or VLFEZ Vision Frames**

**Air Louvers List Prices 4/1/2011**

PRICES FOR THIS PRODUCT EFFECTIVE 1/15/2012



		Width of Rough Opening - Visible Light is 2" Under this Size																	
		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height	4"	152	152	152	152	152	152	152	158	160	163	166	168	172	175	177	182	184	186
	6"	152	152	152	152	152	152	158	160	163	166	168	172	175	177	181	189	202	210
	8"	152	152	152	152	152	152	160	163	166	168	174	186	201	214	224	235	247	257
	10"	152	152	152	152	151	152	163	160	174	194	208	222	237	250	264	278	291	306
	12"	152	152	152	152	152	<b>151</b>	166	182	204	221	238	255	271	287	304	320	337	354
	14"	158	158	160	160	163	166	184	210	229	248	268	286	306	325	343	363	391	410
	16"	160	160	163	163	166	182	210	231	253	276	297	319	341	361	384	414	436	459
	18"	163	163	163	<b>163</b>	174	204	229	253	277	302	327	351	374	408	432	457	482	505
	20"	166	166	168	168	194	221	248	276	302	329	356	382	418	445	472	500	526	553
	22"	168	168	<b>168</b>	170	208	238	268	297	327	356	385	423	453	483	513	542	571	600
	24"	172	172	175	186	222	255	286	319	351	382	423	<b>452</b>	488	521	552	585	616	647
	26"	175	175	177	201	237	271	306	341	374	418	453	488	524	557	592	626	660	723
	27"	175	<b>175</b>	180	209	244	280	316	351	397	433	469	506	541	577	612	647	683	750
	28"	175	175	180	214	250	287	325	361	408	445	483	521	557	595	631	668	733	773
	30"	180	181	184	222	264	304	343	384	432	472	513	<b>548</b>	592	631	670	738	780	819
	32"	182	189	192	232	278	320	363	414	453	500	542	580	626	668	738	783	825	867
	34"	184	202	204	247	291	337	383	436	482	526	571	616	660	733	780	825	870	915
	35"	<b>183</b>	204	205	249	300	347	401	449	494	541	586	628	678	755	801	847	894	939
	36"	183	207	208	254	306	354	410	459	505	553	600	643	723	773	819	867	915	962
	38"	193	221	225	273	322	388	446	498	549	602	654	731	788	840	889	941	997	1048
	40"	206	231	232	283	351	404	466	521	576	630	682	770	824	876	930	989	1043	1096
	42"	212	239	256	309	365	430	487	545	601	656	746	803	858	915	976	1033	1088	1165
	44"	235	263	265	321	380	448	508	568	625	690	777	834	894	958	1017	1075	1154	1215
	46"	242	271	275	333	395	467	529	588	656	746	806	868	934	996	1057	1139	1202	1267
48"	251	281	285	346	412	484	547	620	682	772	836	906	970	1034	1118	1184	1252	1315	
50"	259	291	295	360	435	500	573	646	705	800	872	939	1005	1092	1160	1231	1297	1365	
52"	272	306	307	373	450	528	598	665	766	834	906	976	1060	1131	1205	1273	1344	1416	
54"	279	313	316	385	473	545	616	691	790	864	937	1017	1098	1173	1245	1318	1393	1489	
56"	286	322	334	405	488	561	639	712	817	892	982	1052	1137	1211	1287	1364	1439	1542	
58"	303	340	343	418	501	582	657	765	843	935	1014	1095	1172	1251	1330	1408	1513	1593	
60"	312	350	351	428	520	598	680	788	883	965	1048	1118	1209	1291	1372	1455	1562	1643	
62"	318	358	364	444	532	618	700	826	910	996	1078	1162	1247	1330	1416	1525	1609	1696	
64"	330	371	372	462	550	635	736	850	939	1023	1110	1189	1283	1372	1460	1570	1659	1747	
66"	336	379	384	477	565	668	785	877	963	1053	1143	1222	1323	1413	1526	1618	1708	1803	
68"	347	391	394	489	595	687	809	898	990	1083	1174	1268	1361	1453	1571	1664	1761	1855	
70"	356	401	419	517	611	708	828	922	1018	1111	1208	1303	1398	1495	1614	1714	1811	1908	
72"	379	426	438	531	630	725	850	948	1044	1143	1241	1338	1437	1559	1662	1761	1861	1960	

Sizes Not Shown: Use Next Larger Size on Chart

**BOLD** = 48 Hour Shipping from One or More of Our Warehouses. See Stock List for More VSL Frame Choices

Material: 20 ga CRS beveled vision lite, 1/4" wired glass w/film

Impact Rating: CPSC 16 CFR 1201 CAT 1 & 11

Finish: Mineral bronze powder coat

Fire Rating: 20-90 minutes

Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass - UL10B

See individual product data sheets for detailed information

Listing: UL labeled standard. WHI labeling by request only.

Order Format: \_\_\_ (VSL or VLFEZ) \_\_\_ (W) x \_\_\_ (H) WS PAK - example: VSL 1212 WS PAK

QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM

SALES@AIRLOUVERS.COM

**UL PAK For Fire-Rated 1 3/4" Doors**  
**Vision Lite, Wired Glass and Glazing Tape Combination**  
**SLIMLINE (VSL) or VLFEZ Vision Frames**

**Air Louvers List Prices 4/1/2011**

PRICES FOR THIS PRODUCT EFFECTIVE 1/15/2012



		Width of Rough Opening - Visible Light is 2" Under this Size																	
		5"	6"	7"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"	32"	34"	36"
Height	4"	89	89	89	89	89	89	89	95	97	101	103	105	110	112	114	119	121	123
	6"	89	89	89	89	89	89	95	97	101	103	105	110	112	114	118	121	130	134
	8"	89	89	89	89	89	89	97	101	103	105	110	116	125	132	136	141	146	151
	10"	89	89	89	89	88	89	101	103	107	120	126	132	139	144	151	157	162	169
	12"	89	89	89	89	89	<b>88</b>	103	110	123	130	137	145	151	158	165	171	180	187
	14"	95	95	97	97	101	103	111	125	133	141	150	157	165	172	179	188	204	212
	16"	97	97	101	101	103	110	125	134	142	152	160	169	178	185	195	212	221	231
	18"	101	101	101	<b>101</b>	107	123	133	142	151	162	171	181	190	208	218	228	238	247
	20"	103	103	105	105	120	130	141	152	162	172	183	192	212	222	233	245	254	264
	22"	105	105	<b>105</b>	105	126	137	150	160	171	183	193	214	225	236	249	259	270	281
	24"	110	110	112	116	132	145	157	169	181	192	214	<b>222</b>	238	251	263	275	286	297
	26"	112	112	114	125	139	151	165	178	190	212	225	238	252	264	277	289	301	342
	27"	112	<b>112</b>	120	130	143	156	170	182	205	218	232	246	259	272	285	297	311	355
	28"	112	112	122	132	144	158	172	185	208	222	236	251	264	278	291	304	346	362
	30"	118	118	127	<b>134</b>	151	165	179	195	218	233	249	<b>258</b>	277	291	305	348	365	378
	32"	119	121	131	<b>138</b>	157	171	188	212	224	245	259	270	289	304	348	366	380	396
	34"	121	130	139	146	162	180	196	221	238	254	270	286	301	346	365	380	397	413
	35"	<b>120</b>	131	140	147	169	187	212	231	247	264	281	294	314	362	378	396	413	430
	36"	120	131	140	147	169	187	212	231	247	264	281	294	342	362	378	396	413	430
	38"	130	141	152	160	178	211	237	257	276	297	316	361	386	406	423	442	466	486
40"	138	147	156	165	199	218	246	266	288	308	326	380	401	419	439	464	484	503	
42"	141	150	176	185	205	234	255	278	299	318	372	394	413	434	460	481	501	541	
44"	160	169	181	190	212	242	265	287	307	335	385	405	427	453	475	496	538	561	
46"	164	174	187	197	219	252	274	295	324	375	395	418	446	469	490	533	557	583	
48"	169	179	193	203	228	260	281	314	334	384	408	436	460	483	526	551	578	600	
50"	174	185	199	211	243	266	296	326	343	396	425	449	473	517	543	571	594	620	
52"	184	195	207	218	251	284	310	333	390	413	441	466	507	533	562	587	613	641	
54"	187	198	212	223	266	292	316	346	398	427	453	488	522	552	577	605	633	684	

Sizes Not Shown: Use Next Larger Size on Chart

**BOLD** = Sizes Available for 48 Hour Shipping from Several of our Warehouses. See Stock List for More VSL Frame Choices.

Material: 20 ga CRS beveled vision lite, 1/4" wired glass  
 Finish: Mineral bronze powder coat  
 Glazing Tape: Standard 1/16" x 3/8" applied to both sides of glass - UL10B

Impact rating: CPSC 16 CFR 1201 CAT I  
 Fire Rating: 20-90 minutes. Classified B4.  
 See individual product data sheets for detailed information.

Order Format: \_\_\_ (VSL or VLFEZ) \_\_\_ (W) x \_\_\_ (H) UL PAK example: VSL 1236 UL PAK