



## PAK Glazing:

**KFRF:** KeraShield™

**WS:** WireShield™

**TEMP:** Tempered

**PPF:** Pyran®\* Platinum

**UL Listed**

\* Pyran® is a Saftifirst product


VSL PAK Sizes (1-3/4" Doors) Max Quantity 5 Per Size							
SLIMLINE VISION LITE (BRONZE) + GLASS + APPLIED TAPE (UL 10B) + INDIVIDUAL PACKAGING							
Rough Opening	IL 24 HR	PA 24 HR	GA 24 HR	CA 72 HR	MN 48 HR	WA 24 HR	TX 24 HR
12" x 12"	WS, PPF, TEMP		WS, TEMP	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF		
5" x 35"	WS, TEMP		WS, TEMP	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF		
6" x 27"	WS, TEMP	WS, PPF	WS, TEMP	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF	WS	PPF
7" x 22"	WS, PPF, TEMP	WS, TEMP, PPF	KFRF, WS, TEMP, PPF	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF		
8" x 18"				WS	WS		
8" x 32"				TEMP	TEMP		
8" x 36"				WS, TEMP	WS, TEMP		
24" x 24"				WS, TEMP	WS, TEMP		
24" x 30"	WS, TEMP		WS, TEMP	WS, TEMP, PPF	WS, TEMP, PPF		
24" x 32"				TEMP	TEMP		
24" x 36"			TEMP	WS, TEMP	WS, TEMP		
24" x 60"				WS, TEMP	WS		
24" x 64"				TEMP			

Example of ordering format: VSL 1212 WS PAK

GLAZING ONLY - 48 Hour Shipping									
Glass Size	Wire Shield (WS)			Tempered (TEMP)		Pyran® Platinum F SaftiFirst (PPF)		Kera Shield (KFRF)	
	CA	MN	GA	CA	MN	CA	MN	CA	MN
11" x 11"	X	X		X	X		X	X	X
4" x 34"	X	X	X	X	X		X	X	X
5" x 26"	X	X	X	X	X	X	X	X	X
6" x 21"	X	X		X	X	X	X	X	X
7" x 17"	X								
7" x 29"									
7" x 31"				X	X				
7" x 35"		X		X	X				
23" x 23"	X			X	X				
23" x 29"	X	X		X	X		X		
23" x 31"				X	X				
23" x 35"				X	X				
23" x 59"				X					
23" x 63"				X					

VLFEZ PAK Sizes (1-3/4" Doors) Max Quantity 5 Per Size		
VLFEZ VISION LITE (BRONZE) + GLASS + APPLIED TAPE (UL 10B) + INDIVIDUAL PACKAGING		
Rough Opening	Warehouse Locations	
	CA - 72 HR	MN - 48 HR
12" x 12"	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF
5" x 35"	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF
6" x 27"	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF
7" x 22"	WS, TEMP, PPF, KFRF	WS, TEMP, PPF, KFRF
8" x 18"	WS	
8" x 32"	TEMP	TEMP
8" x 36"	WS, TEMP	WS, TEMP
24" x 24"	WS, TEMP	WS, TEMP
24" x 30"	WS, TEMP, PPF	WS, TEMP, PPF
24" x 32"	TEMP	TEMP
24" x 36"	WS, TEMP	WS, TEMP
24" x 60"	TEMP	

## TEN Air Louvers Warehouse Locations.



SPECIALTY HURRICANE PAK- Florida Only Miami-Dade County Florida & FBC Approval 24 Hour Shipping		
Model	Rough Opening	Color
VLFEZHRC 1212B PAK With Lexan® Glazing	12" x 12"	Galvannealed Galvanized (B)



QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM



800-554-6077



WWW.ACTIVARCPG.COM/AIR-LOUVERS

All listed items on this page are UL Rated  us, sized for 1-3/4" doors and 24 hour shipping

### VSL Vision Lite Kits

Model	Rough Opening	Warehouse Locations										
		CA	PA	MN	GA	IL	WA★	FL	TX	ND	NE	
VSL 1212	12" x 12"	B G	B G	B G	B G	B	B	B	B	B	B	
VSL 0520	5" x 20"	B		B	B			B				
VSL 0535	5" x 35"	B G	B G	B G	B G	B	B	B		B	B	
VSL 0614	6" x 14"	B										
VSL 0624	6" x 24"	B		B					B			
VSL 0626	6" x 26"	B	B	B								
VSL 0627	6" x 27"	B G	B G	B G	B G	B	B G	B	B	B	B	
VSL 0630	6" x 30"	B		B	B		B	B	B			
VSL 0636	6" x 36"	B		B			B	B				
VSL 0722	7" x 22"	B G	B G	B G	B G	B G	B G	B	B	B	B	
VSL 0818	8" x 18"	B G	B	B								
VSL 0830	8" x 30"	B	B	B					B			
VSL 0832	8" x 32"	B G	B G	B G	B G	B	B	B	B	B	B	
VSL 0836	8" x 36"	B	B G	B	B G	B	B		B	B	B	
VSL 0838	8" x 38"	B		B	B							
VSL 1818	18" x 18"	B	B	B	B G		B G		B			
VSL 1830	18" x 30"	B	B	B	B	B				B	B	
VSL 1832	18" x 32"	B	B	B			B					
VSL 2020	20" x 20"						G					
VSL 2024	20" x 24"						G					
VSL 2030	20" x 30"						G					
VSL 2032	20" x 32"						G					
VSL 2034	20" x 34"						G					
VSL 2230	22" x 30"		B G		B G							
VSL 2236	22" x 36"							B				
VSL 2248	22" x 48"						G					
VSL 2424	24" x 24"	B G	B G	B G	B G	B	B G	B	B	B	B	
VSL 2430	24" x 30"	B G	B G	B G	B G	B	B G	B	B	B	B	
VSL 2432	24" x 32"	B G	B	B G	B G	B	B G		B	B	B	
VSL 2434	24" x 34"	B	B	B			G					
VSL 2436	24" x 36"	B G	B	B	B	B	B G		B	B	B	
VSL 2454	24" x 54"	B		B			G					
VSL 2456	24" x 56"			G	B							
VSL 2460	24" x 60"	B G	B	B	B G	B	B G	B	B	B	B	
VSL 2464	24" x 64"	B G	B	B		B	B G		B	B	B	
VSL 2466	24" x 66"				B G							
VSL 3036	30" x 36"							B				
VSLG 0832	8" x 32"	VSLG Has Galvanized Construction						B				
VSLG 2456	24" x 56"	VSLG Has Galvanized Construction						B				

### Round Vision Lite Kits

Model	Rough Opening	Warehouse Locations		
		CA	PA	MN
VSLR 12	12" Dia.	B		
VLFR 12	12" Dia.	B	B	B

### VLFEZ Vision Lite Kits

Model	Rough Opening	Warehouse Locations										
		CA	PA	MN	GA	IL	WA★	FL	TX	ND	NE	
VLFEZ 1212	12" x 12"	B G	B G	B G	B	B	B	B G	B	B	B	
VLFEZ 0520	5" x 20"	B		B		B					B	
VLFEZ 0535	5" x 35"	B	B G	B	B	B					B	
VLFEZ 0624	6" x 24"	B										
VLFEZ 0626	6" x 26"	B										
VLFEZ 0627	6" x 27"	B G	B G	B	B	B	B		B	B	B	
VLFEZ 0630	6" x 30"	B		B		B	B G		B			
VLFEZ 0636	6" x 36"	B										
VLFEZ 0722	7" x 22"	B G	B G	B G	B	B	B		B	B	B	
VLFEZ 0818	8" x 18"	B										
VLFEZ 0830	8" x 30"	B								B		
VLFEZ 0832	8" x 32"	B	B G	B	B					B		
VLFEZ 0836	8" x 36"	B	B	B								
VLFEZ 1010	10" x 10"	B								B		
VLFEZ 1414	14" x 14"									B		
VLFEZ 1818	18" x 18"	B	B	B						B		
VLFEZ 1832	18" x 32"		B									
VLFEZ 2020	20" x 20"	B										
VLFEZ 2030	20" x 30"									B		
VLFEZ 2424	24" x 24"	B G	B G	B	B	B	B		B	B	B	
VLFEZ 2430	24" x 30"	B G	B G	B	B	B	B		B G	B	B	
VLFEZ 2432	24" x 32"	B G	B G	B	B	B				B		
VLFEZ 2434	24" x 34"	B										
VLFEZ 2436	24" x 36"	B	B	B		B				B	B	
VLFEZ 2460	24" x 60"	B	B G	B	B	B				B	B	
VLFEZ 2464	24" x 64"	B	B	B		B				B	B	
VLFEZ 2466	24" x 66"	B	B	B		B				B	B	
VLFEZS 1212	12" x 12"	Stainless Steel								SS		

### VSI G & VLFEZIG 1" Glass - Vision Lite

Model	Rough Opening	Warehouse Locations								
		CA	PA	MN	IL	WA★	ND	NE		
VSI G 1212 01	12" x 12"	B		B G	B		B			
VSI G 0627 01	6" x 27"	B	B	B G		B				
VSI G 0722 01	7" x 22"	B		B G		G				
VSI G 0832 01	8" x 32"			G		G				
VSI G 2424 01	24" x 24"	B		B G		G	B	B		
VSI G 2428 01	24" x 28"					G				
VSI G 2430 01	24" x 30"	B	B	B G	B	B G	B	B		
VSI G 2432 01	24" x 32"	B	B	B	B	B				
VSI G 2434 01	24" x 34"					G				
VSI G 2436 01	24" x 36"	B		B		B				
VSI G 2456 01	24" x 56"			G						
VSI G 2460 01	24" x 60"	B	B	B	B	B G	B	B		
VSI G 2464 01	24" x 64"	B				B				
VLFEZIG 2430G 01	24" x 30"					G				

**KEY : B = Bronze | G = Gray**

★ = Some items available in WHI Listing for Canada, please confirm using the online submittal prior to quoting/ordering.



QUOTES@ACTIVARCPG.COM  
ORDERS@ACTIVARCPG.COM



800-554-6077



WWW.ACTIVARCPG.COM/AIR-LOUVERS

All listed items on this page are UL Rated , sized for 1-3/4" doors and 24 hour shipping

700A - Inverted Split "Y" Louver						
Model	Rough Opening	Warehouse Locations			Free Area	
		CA	WA	MN		
700A 1212	12" x 12"	B	B G	B	72 in <sup>2</sup>	
700A 1812	18" x 12"	B	G		108 in <sup>2</sup>	
700A 1818	18" x 18"	B			162 in <sup>2</sup>	
700A 2412	24" x 12"	B	B G	B	144 in <sup>2</sup>	
700A 2418	24" x 18"		G		216 in <sup>2</sup>	
700A 2424	24" x 24"	B	B G	B	288 in <sup>2</sup>	

Specialty Louver Florida Only		
Model	Rough Opening	Color
1500AHR 2424B	24" x 24"	Electro Galvanized (B)
1500AHR 2464B	24" x 64"	Electro Galvanized (B)
900FPL 2464	24" x 64"	Galvanized Sheet Metal (G)



**24 HOUR:**  
Orders placed before noon central standard time will be shipped out on the next day. Based on availability.

800A1 - Inverted Split "Y" Louver												
Model	Rough Opening	Warehouse Locations										Free Area
		CA	PA	MN	GA	IL	WA	FL	TX	ND	NE	
800A1 1212	12" x 12"	B G	B G	B G	B G	B	B	B G	B	B	B	72 in <sup>2</sup>
800A1 1224	12" x 24"							J(B)				144 in <sup>2</sup>
800A1 1812	18" x 12"	B G	B	B	B	B	B G	G J(B)	B	B	B	108 in <sup>2</sup>
800A1 1818	18" x 18"	B G	B	B	B G	B	B	B G	B	B	B	162 in <sup>2</sup>
800A1 1824	18" x 24"	B	B	B	B		G	J(B)				216 in <sup>2</sup>
800A1 1860	18" x 60"							J(B)				540 in <sup>2</sup>
800A1 2412	24" x 12"	B G	B	B G	B G	B	B	G	B G	B	B	144 in <sup>2</sup>
800A1 2418	24" x 18"	B G	B	B	B G	B	B	J(B)		B	B	216 in <sup>2</sup>
800A1 2424	24" x 24"	B G	B G	B G	B G	B G	B	B G	B	B	B	288 in <sup>2</sup>
800A1 2460	24" x 60"	B		B	B G		G	B J(B)				720 in <sup>2</sup>
800A1 2464	24" x 64"	B		B	B			G				768 in <sup>2</sup>



**AVAILABILITY:**  
Stocked items and available quantities subject to change, according to market needs. Call for availability.



**MAXIMUM QUANTITY:**  
25 per size, per order  
Call customer service for more.

1900A - Louver for Fire-Rated Doors												
Model	Rough Opening	Warehouse Locations										Free Area
		CA	PA	MN	GA	IL	WA★	FL	ND	NE		
1900A 1212	12" x 12"	B	B	B	B	B	B G		B	B		65 in <sup>2</sup>
1900A 1616	16" x 16"						G					115 in <sup>2</sup>
1900A 1812	18" x 12"	B	B	B			G					97 in <sup>2</sup>
1900A 1818	18" x 18"	B	B	B								146 in <sup>2</sup>
1900A 2412	24" x 12"	B	B	B	B	B	G		B	B		130 in <sup>2</sup>
1900A 2418	24" x 18"	B	B	B			G					194 in <sup>2</sup>
1900A 2424	24" x 24"	B G	B	B G	B	B	B G	B G	B	B		259 in <sup>2</sup>



**TERMS:**  
Net 30 days in US funds, minimum billing \$50.00 net. Please refer to website for complete Terms and Conditions and to our price list for freight allowed, special crating charges. Your account must be current and in good standing.

Each warehouse has a **location specific stock list** with additional details and product information. See the **most updated stock listing online**.

**KEY : B = Bronze | G = Gray | J(B) = Bronze Jetcoat Galvanized**

★ = Some items available in WHI Listing for Canada, please confirm using the online submittal prior to quoting/ordering.



QUOTES@ACTIVARCPG.COM

ORDERS@ACTIVARCPG.COM



800-554-6077



WWW.ACTIVARCPG.COM/AIR-LOUVERS