

Hiawatha, Inc. List Prices Effective 5/1/2011



CONFIDENTIAL LIST PRICE SCHEDULE REV C

Visit WWW.HIAWATHAINC.COM for the Most Current Terms & Conditions, Pricing and Product Information!

TERMS: Net 30 days in US funds for accounts that have "Open Account" status with us, and subject to approval of buyer's credit. Any other terms must be prearranged with the seller and agreed to in writing. A service charge of 1.5% per month will be applied to all accounts that are 30 days past due. If the account is placed for collection, buyer agrees to pay all legal and collection fees.

PRICES AND DISCOUNTS: All prices are FOB one of our factory or warehouse locations, and apply to one order for one destination shipments. All applicable taxes which may be required to pay or collect under any existing or future law upon or applicable to, the sale, purchase, manufacture, processing, transportation, delivery, use of, consumption of any of the materials covered hereby shall be added to the invoice of the purchaser unless otherwise specifically indicated or unless we have a resale exemption document on file.

HANDLING: A \$15.00 net handling charge will be added to all orders under \$50.00 list price.

FREIGHT: Hiawatha, Inc. will ship freight-allowed on shipments valued at \$1250.00 net or more for customers within the continental US. Standard freight policies are for shipments to a single destination by carrier and route of Hiawatha, Inc's choice. A single \$5.00 net per order handling charge is added to all non-prepaid orders. Charges resulting from "Delivery Notification" from the freight company will be billed back to the customer. Customers have the option of specifying a carrier or routing, however when such a carrier or routing is specified, the order will be shipped freight collect or billed to a third party when relevant.

CLAIMS: Shortages or errors in shipment must be reported within 48 hours after receipt of goods. It is the responsibility of the customer to inspect and report damaged or lost merchandise to the delivering carrier at the time of delivery.

QUICK SHIP ITEMS SHOWN IN **BOLD**

Most Quick Ship items are available for 24-48 hour shipment, some corner guards and flat goods will ship within 72 hours.

RETURNS: No merchandise may be returned for credit without a Returned Goods Authorization. A 50% handling and restocking plus shipping both ways, will be assessed for material returned in usable condition. Freight collect returns will not be accepted. Due to the custom design and specifications for many of our products, certain materials are not subject to return.

WARRANTY: All products are warranted to be free of defects in material and workmanship for the period of one (1) year from date of shipment. We reserve the right to replace or repair any product found defective within this period. No other warranty expressed or implied is valid.

LIABILITY: Hiawatha will not accept liability for cost of field labor or materials to adjust, change or correct any products except what we specifically authorized in writing by Sales Manager. The company reserves the right to make changes in design, or to make additions to, or improvements in its products without incurring any obligation to incorporate or install such design changes, additions or improvements in or on products previously manufactured or sold.

CHANGES/CANCELLATIONS/ADDITIONS: Please consult customer service concerning approval for cancellation of existing orders. Special fabrication and orders entered into production are not subject to cancellation. Any changes of purchase orders must be confirmed by fax or Email.

ORDERING INFORMATION:

TEMPLATES: Will be furnished without charge upon request. Such drawings are for use of door manufacturer only as a guide in locating necessary reinforcements. Actual hardware will be shipped to the door manufacturer if your order so specifies. Kick plates and hand-formed items are not to template.

WHEN ORDERING: Specify all pertinent information such as: center to center dimension, hand of door (if handed item), type of fastening, catalog number and complete finish designation.

Prices & Stocked Product Subject to Change Without Notice.

Table of Contents

Push Plates	2	Full Height Pulls, Door Viewers, Wall Guards	7
Plate/Pull Combinations	3	Automatic, Manual & Self Latching Flush Bolts	8
Plate & Solid Pull Combinations	3	Coordinators, Surface Bolts, Roller Latches	9
Pull Sets	5	Mounting Hardware, Fasteners	9
Solid Door Pulls	4	Corner Guards, Door Edges, Trim Protectors	10
Push Bars, Push & Pull Sets	3, 5	Door Stops & Bumpers	11
Designer Pulls, Tubular, Flush Pulls	6	Overhead Holders, Standard Finishes	12
Kickplates, Armor Plates, Mop Plates - Call for Pricing		Custom Pulls from Elegance Catalog - Call for Pricing	

Existing Customer Email: ORDERS@ACTIVARCPG.COM
SALES@ACTIVARCPG.COM



QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Push Plates - Series 200: 16 Gauge (.050 Thick) Metal Push Plates with Beveled Edges

Example: PP200A.US10		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
200A	3" x 12"	21	21	23	23	22	22	9	10	15	21
200B	3" x 15"	24	24	28	--	--	--	9	11	15	--
200C	3-1/2" x 14"	24	24	28	--	--	--	9	11	15	--
200D	3-1/2" x 15"	24	24	28	28	27	27	9	11	15	22
200E	3-1/2" x 16"	28	28	32	--	--	--	10	12	18	--
200F	4" x 16"	28	28	32	32	31	31	10	12	18	24
200G	4" x 20"	43	43	49	45	45	45	12	16	27	31
200H	6" x 16"	43	43	49	49	46	46	12	16	27	41
200J	7-1/2" x 15"	55	55	62	--	--	--	15	23	33	--
200K	8" x 16"	55	55	62	62	60	60	15	23	33	46

Metal Push Plates 16 Gauge (.050" Thick) with Round Corners & Beveled Edges

Example: PP210A.US3		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
210A	3" x 12"	30	30	32	32	32	32	15	19	23	25
210D	3-1/2" x 15"	33	33	38	38	38	38	17	22	27	26
210F	4" x 16"	38	37	42	42	42	42	17	25	30	28
210G	4" x 20"	43	43	50	50	50	50	20	28	35	36
210H	6" x 16"	53	53	62	62	62	62	23	39	48	45
210K	8" x 16"	63	63	74	74	74	74	27	42	53	50

Cold Forged Metal Push Plates - 16 Gauge (.050" Thick) with Formed Edges - 7/32" Projection

220D	3-1/2" x 15"	55	55	57	57	57	57	25	39	--	48
220F	4" X 16"	64	64	67	67	67	67	37	46	--	56

Half Circle Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

230L	6" x 12"	75	75	83	83	83	83	40	48	62	58
230J	7-1/2" x 15"	79	79	87	87	87	87	42	54	68	62
230K	8" x 16"	85	85	93	93	93	93	45	58	71	68

Radius End Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

240A	3" x 12"	37	37	40	40	40	40	23	26	30	32
240D	3-1/2" x 15"	40	40	45	45	45	45	24	30	35	33
240F	4" X 16"	44	44	49	49	49	49	25	32	37	36

Half Heart Metal Push Plates - 16 Gauge (.050" Thick) with Beveled Edges

280M	10" x 20"	135	135	145	145	145	145	71	98	112	106
------	-----------	-----	-----	-----	-----	-----	-----	----	----	-----	-----

Metal Push Plates - (.125" Thick) with Beveled Edges

300A	3" x 12"	85	85	99	99	99	99	28	52	76	--
300D	3-1/2"x15"	205	205	238	238	238	238	71	126	78	--
300F	4" x 16"	224	224	252	252	252	252	74	139	86	--
300G	4" x 20"	120	120	135	135	135	135	36	70	98	--
300H	6" x 16"	135	135	147	147	147	147	41	86	110	--
300K	8" x 16"	170	170	182	182	182	182	49	106	124	--

Engraving on Push Plates - Net

Engraving on Plate (3/4" letters w/black enamel fill) This Net Price is Per Letter

3

Hiawatha, Inc. List Prices Effective 5/1/2011

Plate & Solid Pull Combinations

3-1/2" x 15" Plate		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
200DX523B	3/4" x 5-1/2" CTC	66	66	74	74	71	71	28	37	53	65
200DX523E	3/4" x 6" CTC	68	68	76	76	73	73	28	38	54	66
200DX523A	3/4" x 8" CTC	73	73	83	84	78	78	28	42	58	69
200DX535B	1" x 8" CTC	108	108	126	130	113	113	36	69	85	115
200DX536B	1" x 10" CTC	117	117	140	143	122	122	37	75	91	126
200DX559A	3/8" x 1-1/4" Bar 6" CTC	65	67	70	74	70	70	29	52	--	--
200DX559	3/8" x 1-1/4" Bar 8" CTC	81	81	85	85	83	83	31	58	--	--
200DX580	1" Half Round x 6" CTC	73	73	76	76	75	78	30	60	--	--
200DX581	1" Half Round x 8" CTC	79	79	83	83	81	84	31	68	--	--
200DX5	5-1/2" Cast CTC	52	52	56	57	56	63	26	50	--	--
200DX5-1/2P	5-1/2" Cast CTC	62	64	67	69	66	66	--	63	--	--

4" x 16" Plate		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32	US32DMS
200FX523B	3/4" x 5-1/2" CTC	69	69	78	79	75	76	28	38	56	67
200FX523E	3/4" x 6" CTC	71	71	80	81	77	77	28	39	57	68
200FX523A	3/4" x 8" CTC	76	76	87	88	83	83	29	43	60	71
200FX535B	1" x 8" CTC	69	111	131	134	118	118	36	70	87	117
200FX536B	1" x 10" CTC	120	120	144	147	126	126	38	77	94	128
200FX559A	3/8" x 1-1/4" Bar x 6" CTC	68	70	74	78	74	74	29	54	--	--
200FX559	3/8" x 1-1/4" Bar x 8" CTC	84	84	89	89	88	88	31	59	--	--
200FX580	1" Half Round x 6" CTC	76	76	80	80	80	83	31	61	--	--
200FX581	1" Half Round x 8" CTC	82	82	87	87	86	89	32	70	--	--
200FX5	5-1/2" Cast CTC	55	55	60	61	60	68	26	51	--	83
200FX5-1/2P	5-1/2" Cast CTC	65	67	72	73	71	71	--	64	--	--

Pulls supplied with 1/4-20 Thru-Bolt Mounting for 1-3/4" Doors (See Figure E)

Other Pull/Plate Combinations Can be Made to Order - Call for Pricing

Push & Pull Sets - 3/8" Flat Bar Stock

		US3	US4	US10	US10B	US26D	US26	US28	US32D
1002	Single Push Bar: 2 Brackets	401	401	401	401	401	401	--	--
1032	Single Push Bar: Low Profile	354	354	424	424	424	424	154	171
1042	Single Push Bar: Angled Bend	377	377	424	424	424	424	154	206
1052	Single Push Bar: Double Bend	377	377	424	424	424	424	154	206
1062	Single Push Bar: Double Bend w Plates	330	330	377	377	377	377	154	188
1072	Single Push Bar: Single Bend w Plate	377	377	424	424	424	424	154	206
1072A	Single Push Bar: Single Bend	330	330	377	377	377	377	154	188
1072D	Double Push Bar: 2 Bars with Plates	744	744	834	834	834	834	327	443
1075A	Single Push Bar: Angled Bend w Plate	377	377	424	424	424	424	154	206

Pulls - Aluminum Extrusion - 663 Series

		US3	US4	US10	US10B	US28	313/315	US32D
663	6" x 12", 10" CTC 2-1/4" Projection	457	500	457	328	357	386	343
663D	6" x 12", 10" CTC 2-1/4" Projection	414	471	414	243	271	314	257

QUICK SHIP ITEMS SHOWN IN **BOLD**

PAGE 3

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Solid Door Pulls - Series 5, 500 & 1458

Example: 523D.US10B		US3	US4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
5	5-1/2" Cast CTC	51	51	57	57	57	57	--	--	57	--	--
5-1/2P	5-1/2" Cast CTC	43	43	47	47	47	47	27	--	54	--	59
523B	3/4" x 5-1/2"	42	42	46	47	45	45	18	22	26	38	43
523E	3/4" x 6"	44	44	48	49	46	46	18	22	27	39	44
523A	3/4" x 8"	48	48	55	56	51	51	19	23	31	42	47
523C	3/4" x 10"	56	56	66	66	58	58	20	26	38	49	59
535B	1" x 8"	83	83	98	102	86	86	26	33	58	70	93
509B	1" X 9"	93	88	112	115	95	95	28	34	65	76	96
536B	1" x 10"	93	88	112	115	95	95	28	34	65	76	104
537B	1" x 12"	102	102	125	128	105	105	29	35	72	83	113
518B	1" X 18"	179	179	224	224	179	179	46	53	137	150	144
559A	3/8" x 1-1/4" Bar 6" CTC	66	66	89	89	89	89	27	--	41	--	--
559	3/8" x 1-1/4" Bar 8" CTC	79	79	99	99	99	99	30	--	50	--	--
580	Cast Crv. Profile Half Rd x 6"	71	71	77	77	77	77	30	--	56	--	--
564G	Cast Sq. Profile Half Rd x 7"	186	186	186	186	186	186	--	--	--	--	--
581	Cast Crv. Profile Half Rd x 8"	86	86	93	93	93	93	33	--	61	--	--
565G	Cast Sq. Profile Half Rd x 12"	214	214	214	214	214	214	--	--	--	--	--
592	1" Tapered Grip x 8" CTC 16" L	340	340	380	380	380	380	228	243	276	--	--
593	1-1/4" Tapered x 12" CTC 28" L	614	614	671	671	671	671	307	321	471	543	486
1458A	Hospital Pull 5-5/16" CTC 9-1/4" L	61	61	66	66	66	66	--	--	66	--	74

Pulls supplied with 1/4-20 Thru-Bolt Mounting for 1-3/4" Doors

Specify if Concealed Mount is Required

Solid Offset Door Pulls - Series 600 & 700

Example: 658.US32D		US3	US4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
658	1" x 8" 90°	122	122	154	154	128	128	34	41	83	97	289
609	1" x 9" 90°	131	131	167	167	137	137	39	45	92	107	302
658A	1" x 10" 90°	131	131	167	167	137	137	39	45	92	107	315
658B	1" x 12" 90°	141	141	180	180	147	147	43	50	98	113	337
615	1" X 15" 90°	187	187	221	221	196	196	65	74	137	157	--
618	1" x 18" 90°	187	187	221	221	196	196	65	74	137	157	183
750	1" x 9" Semi Circular 90°	343	343	371	371	343	343	186	200	214	243	--
751	1" x 12" Semi Circular 90°	343	343	371	371	343	343	186	200	214	243	--
708	1" x 8" 45°	151	183	183	151	151	50	59	144	154	156	389
709	1" x 9" 45°	161	193	193	161	150	56	66	150	160	161	403
710	1" x 10" 45°	161	193	193	161	161	56	66	156	164	167	418
712	1" x 12" 45°	171	203	203	171	171	63	73	166	176	177	443
718	1" x 18" 45°	207	236	236	207	207	80	90	200	207	211	528

Pulls supplied with 1/4-20 Thru-Bolt Mounting for 1-3/4" Doors

Specify if Concealed Mount is Required

Shower Door/Towel Bar & Pull Bars Prepped for Glass Installation

		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
7518	Push Bar 3/4" Dia Double Bend 18"	218	257	257	218	218	78	93	156	195	164
7512	Push Bar 3/4" Dia Double Bend 20"	218	257	257	218	218	78	93	156	195	164
7524	Push Bar 3/4" Dia Double Bend 24"	218	257	257	218	218	78	93	156	195	164

Hiawatha, Inc. List Prices Effective 5/1/2011

Push Bars & Push & Pull Sets

Single Solid Push Bars - Straight		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
1081LBP	Push Bar Double Bend ____" to 36"	220	288	288	227	227	54	60	168	183	585
1081LBP28	Push Bar Double Bend 28"	220	288	288	227	227	54	60	168	183	585
1081LBP31	Push Bar Double Bend 31"	220	288	288	227	227	54	60	168	183	585
1081LBP33	Push Bar Double Bend 33"	220	288	288	227	227	54	60	168	183	585
1081LBP36	Push Bar Double Bend 36"	220	288	288	227	227	54	60	168	183	585
1081LBP39	Push Bar Double Bend 39"	232	303	302	241	239	61	69	180	198	--
1081 OP	Push Bar-Single Bend/Flat	270	340	340	270	270	86	101	264	286	--
Add per inch over 36"		6	8	8	6	6	2	3	4	5	--

Single Solid Push Bar - Curved		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32
1600 LH	Push Bar Single Curve Left Hand	628	657	657	628	628	357	371	500	543
1601 RH	Push Bar Single Curve Right Hand	628	657	657	628	628	357	371	500	543
1700 LH	Push Bar Double Curve Left Hand	900	942	942	900	900	714	757	785	828
1701 RH	Push Bar Double Curve Right Hand	900	942	942	900	900	714	757	785	828

Single Tubular Push Bar		US3/4	US10	US10B	US28	US32D	US32	313/315
HG113-2.75	1-1/4" x 27-3/4" - Straight	286	300	186	221	236	207	207
HG114	1-1/4" x 33"-36" - Straight: Specify Up to 36"	286	300	186	221	236	207	207

Add \$5.25 per inch per bar for extra length over 36"

Solid Push & Pull Sets		US3/4	US10	US10B	US26D	US26	US28	313/315	US32D	US32	US32DMS
1081LBP33 x 1081LBP33	Push Bar Double Bend Back T Back 33"	445	582	582	458	458	113	125	342	371	522
535BX1081LBP33	8" Straight Pull Bar & 33" Push Bar	309	393	396	319	319	86	99	233	258	353
536BX1081LBP33	10" Straight Pull Bar & 33" Push Bar	319	406	409	328	328	87	100	239	265	364
537BX1081LBP33	12" Straight Pull Bar & 33" Push Bar	328	419	422	337	337	89	102	246	272	373
518BX1081LBP33	18" Straight Pull Bar & 33" Push Bar	434	480	480	434	434	117	140	380	407	404
658X1081LBP33	8" Offset Pull Bar & 33" Push Bar	347	446	446	360	360	94	107	257	285	388
609X1081LBP33	9" Offset Pull Bar & 33" Push Bar	356	459	459	369	369	98	111	265	294	394
658AX1081LBP33	10" Offset Pull Bar & 33" Push Bar	356	459	459	369	369	98	111	265	294	400
658BX1081LBP33	12" Offset Pull Bar & 33" Push Bar	365	472	472	378	378	103	115	271	301	410

Push Pull Sets are Standard with Thru Bolts Both Free Ends
Specify if Concealed Mounting is Required at one Free End or Two

Solid Door Pull Sets - Back to Back

Example: 523BX523B.10B		US3	US4	US10	US10B	US26D	US26	US28	313	US32D	US32	US32DMS
523BX523B	3/4" X 5-1/2"	94	94	102	104	100	100	47	54	63	86	--
523EX523E	3/4" x 6"	98	98	106	108	102	102	47	55	65	88	--
523AX523A	3/4" x 8"	108	108	122	124	115	115	49	58	74	97	106
523CX523C	3/4" x 10"	123	123	143	144	128	128	52	63	88	109	129
535BX535B	1" x 8"	178	178	209	215	185	185	64	77	128	151	197
536BX536B	1" x 10"	197	197	235	242	202	202	67	80	141	164	220
537BX537B	1" x 12"	216	216	261	268	222	222	70	83	155	178	237

Offset Door Pull Sets - Solid Back to Back

Example: 523BX523B.10B		US3	US4	US10	US10B	US26D	US26	US28	313	US32D	US32	US32DMS
658X658	1" x 8"	255	255	319	319	268	268	79	92	179	206	274
609X609	1" x 9"	273	273	345	345	286	286	88	101	196	225	286
658AX658A	1" x 10"	273	273	345	345	286	286	88	101	196	225	297
658BX658B	1" x 12"	293	293	371	371	306	306	97	110	209	238	317
618X618	1" x 18"	383	383	451	451	403	403	141	158	286	325	383

Back to Back Pulls supplied with (2) Concealed Mounts for 1-1/4" Door Back to Back Pulls for Glass Doors can be supplied with (2) Glass Mounts

QUICK SHIP ITEMS SHOWN IN **BOLD** Other Pull Combinations can be Made to Order - Call for Pricing on Sets Not Shown

PAGE 5

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Designer Pulls - Curved

Example 2312L.US32		US 3/4	US 10/10B	US26/26D	US28	US32D	US32	313/315
2312 L/R	1" x 12" Double Curve	457	500	457	328	357	386	343
2512	1" x 12" Straight Curve	414	471	414	243	271	314	257
2612	1" x 12" Offset Curve	471	528	471	300	328	371	314
2112	1" x 12" Bowed Offset "D"	414	471	414	286	314	343	300
2220	1" x 20" Bowed Offset "D"	457	500	457	286	328	357	300

Designer Pulls- Semi-Circular

750S	1" x 9" Semi Circular 90° Return	343	371	343	186	214	243	200
751S	1" x 12" Semi Circular 90° Return	343	371	343	186	214	243	200
812	3/4" Casting on Post Mt.- 12" CTC	957	957	957	-	-	-	-
814	Cast 1-1/4" x 14" CTC Offset	771	771	771	-	-	-	-
HG151	1-1/4" x 12" - 90° Spherical Offset	323	330	--	194	197	224	313: 204

Tubular 1-1/4" Door Pulls - Series HG

Example: HG111.US10		US3/4	US10/10B	US28 (Solid)	US32D	US32	313 (Solid)	315 (Solid)
HG111	1-1/4" x 12" - Straight	200	221	93	164	179	107	107
HG112	1-1/4" x 18" - Straight	228	250	100	179	193	114	114
HG113	1-1/4" x 27-3/4" - Straight	286	300	186	221	236	207	207
HG114	1-1/4" x _____ up to 36" - Straight	286	300	186	221	236	207	207
HG121	1-1/4" x 12" - 90° Offset	257	271	143	193	228	164	164
HG122	1-1/4" x 18" - 90° Offset	286	300	157	214	250	179	179
HG123	1-1/4" x 24" - 90° Offset	314	328	171	236	271	193	193
HG141	1-1/4" x 18 x 9-1/2" LH or RH 90° "L" (indicate Up or Down leg position, use order form)	583	634	343	454	497	394	394
HG142	1-1/4" x 24" x 9-1/2" LH or RH 90° "L" (indicate Up or Down leg position, use order form)	583	634	343	454	497	394	394
HG143	1-1/4" x 30" x 9-1/2" LH or RH 90° (indicate Up or Down leg position, use order form)	657	849	583	583	668	668	668
HG144	1-1/4" X 15" X 15" 90° Angle "L"	271	286	164	200	228	186	250
HG151	1-1/4" x 2"- 90° Semi Circle Offset	323	330	194	197	224	204	-
HG161	1-1/4" x 12" Curve Segment Offset	428	471	314	357	386	343	343
HG170	1-1/4" x _ Curve Segment Straight-Specify Length	Priced on application						

Back to back mounting - add \$30.00 per assembly

Single pull with two finish buttons 1-1/4" diameter - add \$20.00

Endcaps or Push/Pull Engraving - Call for Quote

Modifications of 1-1/4" pull available upon request

US28, 313 & 315 Fabricated with 1-1/4" diameter solid aluminum

Flush Pulls, Barrier Free, Combo Plates & Hospital Pulls

		US3	US4	US10	US10B	US26D	US26	US28	US32D	US32DMS
D251	Cylinder Pull 2"x 3-3/4"	43	43	46	46	40	48	36	42	62
1456	Combo Plate 3-1/4"x15-3/4"	76	76	81	81	76	79	37	49	77
1457	Combo Plate 4"x 15-3/4"	98	98	104	104	104	104	51	69	81
1460	Combo Plate 3" x 15-3/4"	176	176	187	187	187	187	79	129	145
1459	Flush Pull; 3-1/2" x 5"	67	67	67	67	67	67	--	30	51
1459X1459	Flush Pulls; 3-1/2" x 5" (Back to Back)	137	137	137	137	137	137	--	63	110
1459C	Flush Pull Concealed Mt; 3-1/2" x 5"	73	73	73	73	73	73	--	33	54
1453	Flush Pull; 2-3/16"x3-1/4"	21	28	22	23	23	28	--	--	--
1454	Flush Pull 2-11/16"x4-3/16"	23	29	24	24	24	29	--	--	--
1450	Barrier Free Pull - 5" x 5" x 7/8"	--	--	--	--	--	--	--	97	126
1451	Barrier Free Pull Concealed Mt.- 5"x5"x7/8"	180	180	190	190	190	190	--	125	154
1458A	Hospital Pull: Cast 9-1/4"x5-5/16" CTC	61	61	66	66	66	66	--	66	74

Hiawatha, Inc. List Prices Effective 5/1/2011

Full Height Pulls - 1", 1-1/4", 1-1/2"

Straight "D" Pulls		US3/4	US10/10B	US28 (Solid)	US32D	US32	313/315 (Solid)
1010	1" x 36-48" Radius Ends	400	414	200	314	343	243
1010	1" x 49-72" Radius Ends	471	486	443	357	386	486
1010	1" x 73-96" Radius Ends	643	657	471	443	500	514
1020	1-1/4" x 36-48" Radius Ends	457	471	271	328	357	300
1020	1-1/4" x 49-72" Radius Ends	528	543	400	371	400	443
1020	1-1/4" x 73-96" Radius Ends	714	728	514	457	514	571
1030	1-1/2" x 36-48" Radius Ends	528	543	--	371	400	--
1030	1-1/2" x 49-72" Radius Ends	600	614	--	400	443	--
1030	1-1/2" x 73-96" Radius Ends	771	785	--	486	571	--
Straight Pulls on Post with Rounded Ends							
1110	1" x 36-48" Stand-offs Round Ends	536	536	264	371	400	307
1110	1" x 49-72" Stand-offs Round Ends	607	607	364	414	443	407
1110	1" x 73-96" Stand-offs Round Ends	793	793	450	486	543	493
1120	1-1/4" x 36-48" Stand-offs Round Ends	550	550	307	386	414	350
1120	1-1/4" x 49-72" Stand-offs Round Ends	607	607	407	414	443	450
1120	1-1/4" x 73-96" Stand-offs Round Ends	807	807	536	500	557	578
1130	1-1/2" x 36-48" Stand-offs Round Ends	571	571	--	414	443	--
1130	1-1/2" x 49-72" Stand-offs Round Ends	671	671	--	457	500	--
1130	1-1/2" x 73-96" Stand-offs Round Ends	843	843	--	543	628	--
Offset Pulls for 1100 Series - Add 25.00 per pull - Available in US3/4, US10/10B, US32D, US32							
Straight Pulls on Post with Square Ends							
1210	1" x 36-48" Stand-offs Square Ends	457	457	228	328	357	271
1210	1" x 49-72" Stand-offs Square Ends	528	528	328	383	402	371
1210	1" x 73-96" Stand-offs Square Ends	714	714	414	422	464	457
1220	1-1/4" x 36-48" Stand-offs Square Ends	471	471	271	343	371	314
1220	1-1/4" x 49-72" Stand-offs Square Ends	528	528	371	383	402	414
1220	1-1/4" x 73-96" Stand-offs Square Ends	728	728	500	422	464	543
1230	1-1/2" x 36-48" Stand-offs Square Ends	486	486	-	357	386	-
1230	1-1/2" x 49-72" Stand-offs Square Ends	585	585	-	409	432	-
1230	1-1/2" x 73-96" Stand-offs Square Ends	757	757	-	437	460	-
Offset Pulls for 1200 Series- Add 25.00 per pull - Available in US3/4, US10/10B, US32D, US32							
Mounting: Mid Post: Recommended for Lengths 80" or longer - add \$63.00 to each pull. Additional Length: Add \$63.00/ft over 8'.							

Engraving on 1" Door Pulls - Net

4 Letters	20
-----------	----

Door Viewers - UL-Listed

		Satin Nickel	Satin Chrome	US10B Ant. Bronze	Brass	Chrome
620DV	160 degree Viewer 1/2" for 1-3/8-2" Door	7	-		6	6
621DV	160 degree Viewer 2-2-5/8" Door	-	-		8	8
622DV	190 degree Viewer 9/16" for 1-3/8-2" Door	11	11		10	10
VC620	Viewer Cover for 620 & 621 (1/2") 10/pk	-	-		49	49
VC622	Viewer Cover for 622 (9/16") 10/pk	-	-		58	58

Door & Wall Guards

	Description	US3	US4	US10/10B	US26D	US26	Description	US26
605	Door Guard: Solid Brass	29	27	30	26	29	607 Wall Guard: 1" x 1" Clear, Self Adhesive	3
606	Edge Guard for 605 Guard	7	7	7	7	7	608 Clear Plastic Shim for Above 55/Sheet	49
							604 Door Guard: Aluminum with Antique Brass, Bright Brass, Bright Chrome or Dull Chrome Finish:	13

QUICK SHIP ITEMS SHOWN IN **BOLD**

PAGE 7

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Automatic & Combination Flush Bolts (UL Listed)

Fire-Rated Metal Doors:		US3/4	US10	US10B	US26	US26D	US32	US32D
3142	Set of Top & Bottom Bolts -	174	174	174	174	174	174	174
3142-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33	33
3140	Single Top Bolt	91	91	91	91	91	91	91
3140-BFBM	Single Top Bolt & BFBM Bottom Fire Bolt	174	174	174	174	174	174	174
BFBM	Bottom Fire Bolt for Metal Doors	--	--	--	--	93	--	--
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19	19
Fire-Rated Wood Doors								
3242	Set of Top & Bottom Bolts	189	189	189	189	189	189	189
3242-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33	33
3240	Single Top Bolt	98	98	98	98	98	98	98
3240-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	189	189	189	189	189	189	189
3240-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19	19
3662	Set of Top & Bottom Bolts	211	211	211	211	211	211	211
3662-TP	Trim PAK (bolt cover plates, screws & strikes)	28	28	28	28	28	28	28
3660	Single Top Bolt	109	109	109	109	109	109	109
3660-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	211	211	211	211	211	211	211
BFBW	Bottom Fire Bolt for Wood Doors	-	-	-	-	93	-	-
-TP	Trim PAK (bolt cover plates, screws & strikes)	17	17	17	17	17	17	17

Manual & Self Latching Flush Bolts (UL Listed)

Manual Flush Bolt for Wood & Metal Doors		US3/4	US10	US10B	US26	US26D	US32/32D
3780F	Manual Flush Bolt for Metal Door - 3 Hour Rating	22	22	22	22	22	-
3790F	Manual Flush Bolt for Wood Door - 1-1/2 Hour Rating	33	33	33	33	33	-
Self-Latching for Fire-Rated Metal Doors							
3845	Set of Top & Bottom Bolts - 3 Hr Rating	182	182	182	182	182	182
3845-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33
3805	Single Top Bolt - 3 Hr Rating	95	95	95	95	95	95
3840	Single Bottom Bolt - 3 Hr Rating	91	91	91	91	91	91
3805-BFBM	Single Top Bolt & BFBM Bottom Fire Bolt	182	182	182	182	182	182
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19
Self-Latching for Fire-Rated Wood Doors							
3945	Set of Top & Bottom Bolts - 1-1/2 Hr. Rating	197	197	197	197	197	197
3945-TP	Trim PAK (bolt cover plates, screws & strikes)	33	33	33	33	33	33
3905	Single Top Bolt - 1-1/2 Hr. Rating	102	102	102	102	102	102
3940	Single Bottom Bolt - 1-1/2 Hr Rating	98	98	98	98	98	98
3905-BFBW	Single Top Bolt & BFBW Bottom Fire Bolt	197	197	197	197	197	197
-TP	Trim PAK (bolt cover plates, screws & strikes)	19	19	19	19	19	19

Strikes

		US3/4	US10	US10B	US26D	US26	US32D
382	Universal Dust-proof Strike; Concrete, Carpet, Threshold	20	20	20	20	20	-
381	Dust-proof Strike Without Plate	-	-	-	-	-	13
380	Dust-proof Strike; Concrete	-	-	-	-	-	16

Door Silencers

601	Metal Door: Grey Rubber (pks of 100)						13
602	Clear Adhesive: (pks of 300)						130
603	Wood Door: Grey Rubber (pks of 100)						19

Hiawatha, Inc. List Prices Effective 5/1/2011

Door Coordinators

	Description	Black	Gray						
3632	32" Coordinator for 35" - 54" Opening: For active doors with up to 28" maximum width.	119	126						
3642	42" Coordinator for 44" 54" Opening: For active doors with up to 38" maximum width.	119	126						
3652-72	52" Coordinator for 55" - 72" Opening: For active doors with up to 48" maximum width.	119	126						
3652-84	52" Coordinator for 73"-84" Opening: For active doors with up to 48" maximum width.	119	126						
3652-95	52" Coordinator for 85-95" Opening: For active doors with up to 48" maximum width.	137	145						
3660	60" Coordinator for 96" - 112" Opening: For active doors with up to 56" maximum width.	152	160						
3666	66 Coordinator for 113" - 120" Opening: For active doors with up to 62" maximum width	174	182						
<i>Filler bar for above are cut to dimensions provided. Black or grey prime coat finish. See submittal Sheet to Order.</i>									
3700	Universal Door Coordinator: Non Handed.	85	-						
MB37	Mounting Bracket: For soffits 7/8" to 2-1/4" Wide. Order one 5" long bracket for each soffit-applied hardware. Prime coat	20	28						
MB38	Mounting Bracket: For soffits over 2-1/4" Wide. Order one 5" long bracket for each soffit-applied hardware. Prime coat	20	28						
	Description	US3	US4	US10	US10B	US26D	US26	US32	US32D
600	Gravity Door Coordinator: 1" x 5-7/16" 7" Projection.	85	85	85	85	82	85	-	-
CB36	Carry Bar for mounting on the inactive door. Black or gray primer.	28	43	49	49	43	43	43	43

Surface Bolts

		US3	US10	US10B Painted	US26D	US32D
3008P	Surface Bolt: 8" UL Listed	31	29	33	26	57
3012P	Surface Bolt: 12" UL Listed	--	31	--	30	--
5008P	Surface Door Bolt for Padlock: 8"	--	--	--	--	118
5012P	Surface Door Bolt for Padlock: 12"	--	--	--	--	144

Roller Latches

		US3	US4	US10	US15	US10B	US26D	US26
1041	Roller Latch: 2-1/4" Cast Strike	36	50	50	39	42	32	37
1042	Roller Latch: ASA Strike	39	53	53	41	53	35	50
1043	Roller Latch: 2-3/4" Strike	36	50	50	38	50	32	37
1044	Roller Latch/Angle Stop	74	74	74	74	84	57	81

Engraved Plates

	US28	US3/10/10B/26D
CUSTOM PLATE: 2" H x Width required. 1" H letters. Specify copy: price per letter, minimum of 3 letters	4	5
MEN; 2" X 5", 1" H Letters	8	10
WOMEN; 2" x 7", 1" H Letters	14	17

Back to Back & Concealed Mounting Fasteners - Net

HTB: 1/4-20 Thru Bolt	0.89
H-1: 1/4 -20 x 2-13/16" Shoulder bolt for back to back 1-3/4" door	1.78
H-1DC: 3/8" - 24 x 3- 1/4" Double cone shoulder bolt for back to back 1 3/4"	2.66
H-1A: 1/4-20 x 3-1/4" Shoulder bolt for back to back 2" door	2.78
H-2 :1/4-20 x 1-1/2" Shoulder bolt for BTB 1/2" glass door & for concealed Mtg.	1.67
H-2DC: 1/4-20 x 1-13/16" Double Cone shoulder bolt for concealed mounting	2.00
H-10: 1/4-20 x 1-3/4" Shoulder bolt for back to back 3/4" glass door	2.33
H-6,P-set: 1/4-20 x 1-1/2" Shoulder bolt for 3/4" diameter back to back pulls	1.78
H-29, Insert: 1/4-20 Insert to convert shoulder bolt to thru bolt mounting	1.78
3/8"-16 RH/LH spindle for HG Series pulls (1-1/2" and 3-1/2" lengths)	2.00
3/8"-16 x 2-1/2" RH threaded spindle for HG Series pulls	1.11
1/4-20 x 1-1/8" RH threaded rod	1.00
1-1/4" broached washer for tightening HG series (back to back)	4.00

Thru Bolt & Surface Mount Fasteners - Net

1/4-20 FH machine screw for thru bolt 1-3/4" door x 2-1/4"	.49
1/4-20 FH machine screw for thru bolt 2" door, 2-11/16"	1.25
1/4-20 Finishing washer	.49
3/8-16 Finishing washer	.49
3/8-16 FH machine screw for thru bolt 1-3/4" door	2.00
Nylon bushings (specify glass and hole size)	.49
1" felt washers	.28
3/4" nylon washers	.44

Screws for Push & Kick Plates - Net

6 x 5/8" Truss head sheet metal screw for kick plates ea.	.11
6 x 5/8" Oval head sheet metal screw for push plates and countersunk kick plates. Ea.	.11
Torx Security Screws US32D \$22/100 (# 12028 ea)	.31 ea
TEK Self Tapping Screws US32D \$7/100	.10 ea
TEK Self Tapping Screws US3 \$15/100	.21 ea

QUICK SHIP ITEMS SHOWN IN **BOLD**

PAGE 9

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Stainless Steel US32D Corner Guards

EASED EDGES & ROUNDED CORNERS 1 END	No Holes or Tape	Countersunk Holes & Screws (H)	Applied Tape	Approx. Wt in Lbs.	EASED EDGES & ROUNDED CORNERS 1 END	No Holes or Tape	Countersunk Holes & Screws (H)	Applied Tape	Approx. Wt in Lbs.
18 Gauge Stainless Steel									
CGSS90-1.5E-48	◆ 55	64	69	2	CGSS135-1.5E-48	56	64	69	2.1
CGSS90-2E-48	◆ 66	75	79	2.8	CGSS135-2E-48	66	75	79	2.8
CGSS90-2.5E-48	◆ 75	84	89	3.5	CGSS135-2.5E-48	75	84	89	3.5
CGSS90-3E-48	◆ 85	94	99	4.2	CGSS135-3E-48	85	94	99	4.2
CGSS90-3.5E-48	◆ 95	104	108	4.9	CGSS135-3.5E-48	95	104	108	4.9
16 Gauge Stainless Steel - Heavy Duty Corner Guards									
CGSH90-1.5E-48	63	72	76	2.5	CGSH90-3E-48	100	109	113	5.2
CGSH90-2E-48	75	84	89	3.5	CGSH90-3.5E-48	112	121	126	6.1
CGSH90-2.5E-48	88	97	101	4.4	CGSSU AND CGSH135: Call for Pricing				
◆ SHIP WITHIN 48 HOURS FROM MN AND CA- EASED EDGES, ROUNDED CORNERS 1 END, NO HOLES					Example: CGSS90-2.5E-48-H Example Custom: GGSS135-4.25-72-H Example Tape: CGSS90-1.5E-48 GTAPPLY				
Orders of 25 or More - Call for Pricing & Delivery Corner Guards Available in Any Length up to 90 Inches, and in Custom Angles & Wings									

US3, US4, US10 & US10B Corner Guards

EASED EDGES & ROUNDED CORNERS 1 END	Countersunk Holes & Screws (H)	Applied Tape	Call for Pricing on Other Sizes, Angles & Wings
CGSS90-2E-48.US3 or US4	110	145	
CGSS90-2E-48.US10 or 10B	120	159	
CGSS90-3E-48.US3 or US 4	166	187	
CGSS90-3E-48.US10 or 10B	184	206	

Door Edges - UL Listed

Mortise		US3 *	US4 *	US10 *	US10B *	US32D	US32DMS*
DE-1A 90° DE-2A 93°	1-42" Height	100	100	107	107	41	71
	43-66" Height	154	154	169	169	56	106
	67-96" Height	228	228	243	243	82	149
DE-3C 90° DE-5C 93°	1-42" Height	114	114	121	121	49	83
	43-66" Height	169	169	183	183	67	123
	67-96" Height	250	250	264	264	98	171
Non-Mortise							
DES-1A 90° DES-2A 93°	1-42" Height	100	100	107	107	45	71
	43-66" Height	154	154	169	169	62	106
	67-96" Height	228	228	243	243	90	149
DES-3C 90° DES-5C 93°	1-42" Height	114	114	121	121	53	83
	43-66" Height	169	169	183	183	73	123
	67-96" Height	250	250	264	264	106	171
DES-4C 90°	1-42" Height	131	131	139	139	89 *	100
	43-66" Height	197	197	211	211	137*	151
	67-96" Height	293	293	307	307	197*	226
Mortise - Overlapping							
DE-1AJ 90° DE-2AJ 93°	1-42" Height	114	114	121	121	41	83
	DE-3CJ 90° DE-5CJ 93°	129	129	136	136	48	97

Cutouts: Add \$11.00 for Each Cutout

UL Rating Option: Add \$12.00 per edge and specify

* Minimum Order Applies to These - Add 30% for orders of fewer than 10 pc.

Trim Protectors: US32D

TP1020	Trim Protector 3/8"x1-1/2"x 3-1/4" projection 12" L	103	TP1025	Exit Device Protector 3/8" x 1-1/2" x 3-1/4" projection 8-1/2" L	262
TP1021	Lever Handle Protector: 3/8"x1-1/2"x 3-1/4" projection 12" L	107	TP1026	Exit Device Protector. 3/8" x 1-1/2" x 4-1/2" projection 8-1/2" L	262
TP1023	Long Lever Protector 3/8"x1-1/2"x 3-1/4" projection 14" L	117			

Hiawatha, Inc. List Prices Effective 5/1/2011

Door Stops & Bumpers									
		US3	US4	US10	US10B	US15	US26D	US26	US32D
9212T	Cast 2-1/2" x 1" Convex Wall Bumper	10	10	10	12	12	8	15	--
9213T	Cast 2-1/2" x 1" Concave Wall Bumper	10	10	10	12	12	8	15	--
9210T	Wrought 2-1/2" x 1" Convex Wall Bumper	4	4	5	4	7	4	4	3
9211T	Wrought 2-1/2" x 1" Concave Wall Bumper	4	4	4	4	7	4	4	3
9214	Wrought Concave Beveled Mt:	5	--	--	--	--	--	--	5
9215	Cast Convex Beveled Mount	7	8	8	8	12	7	8	--
Above Door Stops Include SMS & Plastic Toggle, WS & Plastic Anchor									
		US3	US4	US10	US10B	US15	US26D	US26	
9105	4" Kick Down Door Stop (Zinc) 1-5/8" x 1-7/8"	Bright Brass, Bright Chrome or Dull Bronze - 8.00							
9120	5-3/8" Spring Loaded Plunger Stop 1-3/8" x 1-7/8"	39	39	39	39	42	30	41	
9113	4" Kick Down Door Stop Aluminum 2-1/16 x 1-3/8"	Painted Finishes 13.00							
9114	3-5/8" Decorative Kick Down Door Stop 2-1/4" x 1-1/4"	29	32	32	29	39	28	42	
9115	4-5/8" Decorative Kick Down Door Stop 2-1/4" x 1-1/4"	42	41	41	41	44	33	49	
9260	3-3/4" Stem 2-1/4" dia. with Plastic Anchor	31	31	31	32	35	24	35	
9260X	3-3/4" Stem w/1-3/4" Stud, Lead Anchor, SMS, Plastic Anchor	31	31	31	32	35	24	35	
9267	3-3/4" Stem 2-1/4" dia w/ Keeper 1" W x 1-3/4" H	53	40	40	43	45	32	53	
9267X	3-3/4" Stem 2-1/4" dia w/ Keeper 1" W x 1-3/4" H & 1-3/4", Stud, Lead Anchor, SMS, Plastic Anchor	53	40	40	43	45	32	53	

Door Stops - Solid Cast Brass - Floor									
		US3	US4	US10	US10B	US15	US26D	US26	
9310	1-1/8" Low Dome - 2" dia.	6	6	7	7	9	6	7	
9310X	1-1/8" Low Dome - 2" dia. MS & Lead Anchor	7	7	7	7	9	6	7	
9310XR	1-1/8" Low Dome with 3/8" Riser - 2" dia.	10	10	11	11	--	9	11	
9320	1-1/2" High Dome Stop - 2" dia.	7	7	8	8	10	7	8	
9320X	1-1/2" High Dome - 2" dia. MS & Lead Anchor	7	7	8	8	10	7	8	
9300	Cast 3/8" x 2" Riser for Low Dome Stops	4	4	4	4	--	3	4	
9360	3" Stem: 2-12" Base	25	30	30	32	35	25	35	
9360X	3" Stem: 2-12" Base, SMS, Lead Anchor	25	30	30	32	35	25	35	
9367	3-3/4" Stem: 2-12" Base w/Keeper 1"x1-3/4"	60	45	45	49	53	34	60	
9367X	3-3/4" Stem: 2-12" Base w/Keeper, SMS, Lead Anchor	60	45	45	49	53	34	60	
9380	1-5/8" Heavy Duty - Base 2-1/2" x 1-3/4"	28	27	27	28	36	24	34	
9380X	1-5/8" Heavy Duty - Base 2-1/2" x 1-3/4" Lead Anchor	29	29	29	30	37	25	35	
9390	2-1/4" Heavy Duty - Base 2-1/2" x 1-3/4"	32	31	31	32	39	27	39	
9390X	2-1/4" Heavy Duty - Base 2-1/2" x 1-3/4" Lead Anchor	33	32	32	33	39	28	39	
9330	2-1/8" Heavy Duty, - Base 1-1/2" x 2-1/2", Lead Anchor	23	27	27	25	31	23	31	
9340	2-3/4" Heavy Duty - Base 1-5/8" x 2-5/8", Lead Anchor	26	28	28	27	34	25	32	
9347	3" Heavy Duty Base 1-5/8" x 2-5/8" w/Keeper, Stud & Lead Anchor	43	39	39	40	44	33	44	
Above Door Stops Supplied with Wood Screw & Plastic Anchor Unless Otherwise Noted. Exterior Mounting Optional									
9118	3" x 3" Heavy Duty - Cast brass w/Holder.	--	--	--	--	--	82	--	
9119	3-3/16 D x 2" Heavy Duty - Stop, Screw Mounted	--	--	--	--	--	53	--	

Door Stops - Flame Resistant, Heavy Duty									
		US2C	US26/26D	US32D	Rubber	US3/4	US10/10B		
9116	High Impact Bumper: Floor-Anchored W/grout	32	-	-	-	-	-	-	
9117	High Impact Stop w/Replaceable Bumper: Floor-Anchored W/grout	-	51	42	-	51	-	51	
9121	Heavy Duty Stop with Holder: Floor-Anchored W/Grout	-	-	-	29	-	-	-	
9122	Heavy Duty Stop with Holder: Floor-Anchored W/Grout	-	-	-	22	-	-	-	

QUICK SHIP ITEMS SHOWN IN **BOLD**

PAGE 11

QUOTES@ACTIVARCPG.COM ORDERS@ACTIVARCPG.COM

800-554-6077

SALES@HIAWATHAINC.COM

WWW.HIAWATHAINC.COM

Hiawatha, Inc. List Prices Effective 5/1/2011

Overhead Holders & Stops

Stop Only Models are Warnock Hersey Listed for Fire Doors Example: 4123.34.US32D		Door Opening		Other BHMA Finishes	US32D
		Butts/Offsets Pivots	Center Hung		
4113	Heavy Duty Concealed. - Hold Open	36" - 39-15/16"	39" - 42-15/16"	360	360
4114	Heavy Duty Concealed. - Hold Open	40" - 43-15/16"	43" - 46-15/16"	360	360
4123	Heavy Duty Concealed. - Stop Only (Fire-Rated)	36" - 39-15/16"	39" - 42-15/16"	360	327
4124	Heavy Duty Concealed. - Stop Only (Fire-Rated)	40" - 43-15/16"	43" - 46-15/16"	360	327
4213	Med. Duty Concealed. - Hold Open	30" - 35-15/16"	32" - 37-15/16"	159	159
4214	Med. Duty Concealed. - Hold Open	36" - 48"	38" - 48"	159	139
4222	Med. Duty Concealed. - Stop Only (Fire-Rated)	24" - 29-15/16"	-	159	139
4223	Med. Duty Concealed. - Stop Only (Fire-Rated)	30" - 35-15/16"	32" - 37-15/16"	159	139
4224	Med. Duty Concealed. - Stop Only (Fire-Rated)	36" - 48"	38" - 48"	159	139
4313	Med. Duty Surface Mount - Hold Open	30" - 35-15/16"	33-1/2" - 38-15/16"	175	155
4314	Med. Duty Surface Mount - Hold Open	36" x 48"	39" - 48"	175	155
4321	Med. Duty Surface Mount - Stop Only (Fire-Rated)	18" - 23-15/16"	22" - 27-7/16"	175	155
4322	Med. Duty Surface Mount - Stop Only (Fire-Rated)	24"-29-15/16"	27-1/2" - 33-7/16"	175	155
4323	Med. Duty Surface Mount - Stop Only (Fire-Rated)	30" - 35-15/16"	33-1/2" - 38-15/16"	175	155
4324	Med. Duty Surface Mount - Stop Only (Fire-Rated)	36"-48"	39" - 48"	175	155
4412	Heavy Duty Surface Mount - Hold Open US26D Only	35-40-15/16"	38-1/2" - 44-3/16"	300	--
4513	Heavy Duty Surface Mount - Hold Open	32" - 35-15/16"	36" - 38-15/16"	340	321
4514	Heavy Duty Surface Mount - Hold Open	36" - 39-15/16"	39" - 40-15/16"	340	321
4523	Heavy Duty Surface Mount - Stop Only (Fire-Rated)	32" - 35-15/16"	36" - 38-15/16"	340	321
4524	Heavy Duty Surface Mount - Stop Only (Fire-Rated)	36" - 39-15/16"	39" - 40-15/16"	340	321

Standard Architectural Finishes

Base Metal	Description	Hiawatha Code	BHMA
Brass	Polished Clear Coated	US3	605
Brass	Satin Clear Coated	US4	606
Brass	Satin Oxidized Relieved	US5	609
Brass	Satin Nickel Plated Clear Coated	US15	619
Brass	Satin Nickel Blackened Relieved Clear Coated	US15A	620
Brass	Polished Chrome Plated	US26	625
Brass	Satin Chrome Plated	US26D	626
Aluminum	Satin	US27	627
Aluminum	Clear Anodized	US28	628
Aluminum	Light Bronze Anodized	311	—
Aluminum	Medium Bronze Anodized	312	—
Aluminum	Dark Bronze Anodized	313	710
Aluminum	Extra Dark Bronze Anodized	314	—
Aluminum	Black Anodized	315	711
Bronze*	Polished Clear Coated	US9	611
Bronze	Satin Clear Coated	US10	612
Bronze	Satin Oxidized Oil Rubbed	US10B	613
Bronze	Satin Dark Statuary	US20A	624
Stainless Steel	Polished	US32	629
Stainless Steel	Satin	US32D	630
Special Finishes			
Stainless Steel	Satin Antimicrobial Coated	US32DMS	—
Stainless Steel	Polished Type 316 Alloy	US323SS	—
Stainless Steel	Satin Type 316 Alloy (High Performance)	US32DSS	—
Stainless Steel	PVD Polished Brass (High Performance)	LIFETIME SS	—
Brass	PVD Polished Brass (High Performance)	LIFETIME	—

* Solid bronze material, however, brass material may be used when bronze not available.

Dual texture finishes available for some pulls in US3/US4 or US32/US32D.