

HPD UNIQUE IDENTIFIER: 25355

CLASSIFICATION: 10 44 00 Fire Protection Specialties

PRODUCT DESCRIPTION: This HPD covers non-rated surface mount and semi-recess economy series cabinets made from cold-rolled steel, galvanized steel, or aluminum. Cabinet series included in this HPD are Economyline Series models: 5013N20, 5113N20, 5213N20, 5023N20, 5123N20, 5223N20, Decorline Series in either aluminum or steel models: 631AN20, 501AN20, 511AN20, 521AN20, 5218AN20, 502AN20, 512AN20, 522AN20, 5228AN20, 5017F20, 5019F20, 5117F20, 5118F20, 5027F20, 5029F20, 5127F20, 5129F20, 5017G20, 5019G20, 5117G20, 5119G20, 5027G20, 5029G20, 5127G20, 5129G20, 5017S21, 5019S21, 5117S21, 5119S21, 5029S21, 5127S21, 5129S21. Classic Series in aluminum or steel models: 9163Z30, 916AZ30, 923AZ30, 936AZ30, 9363Z30, 9123Z30, 912AZ30, 9223Z30, 922AZ30, 932AZ30, 9323Z30. SM Series models: 9123FJ30, 9123FG30, 9223FJ30, 9223FG30, 6773J30, 6773G30. SMB Series: SMB-W, SMB-GH, SMB-BRA, SMB-B, SMB-R, SMB-BR, SMB-SI. This HPD also includes any customized cabinets in these series.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances except SC substances characterized according to SC guidance. Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 13 of 13 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
COLD ROLLED STEEL [IRON, ELEMENTAL LT-P1 | END MANGANESE LT-P1 | END | MUL | REP CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI CARBON LT-UNK MOLYBDENUM LT-UNK COPPER LT-P1 | AQU SILICON, ELEMENTAL LT-UNK]
ALUMINUM [ALUMINUM BM-1 | END | RES | PHY MANGANESE LT-P1 | END | MUL | REP SILICON, ELEMENTAL LT-UNK IRON, ELEMENTAL LT-P1 | END] ACRYLIC SHEET [UNDISCLOSED LT-UNK ETHYL ACRYLATE LT-1 | CAN | SKI | EYE | MUL | PHY] BREAKER BAR WITH CHAIN [ALUMINUM BM-1 | END | RES | PHY] STEEL GALVANNEAL [IRON, ELEMENTAL LT-P1 | END SILICON, ELEMENTAL LT-UNK COPPER LT-P1 | AQU CHROMIUM LT-P1 | END | SKI | RES TIN LT-UNK MANGANESE LT-P1 | END | MUL | REP MOLYBDENUM LT-UNK CARBON LT-UNK ALUMINUM BM-1 | END | RES | PHY NICKEL LT-1 | CAN | RES | MAM | MUL | SKI] STEEL PIANO HINGE [IRON, ELEMENTAL LT-P1 | END MANGANESE LT-P1 | END | MUL | REP CARBON LT-UNK CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI] PLASTIC BUBBLE [EUDRAGIT E 30D (PRIMARY CASRN IS 9010-88-2) LT-UNK] ALUMINUM PIANO HINGE [ALUMINUM BM-1 | END | RES | PHY] PULL HANDLE [ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY DIPROPYLENE GLYCOL DIMETHYL ETHER LT-UNK 2-BUTOXYETHYL ACETATE LT-UNK | CAN OXIRANE, 2-(CHLOROMETHYL)-, HOMOPOLYMER LT-UNK] CAM [POLYCARBONATE LT-UNK] SAFETY LOCK [ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY CHROMIUM CHLORIDE (3) LT-P1 | SKI | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied:

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD is prepared using the Nested Materials Inventory with product threshold at 1,000 ppm. Activar Construction Products Group Inc. - JL Industries cabinets in these series are made from cold rolled steel, galvanized steel, or aluminum.

POWDER COAT [UNDISCLOSED LT-UNK UNDISCLOSED LT-1] CAN |
END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED
LT-UNK UNDISCLOSED LT-1 | MUL | MAM | RES | SKI | GEN | EYE
UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED BM-1 |
CAN UNDISCLOSED BM-1 | CAN UNDISCLOSED BM-2] ROLLER
CATCH [POLYCARBONATE LT-UNK AISI 10B21 STEEL NoGS NYLON 6
(POST-CONSUMER) LT-UNK ZINC, ELEMENTAL LT-P1 | AQU | END |
MUL | PHY]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently Non-Emitting Source Per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-06-22

PUBLISHED DATE: 2021-07-08

EXPIRY DATE: 2024-06-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

COLD ROLLED STEEL

#: 98.0000 - 99.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Cold rolled steel is the standard materials used in fire extinguisher cabinets. The steel for these cabinets is manufactured in the United States.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-06-22 9:22:28

#: 96.0000 - 99.0000

GS: LT-P1

RC: UNK NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Main ingredient of cold rolled steel.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-28 17:44:04

#: 0.0000 - 2.0000

GS: LT-P1

RC: UNK NANO: No

SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

REP

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Added to increase strength of steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-28 17:44:04

#: 0.0000 - 1.0000

GS: LT-P1

RC: UNK NANO: No

SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SKI

MAK

Sensitizing Substance Sh - Danger of skin sensitization

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Improves corrosion inhibiting properties.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:43**

#: **0.0000 - 1.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Improves hardenability.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:44**

#: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy ingredient.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:44**

#: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Provides corrosion resistance.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:45**

#: **0.0000 - 0.6000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: Provides corrosion resistance.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:45**

#: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Principal deoxidizer.

ALUMINUM

#: **85.0000 - 85.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Sheet aluminum is used to manufacture cabinets.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:30**%: **82.0000 - 85.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: Main component of aluminum.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:35**%: **1.0000 - 1.5000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Contributes to uniform deformation and tensile strength.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:43**%: **0.0000 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The addition of silicon to aluminum reduces melting point and increases fluidity.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:46**%: **0.0000 - 1.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: An impurity intentionally added to aluminum to add strength.

ACRYLIC SHEET

%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Full acrylic front on these economy series cabinets.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:28**%: **98.0000 - 99.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This acrylic co-polymer is considered a proprietary formulation by the supplier.

ETHYL ACRYLATE

ID: 140-88-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:45**%: **0.0000 - 0.1000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: Used in the manufacture of the copolymer.

BREAKER BAR WITH CHAIN

%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Bar and chain are made of aluminum.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:24**%: **100.0000 - 100.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: Mill finish.

STEEL GALVANNEAL%: **1.0000 - 100.0000**PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Only intentionally added ingredients are detailed in this HPD.

OTHER MATERIAL NOTES: Galvanneal is more corrosion resistant than standard cold rolled steel and can be used for exterior use cabinets.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:30**%: **90.0000 - 99.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Main ingredient in steel.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:40**%: **0.1000 - 2.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Increases strength and hardness.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:40**%: **0.1000 - 3.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: Used to strengthen steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:39**

%: **0.1000 - 2.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Alloy used in steel.

TIN

ID: 7440-31-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:38**

%: **0.1000 - 3.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Prevents corrosion.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:38**

%: **0.1000 - 4.5000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy used to manufacture steel.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:38**

%: **0.1000 - 5.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Provides increased corrosion resistance.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:37**%: **0.1000 - 5.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy used to manufacture steel.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:39**%: **0.1000 - 10.5000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: Alloy used in the manufacture of steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:37**%: **0.1000 - 9.7000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

STEEL PIANO HINGE

%: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

SUBSTANCE NOTES: Alloy element used to manufacture steel.

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Continuous piano hinge.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-22 9:22:29

%: 96.0000 - 99.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Main ingredient in steel.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-22 9:22:48

%: 0.0000 - 2.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy included in steel to decrease brittleness and impart strength.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:49**%: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy included in steel to increase hardness and strength.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:49**%: **0.0000 - 1.5000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Alloy included in steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:46**%: **0.0000 - 0.2000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Alloy in steel to improve formability and increase corrosion resistance.

PLASTIC BUBBLE

%: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Bubble is only on the SMB model in these series cabinets.

EUDRAGIT E 30D (PRIMARY CASRN IS 9010-88-2)

ID: 75300-94-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-08-28 17:43:56

%: 100.0000 - 100.0000 GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Main ingredient in the plastic bubble.

ALUMINUM PIANO HINGE

%: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Continuous piano hinge used on aluminum cabinets.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-06-22 9:22:25

%: 100.0000 - 100.0000 GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: Continuous piano hinge used on aluminum cabinets.

PULL HANDLE

%: 0.1000 - 0.4300

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Standard pull handle for fire extinguisher cabinets that have a handle.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:27**%: **99.0000 - 100.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: This is a zinc cast part.

DIPROPYLENE GLYCOL DIMETHYL ETHER

ID: 111109-77-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:35**%: **0.5000 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Clear coat ingredient providing corrosion resistance on pull handle.

2-BUTOXYETHYL ACETATE

ID: 112-07-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:36**%: **0.5000 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Ingredient used in the manufacture of the clear coat.

OXIRANE, 2-(CHLOROMETHYL)-, HOMOPOLYMER

ID: 24969-06-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:36**%: **0.5000 - 0.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in the clear coat for stabilization.

CAM

%: 0.1000 - 0.1000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Plastic cam that holds door closed when using safety lock option on fire extinguisher cabinet.

POLYCARBONATE

ID: 25037-45-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-06-22 9:22:25

%: 100.0000 - 100.0000

GS: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Plastic used in cam for safety lock.

SAFETY LOCK

%: 0.1000 - 0.4500

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Cabinets can come with safety lock and roller catch or just roller catch.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:27**

#: **99.0000 - 100.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Zinc metal cast part.

CHROMIUM CHLORIDE (3)

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:48**

#: **0.0000 - 0.1000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Plating agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: Chrome finish on safety lock.

POWDER COAT

#: **0.0100 - 1.4000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Mixture of polyester resins and pigments for coating cabinets. This is a dry powder electrostatically applied and then cured in the oven.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:31**

#: **30.0000 - 48.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:31**%: **20.0000 - 30.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:32**%: **20.0000 - 21.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:32**%: **10.0000 - 13.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:32**%: **3.0000 - 4.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:33**%: **2.0000 - 4.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:33**%: **2.0000 - 2.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:34**%: **1.0000 - 3.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:34**%: **1.0000 - 1.5000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:41**%: **0.1000 - 1.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:47**%: **0.0000 - 1.0000** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not allow disclosure of this proprietary mixture.

ROLLER CATCH%: **0.0100 - 0.0900**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: Roller catch assembly is made of steel and nylon 6 plastic parts.

POLYCARBONATEID: **25037-45-0**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-22 9:22:26**%: **100.0000 - 100.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Plastic cam used in safety lock assembly.

AISI 10B21 STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-22 9:22:29	
#: 96.0000 - 100.0000	GS: NoGS	RC: UNK	NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Formed steel part of the roller catch assembly.

NYLON 6 (POST-CONSUMER)

ID: 25038-54-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-22 9:22:41	
#: 0.0100 - 0.0500	GS: LT-UNK	RC: UNK	NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Plastic part on the roller catch assembly.

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-22 9:22:47	
#: 0.0000 - 0.0300	GS: LT-P1	RC: UNK	NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Zinc plating provides corrosion resistance for steel parts of the roller catch assembly.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently Non-Emitting Source Per LEED

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-

EXPIRY DATE: 2023-

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

28

08-28

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Aluminum and steel fire extinguisher cabinets.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SCREW

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Standard number 10 x 2-1/2" steel screws are recommended for installation of cabinets. Screws not provided.

Section 5: General Notes

This HPD covers the economy series group of cabinets manufactured from cold rolled steel, galvanealed steel and aluminum. They are manufactured by Activar Construction Products Group, Inc. - JL Industries in the Commerce, CA plant. These products can be used to meet LEED V4.1 points for MR Credit - Building Product Disclosure and Optimization - Material Ingredients - Option 1 and MR Credit - Building Product Disclosure and Optimization - Sourcing of Raw materials - Option 2: Leadership Extraction Practices if within 100 miles of extraction, manufacture, assembly. Please contact us for more information if you are looking to meet LEED or LBC.

Recycled content for steel and aluminum products are as follows:

Steel: 23.5% post-consumer; 6.5% pre-consumer

Galvanealed: 23.5% post-consumer; 6.5% pre-consumer

Aluminum: 60% post-consumer; 25% pre-consumer.

MANUFACTURER INFORMATION

MANUFACTURER: Activar Construction Products Group
ADDRESS: 9702 Newton Ave. S.
Bloomington MN 55431, USA
WEBSITE: www.activarcpg.com

CONTACT NAME: Kathrine Barrett
TITLE: Market Analyst/Specifications Engineer
PHONE: 952-808-1912
EMAIL: khbarrett@activar.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.