

HPD UNIQUE IDENTIFIER: 25216

CLASSIFICATION: 10 44 00 Fire Protection Specialties

PRODUCT DESCRIPTION: This HPD covers non-rated and fire-rated Panorama Series fire extinguisher cabinets made with steel, stainless steel, or aluminum by Activar Construction Products Group, Inc. - JL Industries. More specifically this HPD covers Panorama steel fire extinguisher cabinet models: 8115, 8116, 8117, 8113, 1815, 1816, 1817, 1812, 1818, 1015, 1016, 1017, 1012, 1018, 1013, 2015, 2016, 2017, 2012, 2018, 2013, 3015, 3016, 3017, 3012, 3018, 3013, 4015, 4016, 4017, 4012, 4018, 4013 and corresponding FX2 fire-rated models; stainless steel models 8135, 8136, 8137, 8133, 1835, 1836, 1837, 1832, 1838, 1035, 1036, 1037, 1032, 1038, 1033, 2035, 2036, 2037, 2032, 2038, 2033, 3035, 3036, 3037, 3032, 3038, 3033, 1035, 4036, 4037, 4032, 4038, 4033; and corresponding FX2 fire-rated models and aluminum models; 8125, 8126, 8127, 8123, 1825, 1826, 1827, 1822, 1828, 1025, 1026, 1027, 1022, 1028, 1023, 2025, 2026, 2027, 2022, 2028, 2023, 3025, 3026, 3027, 3028, 3023, 4025, 4026, 4027, 4022, 4028, 4023 and corresponding FX2 fire-rated models. Fire extinguisher cabinets are available in different sizes to accommodate different size fire extinguishers. In addition, different options are also complementary to this product. This HPD includes custom size Panorama cabinets.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 4 of 12 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
 COLD ROLLED STEEL [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI CARBON LT-UNK MOLYBDENUM LT-UNK COPPER LT-P1 | MUL SILICON LT-UNK PHOSPHORUS BM-2 | PHY | MAM] VINYL LETTERING [POLYVINYL CHLORIDE (PVC) LT-P1 | RES] ALUMINUM [3003-H14 ALUMINUM BM-1 | PHY | END | RES MANGANESE LT-P1 | END | MUL | REP MAGNESIUM LT-UNK | PHY 2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH 2-ETHYLHEXYL 2-PROPENOATE LT-UNK SILICON LT-UNK IRON LT-P1 | END] STAINLESS STEEL [IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI TITANIUM LT-UNK 3003-H14 ALUMINUM BM-1 | PHY | END | RES TUNGSTEN METAL LT-UNK COPPER LT-P1 | MUL COBALT LT-1 | CAN | REP | MUL | RES | GEN | SKI MOLYBDENUM LT-UNK SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP] ACRYLIC SHEET [UNDISCLOSED LT-P1 | RES] FIRE-RATED INSULATION [CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK PHENOL FORMALDEHYDE LT-P1 | RES] STEEL PIANO HINGE [IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP] STAINLESS STEEL PIANO HINGE [IRON LT-P1 | END CHROMIUM LT-P1 | END | SKI | RES NICKEL LT-1 | CAN | RES | MAM | MUL | SKI MOLYBDENUM LT-UNK MANGANESE LT-P1 | END | MUL | REP SILICON LT-UNK] SAFETY LOCK [ZINC LT-P1 | AQU | PHY | END | MUL CHROMIUM CHLORIDE (3) LT-P1 | SKI | MAM] PULL HANDLE [ZINC LT-P1 | AQU | PHY | END | MUL

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

HPD prepared using the Nested Materials Inventory with product threshold at 1,000 ppm. Activar Construction Products Group - JL Industries cabinets are all made from the same steel, stainless steel or aluminum metal.

DIPROPYLENE GLYCOL DIMETHYL ETHER [LT-UNK] OXIRANE,
(CHLOROMETHYL)-, HOMOPOLYMER [LT-UNK] 2-BUTOXYETHYL
ACETATE [LT-UNK] [CAN]] POWDER COAT [UNDISCLOSED [NoGS
UNDISCLOSED [LT-1] | [CAN] | END UNDISCLOSED [LT-UNK
UNDISCLOSED [LT-1] | [MUL] | [MAM] | [RES] | [SKI] | [GEN] | [EYE] UNDISCLOSED
[BM-2] UNDISCLOSED [BM-1] | [CAN]] ROLLER CATCH [AISI 10B21 STEEL
[NoGS] ZINC [LT-P1] | [AQU] | [PHY] | END | [MUL] NYLON 6 [LT-UNK]]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category.

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-10-26

PUBLISHED DATE: 2021-07-01

EXPIRY DATE: 2023-10-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

COLD ROLLED STEEL

#: 98.0000 - 99.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not given by manufacturer.

OTHER MATERIAL NOTES: Cold rolled steel is the standard material used for fire extinguisher cabinets. The tub, trim and door components can be cold rolled steel. Entire cabinet is manufactured in the United States of America.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:04

#: 96.0000 - 99.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: Main component of steel.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:12

#: 0.0000 - 2.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

REP

GHS - Japan

Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy included in the steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:12

#: 0.0000 - 1.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Enhances corrosion resistance in steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:13**

#: **0.0000 - 1.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Alloy used in the steel.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:13**

#: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy used in the cold rolled steel.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:13		
%: 0.0000 - 0.6000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Enhances corrosion resistance in steel.				

COPPER

ID: **7440-50-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:13		
%: 0.0000 - 0.6000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SUBSTANCE NOTES: Provides corrosion resistance in steel.				

SILICON

ID: **7440-21-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:13		
%: 0.0000 - 0.6000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Increases hardness in steel.				

PHOSPHORUS

ID: **7723-14-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:14		
%: 0.0000 - 0.6000	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHY	EU - GHS (H-Statements)	H228 - Flammable solid		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
SUBSTANCE NOTES: Ingredient used in making the cold rolled steel.				

VINYL LETTERING

%: **95.0000 - 99.0000**

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.		
OTHER MATERIAL NOTES: Die cut vinyl lettering used on the acrylic door panel.		

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:04**%: **95.0000 - 99.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Vinyl lettering for door on the Panorama cabinets.

ALUMINUM%: **85.0000 - 85.0000**PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Material used for trim and door on aluminum cabinets.

3003-H14 ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-04-20 15:23:11**%: **82.0000 - 85.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H228 - Flammable solid
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Main ingredient in aluminum.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:08**%: **1.0000 - 1.5000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy included in aluminum.

MAGNESIUM

ID: 7439-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:08**%: **1.0000 - 4.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: Alloy included in aluminum.

2-PROPENOIC ACID, BUTYL ESTER, POLYMER WITH 2-ETHYLHEXYL 2-PROPENOATE

ID: 26760-85-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:12**
 %: **0.0000 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polymer clear coating.

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:12**
 %: **0.0000 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy in aluminum.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:11**
 %: **0.0000 - 1.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Alloy included in aluminum.

STAINLESS STEEL

%: **30.0000 - 35.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Stainless steel used in the trim and doors. Can also be used for the tub.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:05**
 %: **45.0000 - 90.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Main component in stainless steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:07**

#: **10.0000 - 30.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Hardens the stainless steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:09**

#: **0.0000 - 45.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

TITANIUM

ID: 7440-32-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:11**

#: 0.0000 - 2.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

3003-H14 ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-20 14:57:50

#: 0.0000 - 4.0000 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H228 - Flammable solid
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

TUNGSTEN METAL

ID: 7440-33-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:11

#: 0.0000 - 4.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:10

#: 0.0000 - 5.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

COBALT

ID: 7440-48-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:10

#: 0.0000 - 5.0000 GS: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	CA EPA - Prop 65	Carcinogen
GEN	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	MAK	Germ Cell Mutagen 3a
REP	EU - GHS (H-Statements)	H360F - May damage fertility
CAN	GHS - Australia	H350i - May cause cancer by inhalation
REP	GHS - Australia	H360F - May damage fertility

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:10**
 %: **0.0000 - 7.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:10**
 %: **0.0000 - 9.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-10-26 16:49:10

%: 0.0000 - 15.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ACRYLIC SHEET

REP %: 1.0000 - 2.0000 GHS - Japan Toxic to reproduction - Category 1B [H360]

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

RESIDUALS AND IMPURITIES NOTES: Information not provided by manufacturer.

OTHER MATERIAL NOTES: Considered a proprietary formulation. This is one of the options for a full glass door.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-10-26 16:49:03

%: 100.0000 - 100.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: Information not provided by the manufacturer.

FIRE-RATED INSULATION

%: 1.0000 - 3.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Slag wool insulation to maintain fire rating.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:04**%: **95.0000 - 99.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Slag wool fiber.

PHENOL FORMALDEHYDE

ID: 9003-35-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:14**%: **0.0000 - 4.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Information not provided by manufacturer.

STEEL PIANO HINGE%: **0.5000 - 1.0000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: information not provided by manufacturer.

OTHER MATERIAL NOTES: Continuous steel piano hinge.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:04**%: **96.0000 - 99.0000** GS: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Main component in steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:14**%: **0.0000 - 1.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Alloy included in the steel.

NICKEL ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:14**
 %: **0.0000 - 1.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Alloy included in the steel.

CARBON ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:15**
 %: **0.0000 - 0.6000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Alloy included in the steel.

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:15**

%: 0.0000 - 2.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Alloy included in the steel.

STAINLESS STEEL PIANO HINGE

%: 0.5000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: # 304 stainless steel piano hinge used on stainless steel cabinets.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:05

%: 70.0000 - 85.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Main ingredient in stainless steel.

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:06

%: 11.5000 - 15.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Ingredient in the manufacture stainless steel.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-26 16:49:07

%: 1.5000 - 2.0000

GS: LT-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: Ingredient used to manufacture stainless steel.

MOLYBDENUM

ID: 7439-98-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:09		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ingredient used in manufacture of stainless steel.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-26 16:49:09		
%: 0.0000 - 2.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]		

SUBSTANCE NOTES: Ingredient used to manufacture stainless steel.

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:09**%: **0.0000 - 2.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient used in manufacturing stainless steel.

SAFETY LOCK%: **0.1000 - 0.4500**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Cabinets can come with safety locks or standard roller catch.

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:03**%: **99.0000 - 100.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Zinc cast part.

CHROMIUM CHLORIDE (3)

ID: 10025-73-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:15**%: **0.0000 - 0.1000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: Chrome finish on the safety lock.

PULL HANDLE%: **0.1000 - 0.4300**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Standard pull handle for all fire extinguisher cabinets unless flush pull handle chosen.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:03**%: **99.0000 - 100.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Information not provided by manufacturer.

DIPROPYLENE GLYCOL DIMETHYL ETHER

ID: 111109-77-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:05**%: **75.0000 - 90.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Clear coat ingredient.

OXIRANE, (CHLOROMETHYL)-, HOMOPOLYMER

ID: 24969-06-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:06**%: **25.0000 - 50.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ingredient in the clear coat finish.

2-BUTOXYETHYL ACETATE

ID: 112-07-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:07**%: **5.0000 - 10.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Ingredient in the clear coat finish.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Mixture of polyester resins and pigments for coating the cabinets. This is a dry powder electrostatically applied and then cured in the oven.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:06**%: **45.0000 - 49.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not provide specifics on these resins because its proprietary.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:06**%: **30.0000 - 35.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:07**%: **10.0000 - 14.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:07**%: **2.0000 - 5.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:08**
 %: **0.5000 - 0.9800** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-26 16:49:08**
 %: **0.1000 - 1.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: The manufacturer does not disclose the ingredients because the combination of ingredients is proprietary.

ROLLER CATCH

%: 0.0000 - 0.0900

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by the manufacturer.

OTHER MATERIAL NOTES: Roller catch assembly is made of nylon 6 plastic and steel parts.

AISI 10B21 STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-10-26 16:49:03

%: 99.0000 - 100.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Main ingredient in the roller catch assembly.

ZINC

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-10-26 16:49:16

%: 0.0000 - 0.0300 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Zinc provides corrosion resistant to the steel parts.

NYLON 6

ID: 25038-54-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-10-26 16:49:15

%: 0.0000 - 0.0500 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Plastic part of the roller catch assembly.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC content data is not applicable for this product category.

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-07-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: None

01

07-01

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SCREWS

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Most cabinets require universal #10 X 2-1/2" self-drilling screws for installation.

GLASS CIPS

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Cabinets come with aluminum glass clips to hold acrylic in door.

Section 5: General Notes

This HPD covers the steel, stainless steel and aluminum versions of the Panorama Series cabinet manufactured by Activar Construction Products Group - JL Industries. This Series is not recommended for Living Building Challenge projects due to the vinyl lettering. Other cabinet options with solid doors or glazing can be etched or silk screened for a more environmentally friendly option. If you want more information about green options please use the contact name and number listed on the last page of the HPD.

MANUFACTURER INFORMATION

MANUFACTURER: Activar Construction Products Group
ADDRESS: 9702 Newton Avenue South
Bloomington MN 55431, USA
WEBSITE: www.activarcpg.com

CONTACT NAME: Kathrine Barrett
TITLE: Market Analyst/Specifications Engineer
PHONE: 952-838-1912
EMAIL: khbarrett@activarpdt.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.