

# AIR LOUVERS CROSS REFERENCE CHART

## CONTENTS

LOUVERS .....	1
VISION LITES .....	1
GLAZING .....	2
DOOR EDGES .....	2
DOOR WEATHERSTRIP .....	3
DOOR THRESHOLDS .....	3
DOOR BOTTOMS AND TOPS .....	3

## LOUVERS

MODEL	DESCRIPTION	MATERIAL	ADVANTAGE	NATIONAL GUARD / ANEMOSTAT	ROCKWOOD
600	Inverted V-Blade	Cold Rolled Steel	4CY	L-700RX / CHDL-2F	—
700A	Inverted Split Y-Blade		—	FDLS	—
700TL	Inverted Split Y-Blade, transom louver		40Y	—	—
800	Inverted Y-Blade		—	AFDL	LV-IY
900	Standard Z-Blade		—	—	—
1100	Adjustable Single Z-Blade		—	L-1800 / ADL	—
1200A	Adjustable Twin Z-Blade	—	—	—	
1300	Inverted V-Blade	Aluminum	XX700AA	L-A700	—
1400	Storm-Proof Z-Blade	—	—	SRDL	—
1500A	Security Inverted Y-Blade	Cold Rolled Steel	—	L-VRS3-3	—
1500AHR	Hurricane-Rated Inverted Y-Blade	Zinc Plated Cold Rolled Steel	—	PLSL	LV-WS
1900A	Adjustable Fire-Rated Z-Blade	Cold Rolled Steel	100AFL	L-1900/FLDL	LV-FL
1900ASG	Adjustable Fire-Rated Z-Blade		—	—	—

## VISION LITES

MODEL	DESCRIPTION	MATERIAL	ADVANTAGE	NATIONAL GUARD / ANEMOSTAT	ALL METAL	ROCKWOOD	
VSL/VSLH	Slimline™	Cold Rolled Steel	784G (Galvanneal)	L-FRA100 / Lo Pro	110	LT-B1	
VSIG	Slimline™-IG		X500G,625G,750, 875G, 1000G	L-FRA100SP / Lo Pro-IS	110B	LT-B2, LT-B3, LT-B4	
VSLR	Round VSL		SP (Slimport)	L-FR-100-RD / Lo-FP-12, -18, -24	—	—	
VLFEZ	EZline		—	BFL-123	—	—	
VLFEZIG	EZline-IG		X500G, X625G, X750G, X875G, X1000G	—	—	—	
VLF	Thrubolt		XX784G	L-GLF100-TB / FGS-75	—	—	
VLFIG	Thrubolt-IG		XX500G, XX625G, XX750G, XX875G, XX1000G	L-GLF100-SP-TB / FGS-IS	—	—	
VLFR	Round VLF		—	L-GLF-100-RD / FP-12, -18, -24	—	—	
VLFS10,VLFS10SP	Thrubolt Detention		—	L-VGLF-PZ / SG-10, SG10SP	—	—	
VLFSG	Thrubolt Security		—	L-SG100 / SL-IS	—	—	
VLFPVC	Thrubolt Privacy Door		—	L-VGLF-OG (9" x 9" only)	—	—	
VLFEZHRC	Hurricane Vision Lite PAK		Galvanneal	—	StormPro™ HR-316SS	—	—
VLFIGHRC	Hurricane Vision Lite PAK			—	—	—	—



**AIR LOUVERS**

800-554-6077  
 sales@activarcpg.com  
 www.activarcpg.com

The following comparisons should be used for cross-reference purposes only. These charts are designed to enable you to quote our products when a competitor's unit is being specified. In no way should their product be considered exactly equal to ours.

NOTE: In particular, always check required wall depths

1-26-2026

9702 Newton Ave S. Bloomington, MN 55431 | Many Locations Nationwide

© 2026 Activar Construction Products Group, Inc.

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

Page 1 of 3

## GLAZING

MODEL	DESCRIPTION	ALL METAL	NATIONAL GUARD/ ANEMOSTAT	TGP	SAFTI FIRST
Fireglass® 20	Tempered alkaline safety glazing	Pyroswiss®	Temp 20™	Fireglass® 20	Superlite® I
Wireshield™	Annealed single glazing with safety film and embedded wire mesh	Nu-Wire	Protect 3™/Safe-Wire®	Wirelite™ NT	—
Firelite® NT	Fire-rated, safety-rated glazing ceramic with surface-applied fire-rated film	Pyran® Platinum F	FireLite® NT	FireLite® NT	—
Pyran® Platinum F	Fire-rated, safety-rated glazing ceramic with surface-applied safety film	Pyran® Platinum F	Pyran® Platinum F	FireLite® NT	—
Firelite Plus®	Fire-rated, safety-rated laminated glazing ceramic	—	FireLite Plus®	FireLite Plus®	—
Pyran® Platinum L	Two lites of fire and safety-rated glazing laminated together	—	Pyran® Platinum L	FireLite® Plus	—

Pyran® Platinum F is a registered trademark of Schott AG; Firelite® NT is a registered trademark of Nippon Electric Glass Company, Limited. Fireglass® is a registered trademark of Technical Glass Products, Inc; Firelite Plus® is a registered trademark of Nippon Electric Glass Company, Limited; Wirelite® is a registered trademark of Technical Glass Products, Inc.

## DOOR EDGES

MODEL	DESCRIPTION	PREVIOUS MODEL	MATERIAL	NATIONAL GUARD	ALL METAL STAMPING
DL9	Door Edge	ME90	Cold Rolled Steel	541	—
DL8	Door Edge	ME		543	(2) 206
DL7	Door Edge	MEDE		545	—
DL5A	Door Edge	MEA905		—	204
DL3A	Door Edge	MEA5 EA		565	205
DL2A	Door Edge	MEADE5 EA		—	210
DA	Door Astragal	BA		—	215
DL8A	Door Edge	MEA		—	—
DL9A	Door Edge	MEA90		—	—
DL7A	Door Edge	MEADE		555	—
DHT4, DHT5	Hinge Side Door Edge	HGSS	Stainless Steel	—	—

## DOOR EDGES

MODEL	DESCRIPTION	PREVIOUS MODEL	MATERIAL	ROCKWOOD	HAGER	TRIMCO	BURNS
DLMT5	Door Edge	DE1	Cold Rolled Steel	300	180H	—	301
DLMT4		DE2A		301	180K	—	302
DLM5		DE3C		302	180M	—	303
DLM4		DE-5C		302B	180P	—	304
DLT5		DES-1A		304	—	KE31-1	—
DLT4		DES-2A		305	—	KE32-1	—
DL5		DES-3C		306 RKW	—	KE33-1	—
DL4		DES-5C		306B	—	KE33-2	—

## DOOR WEATHERSTRIP

MODEL	DESCRIPTION	MATERIAL	NATIONAL GUARD	PEMKO	ZERO	HAGER
WT-797	Adhesive Gasket	Aluminum	5050	S88	188S	726
WT-967	Door Sweep		D608	18100CNB	8001	801S
WT-807A-36X84	Perimeter Weatherstrip Gray		160V	303AV	9003V	891S
WT-815A-36X84	Perimeter Weatherstrip Black		135N	303PK	119W	—

## DOOR THRESHOLDS

MODEL	DESCRIPTION	MATERIAL	NATIONAL GUARD	PEMKO	ZERO	HAGER
WT-S404	Saddle Threshold	Aluminum	413	270	544	403S
WT-S405			513	271	545	413S
WT-S424			424E	170	544	404S
WT-S425			425E	171	8655	412S

## DOOR BOTTOMS AND TOPS

MODEL	DESCRIPTION	MATERIAL	NATIONAL GUARD	PEMKO	ZERO	HAGER
WT-R201	Rain Drip	Aluminum	16	346C	142	810S
WT-323	Door Sweep		200N	315CN	50M	750S
WT-372	Mortised Automatic Door Bottom		320VA	420_VL	355	742S