

FIRE PROTECTION EQUIPMENT CROSS REFERENCE CHART

CONTENTS

CABINET SERIES AND STYLES1

FIRE EXTINGUISHERS.....2

FIRE EXTINGUISHER CABINETS: STEEL SECURITY/DETENTION.....2

FIRE EXTINGUISHER CABINETS: AMBASSADOR, ACADEMY, & COSMOPOLITAN SERIES.....3

FIRE EXTINGUISHER CABINETS: PANORAMA SERIES.....4

FIRE EXTINGUISHER CABINETS: CLEAR VU SERIES - BUBBLE5

FIRE EXTINGUISHER CABINETS: EMBASSY SERIES - TRIMLESS RECESSED.....5

FIRE EXTINGUISHER CABINETS: CAVALIER SERIES.....5

FIRE BLANKET CABINETS: ROYAL SERIES.....5

FIRE HOSE EQUIPMENT CABINETS:.....5

FIRE HOSE AND VALVE CABINETS: CROWNLINER SERIES.....6

FIRE HOSE AND VALVE CABINETS: CROWNLINER SERIES CONT......7

COMPLIANCE CABINETS: CLASSIC SERIES7

BLANKET & FIRE EXTINGUISHER CABINETS: ROYAL 3600 SERIES.....7

FIRE EXTINGUISHER CABINET DOOR STYLES.....8

FIRE EXTINGUISHER CABINET DOOR GLAZING8

The following comparisons should be used for cross-reference purposes only. These charts are designed to enable you to quote our products when a competitor’s unit is being specified. In no way should their product be considered exactly equal to ours.

NOTE: In particular, always check required wall depths

CABINET SERIES AND STYLES

DESCRIPTION	JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
Flush Pull	ADAC door option	-	Recessed pull	-	-FP door style
Steel Door & Trim	Ambassador (-- 1 -)	Standard	Standard	Standard	Alta (steel)
Aluminum Door & Trim	Academy (-- 2 -)	-AL	(AL)	-	Alta (aluminum)
Stainless Door & Trim	Cosmopolitan (-- 3 -)	-SS	(SS)	-	Alta (stainless)
Bronze/Brass Door & Trim	Cavalier (-- 4 5 -)	-	(BZ), (B)	-	Alta (brass only)
Frameless Acrylic Door	Panorama (----)(P Q C)	-	Gemini	Tonna	Buena
Surface-Mounted Compliance	Classic	-	-	Economy	9000 Series
Bubble Door	Clear Vu	Canopy	Cameo	-	Loma
Overlapping Door	Embassy	-	Occult	-	Dana
Fire-Rated Cabinet	Fire-FX2™	FR-	Flame-Shield®	(field-assembled)	FRC
Non-breakglass Cabinet Lock	Saf-T-Lok™	BK-Lok	Larsen-Loc®	Lo	Break Rite®

	JL INDUSTRIES	<p>800-554-6077 sales@activarcpg.com www.activarcpg.com</p>	<p>CROSS REFERENCE Fire Protection Equipment</p>
<p>9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide</p>			<p>MAY 2022</p>
<p>© 2022 Activar Construction Products Group, Inc.</p>			

FIRE EXTINGUISHERS

DESCRIPTION	ACPG JL INDUSTRIES		FIRE END & CROKER		LARSEN'S		MODERN METAL		POTTER ROEMER	
	EXTINGUISHER	OPTIONAL BRACKET	EXTINGUISHER	EXTINGUISHER	BRACKET	EXTINGUISHER	EXTINGUISHER	BRACKET		
Pressurized Water	Grenadier P	MB810	4202	PW 2-½	864	GI K	3202	3904		
Multi-Purpose Chemical	Cosmic 2-½ E	MB817C or MB817A	4002	MP 2-½	860	Wing 3N K	3002	-		
	Cosmic 5E	MB818C or MB818A	4004	MP5	818, 821, 862	5H B	3005	3901, 3909		
	Cosmic 5X	MB818A	4005	MP5-A	818, 821, 862	5H B	3005-3	3901, 3910		
	Cosmic 6E	MB808A	-	MP6	808, 862	-	3006	3902		
	Cosmic 10E	MB846C or MB846A	4010	MP10	846, 862	10H B	3010	3903, 3910		
	Cosmic 20E	MB811C or MB810A	4020	MP20	864	20H B	3020	3904		
Carbon-Dioxide CO ₂	Sentinel 5	MB809C or MB809A	4405	CD5	862	5HH K	3405	3910		
	Sentinel 10	MB810C or MB810A	4410	CD10	--	10HH B	3410	3904		
	Sentinel 15	MB810C or MB864A	4415	CD15	864	15HH K	3415	3904		
	Sentinel 20	MB811C or MB811A	4420	CD20	864	20HH K	3420	3905		
Regular Dry Chemical	Galaxy 2-½	MB817C or MB817A	4302	DC 2-½	860	Center 3N K	3302	-		
	Galaxy 5	MB818A	-	DC5	818, 821, 862	-	3305	3901		
	Galaxy 5-½	MB818C or MB818A	4305	-	--	-	3305-3	3910		
	Galaxy 6	MB808A	-	DC6	808, 862	6H K	3306	3902		
	Galaxy 10	MB846C or MB846A	4310	DC10	846, 862	10H K	3310	3903		
	Galaxy 20	MB810C or MB810A	4320	DC20	864	-	3320	3904		
Halotron® Clean Agent	Mercury 2-½	MB817C or MB817A	4132	HT 2-½	860	-	3102	-		
	Mercury 5	MB818C or MB818A	4135	HT5	860	-	3105	-		
	Mercury 11	MB810C or MB812A	4137	HT11	-	-	3111	-		
	Mercury 15-½	MB810C or MB812A	4139	HT 15-½	-	-	3115	-		
Class K Wet Chemical	Saturn 15	MB810C or MB810A	4834	WC-6L	B1	-	3260	-		
	Saturn 25	MB810C or MB810A	-	-	864	-	3262	-		
Purple K Dry Chemical	Purple K 2-½	MB817C	-	-	-	-	3302-PK	-		
	Purple K 5	MB818C	-	-	-	-	3305-PK	-		
	Purple K 10	MB846C	-	-	-	-	3310-PK	-		
	Purple K 20	MB811C	-	-	-	-	3320-PK	-		
Water Mist	Nebula 270	FE270A	-	-	-	-	3270	-		
	Nebula 272	FE272A	4206	WM 2-½	864	-	3272	-		
	Nebula 250	FWM250C	-	-	-	-	-	-		

FIRE EXTINGUISHER CABINETS: STEEL SECURITY/DETENTION

DESCRIPTION	JL INDUSTRIES	TRIM	LARSEN'S	POTTER ROEMER
Fire Extinguisher Cabinets	SFC-11	Flat	DEC2409-R	DC-1704-F
	SFC-12	2-½" Square	DEC2409-R4 (3-½")	-
	SFC-13	Surface	DEC2409-SM	DC-1754-F
	SFC-15	Flat	DEC2712-R	DC-1706-F
	SFC-16	2-½" Square	-	-
SFC-17	Surface	DEC2712-SM	DC-1756-F	
Valve Cabinets	SVC-11	Flat	DVC1818-R	DC-1810-F
	SVC-12	2-½" Square	-	-
	SVC-13	Surface	DVC1818-SM	DC-1815-F
Hose Cabinets	SHC-11	Flat	DHC3234-R	-
	SHC-12	2-½" Square	-	-
	SHC-13	Surface	DHC3234-SM	-



JL INDUSTRIES

800-554-6077
 sales@activarcpg.com
 www.activarcpg.com

**CROSS REFERENCE
 Fire Protection Equipment**

9702 Newton Ave S. Bloomington, MN 55431 | Many Locations Nationwide

FIRE EXTINGUISHER CABINETS: AMBASSADOR, ACADEMY, & COSMOPOLITAN SERIES

DESCRIPTION	JL INDUSTRIES			FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER		
	STEEL	ALUMINUM	STAINLESS				STEEL	ALUMINUM	STAINLESS
None	8114	-	-	1606	-	-	-	-	-
Flat	8115	8125	8135	1600	-	101R1	7007	7037	7057
1-½" Square	8116	8126	8136	1601	-	101SR2	-	-	-
2-½" Rolled	8117	8127	8137	1602	-	101SR3	7008-RR	7038-RR	7058-RR
Surface Mount	8113	8123	8133	1608	-	101SM	7009	7039	7059
Flat	1815	1825	1835	-	2409-R1	1025R1	7010	7030	7050
1-½" Square	1816	1826	1836	-	2409-5R	1025SR2	7012	7032	7052
3" Rolled	1817	1827	1837	-	2409-R3	1025SR3	7013-RR	7033-RR	7053-RR
4" Rolled	1812	1822	1832	-	-	-	-	-	-
4-½" Rolled	1818	1828	1838	-	-	-	-	-	-
None	1014	-	-	1616	2409-RT	-	7021	7041	7061
Flat	1015	1025	1035	1610	2409-R2	1026R1	7020	7040	7060
1-½" Square	1016	1026	1036	1611	2409-R7	1026SR2	7022	7042	7062
3" Rolled	1017	1027	1037	1613	2409-6R	1026SR3	7023-RR	7043-RR	7063-RR
4" Rolled	1012	1022	1032	1614	2409-RA	-	-	-	-
4-½" Rolled	1018	1028	1038	1615	2409-RM	1026SR4	-	-	-
Surface Mount	1013	1023	1033	1618	2409-SM	1026SM	7024	7044	7064
None	2014	-	-	1626	2712-RT	-	7026	7046	7066
Flat	2015	2025	2035	1620	2712-R	104R1	7025	7045	7065
1-¼" Square	2016	2026	2036	1621	2712-RK	104SR2	-	-	-
2-½" Rolled	2017	2027	2037	1622	2712-RL	104SR3	7027-RR	7047-RR	7067-RR
4" Rolled	2012	2022	2032	1624	2712-RA	-	-	-	-
4-½" Rolled	2018	2028	2038	-	2712-RM	104SR4	7028-RR	7048-RR	7068-RR
Surface Mount	2013	2023	2033	1628	2712-SM	104SM	7029	7049	7069
Flat	-	-	-	-	3012-R	-	-	-	-
1-¼" Square	-	-	-	-	3012-RK	-	-	-	-
2-½" Rolled	-	-	-	-	3012-RL	-	-	-	-
4" Rolled	-	-	-	-	3012-RA	-	-	-	-
4-½" Rolled	-	-	-	-	3012-RM	-	-	-	-
Surface Mount	-	-	-	-	3012-SM	-	-	-	-
Flat	3015	3025	3035	1630	M3216-R	105R1	-	-	-
1-¼" Square	3016	3026	3036	1631	M3216-RK	105SR2	-	-	-
2-½" Rolled	3017	3027	3037	1632	M3216-RL	105SR3	-	-	-
4" Rolled	3012	3022	3032	1634	M3216-RA	-	-	-	-
4-½" Rolled	3018	3028	3038	1635	M3216-RM	105SR4	-	-	-
Surface Mount	3013	3023	3033	1638	M3216-SM	105SM	-	-	-
Flat	-	-	-	-	3612-R	-	-	-	-
1-¼" Square	-	-	-	-	3612-RK	-	-	-	-
2-½" Rolled	-	-	-	-	3612-RL	-	-	-	-
4" Rolled	-	-	-	-	3612-RA	-	-	-	-
4-½" Rolled	-	-	-	-	3612-RM	-	-	-	-
Surface Mount	-	-	-	-	3612-SM	-	-	-	-
Flat	4015	4025	4035	1640	2720-R	-	-	-	-
1-¼" Square	4016	4026	4036	1641	2720-RK	-	-	-	-
2-½" Rolled	4017	4027	4037	1642	2720-RL	-	-	-	-
4" Rolled	4012	4022	4032	1644	2720-RA	-	-	-	-
4-½" Rolled	4018	4028	4038	1645	2720-RM	-	-	-	-
Surface Mount	4013	4023	4033	1648	2720-SM	-	-	-	-

* standard steel, or AL for alum, SS for stainless

 JL INDUSTRIES	800-554-6077 sales@activarcpg.com www.activarcpg.com	CROSS REFERENCE Fire Protection Equipment
	9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide	
© 2022 Activar Construction Products Group, Inc.		MAY 2022

FIRE EXTINGUISHER CABINETS: PANORAMA SERIES

DESCRIPTION	JL INDUSTRIES			FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER		
	STEEL	ALUMINUM	STAINLESS				STEEL	ALUMINUM	STAINLESS
Flat	1815 (P Q C)	1825 (P Q C)	1835 (P Q C)	-	G2409-R1	T1025R1	7110	7130	7150
1-½" Square	1816 (P Q C)	1826 (P Q C)	1836 (P Q C)	-	G2409-5R	T1025SR2	-	-	-
3" Rolled	1817 (P Q C)	1827 (P Q C)	1837 (P Q C)	-	G2409-R3	T1025SR3	7112-RR	7132-RR	7152-RR
4" Rolled	1812 (P Q C)	1822 (P Q C)	1832 (P Q C)	-	-	-	-	-	-
4-½" Rolled	1818 (P Q C)	1828 (P Q C)	1838 (P Q C)	-	-	-	7113	7133	7153
None	1014	-	-	-	G2409-RT	T1026R1	7121	7141	7161
Flat	1015	1025	1035	-	G2409-R2	T1026SR2	7120	7140	7160
1-½" Square	1016	1026	1036	-	G2409-R7	T1026SR3	-	-	-
3" Rolled	1017	1027	1037	-	G2409-6R	-	7122-RR	7142-RR	7162-RR
4" Rolled	1012	1022	1032	-	G2409-RA	T1026SR4	-	-	-
4-½" Rolled	1018	1028	1038	-	G2409-RM	T1026SM	-	-	-
Surface Mount	1013	1023	1033	-	G2409-SM	T1026SR4	7124	7144	7164
None	2014	-	-	-	G2712-RT	-	7126	7146	7166
Flat	2015	2025	2035	-	G2712-R	T104R1	7125	7145	7165
1-¼" Square	2016	2026	2036	-	G2712-RK	T104R2	-	-	-
2-½" Rolled	2017	2027	2037	-	G2712-RL	T104R3	7127-RR	7147-RR	7167-RR
4" Rolled	2012	2022	2032	-	G2712-RA	-	-	-	-
4-½" Rolled	2018	2028	2038	-	G2712-RM	T104SR4	7128-RR	7148-RR	7168-RR
Surface Mount	2013	2023	2033	-	G2712-SM	T104-SM	7129	7149	7169
Flat	-	-	-	-	G3012-R	-	-	-	-
1-¼" Square	-	-	-	-	G3012-RK	-	-	-	-
2-½" Rolled	-	-	-	-	G3012-RL	-	-	-	-
4" Rolled	-	-	-	-	G3012-RA	-	-	-	-
4-½" Rolled	-	-	-	-	G3012-RM	-	-	-	-
Surface Mount	-	-	-	-	G3012-SM	-	-	-	-
Flat	3015	3025	3035	-	GM3216-R	T105R1	-	-	-
1-¼" Square	3016	3026	3036	-	GM3216-RK	T105SR2	-	-	-
2-½" Rolled	3017	3027	3037	-	GM3216-RL	T105SR3	-	-	-
4" Rolled	3012	3022	3032	-	GM3216-RA	-	-	-	-
4-½" Rolled	3018	3028	3038	-	GM3216-RM	T105SR4	-	-	-
Surface Mount	3013	3023	3033	-	GM3216-SM	T105SM	-	-	-
Flat	-	-	-	-	G3612-R	-	-	-	-
1-¼" Square	-	-	-	-	G3612-RK	-	-	-	-
2-½" Rolled	-	-	-	-	G3612-RL	-	-	-	-
4" Rolled	-	-	-	-	G3612-RA	-	-	-	-
4-½" Rolled	-	-	-	-	G3612-RM	-	-	-	-
Surface Mount	-	-	-	-	G3612-SM	-	-	-	-
Flat	4015	4025	4035	-	G2720-R	-	-	-	-
1-¼" Square	4016	4026	4036	-	G2720-RK	-	-	-	-
2-½" Rolled	4017	4027	4037	-	G2720-RL	-	-	-	-
4" Rolled	4012	4022	4032	-	G2720-RA	-	-	-	-
4-½" Rolled	4018	4028	4038	-	G2720-RM	-	-	-	-
Surface Mount	4013	4023	4033	-	G2720-SM	-	-	-	-

* standard steel, or AL for alum, SS for stainless

 JL INDUSTRIES	800-554-6077 sales@activarcpg.com www.activarcpg.com	CROSS REFERENCE Fire Protection Equipment
	9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide	
© 2022 Activar Construction Products Group, Inc.		MAY 24 2022

FIRE EXTINGUISHER CABINETS: CLEAR VU SERIES - BUBBLE

TRIM	JL INDUSTRIES					FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER				
	STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS				STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS
Flat	1515	1525	1535	1545	1555	1650	C2409-R	118R1	7320	7340	7360	-	7380
1-½" Square	1516	1526	1536	1546	1556	1651	C2409-5R	118SR2	7322	7342	7362	-	7382
3" Rolled	1517	1527	1537	1547	1557	1652	C2409-6R	118SR3	-	-	-	-	-
Surface Mount	1513	1523	1533	1543	1553	1658	C2409-SM	-	7324	7344	7364	-	7384
Flat	2515	2525	2535	2545	2555	1660	C3216-R	120R1	7325	7345	7365	-	7385
1-½" Square	2516	2526	2536	2546	2556	1661	-	120SR2	7327	7347	7367	-	7387
2-½" Rolled	2517	2527	2537	2547	2557	1662	C3216-RL	120SR3	-	-	-	-	-
Surface Mount	2513	2523	2533	2543	2553	1668	C3216-SM	-	7329	7349	7369	-	7389
Flat	4515	4525	4535	-	-	1670	C3228-R	-	-	-	-	-	-
Surface Mount	4513	4523	4533	-	-	1678	C3228-SM	-	-	-	-	-	-

FIRE EXTINGUISHER CABINETS: EMBASSY SERIES - TRIMLESS RECESSED

TRIM	JL INDUSTRIES					FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER				
	STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS				STEEL	ALUMINUM	STAINLESS	BRONZE	BRASS
None	5614	5624	5634	5644	5654	-	O-2409	-	7220	7240	7260	-	7280
None	5714	5724	5734	5744	5754	-	O-3216	-	7225	7245	7265	-	7285
None	5814	5824	5834	5844	5854	-	O-3232	-	-	-	-	-	-
None	5914	5924	5934	5944	5954	-	O-4016	-	8225	8245	8265	-	-
None	5514	5524	5534	5544	5554	-	O-1818	-	8220	8240	8260	-	-

FIRE EXTINGUISHER CABINETS: CAVALIER SERIES

TRIM	JL INDUSTRIES		FIRE END & CROKER	LARSEN'S		MODERN METAL	POTTER ROEMER	
	BRONZE	BRASS		BRONZE	BRASS		BRONZE	BRASS
Flat	1845	1855	-	BZ2409-R1	B2409-R1	-	-	7070
1-½" Square	1846	1856	-	BZ2409-5R	B2409-5R	-	-	-
3" Rolled	1847	1857	-	BZ2409-R3	B2409-R3	-	-	7072-RR
Flat	1045	1055	-	BZ2409-R2	B2409-R2	-	-	7080
1-½" Square	1046	1056	-	BZ2409-R7	B2409-R7	-	-	-
3" Rolled	1047	1057	-	BZ2409-6R	B2409-6R	-	-	7082-RR
Surface Mount	1043	1053	-	BZ2409-SM	B2409-SM	-	-	7084
Flat	2045	2055	-	BZ2712-R	B2712-R	-	-	7085
1-½" Square	2046	2056	-	BZ712-RK	B712-RK	-	-	-
Surface Mount	2043	2053	-	-	-	-	-	7089

FIRE BLANKET CABINETS: ROYAL SERIES

TRIM	JL INDUSTRIES	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER
Surface Mount	9519S21	7162	FB68-6	-	6601
Surface Mount	9613S21	7164	FB1016	601-B	6603

FIRE HOSE EQUIPMENT CABINETS:

DESCRIPTION	JL INDUSTRIES		FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER*
	STEEL	GALVANIZED STEEL				
54" (With 12" legs)	HECIRL	HECIGL	7022	-	-	6030-PL (18" Legs)
42" (Without legs)	HECIR	HECIG	7020	15-58	-	6030

* standard steel, or AL for alum, SS for stainless

 JL INDUSTRIES	800-554-6077 sales@activarcpg.com www.activarcpg.com	CROSS REFERENCE Fire Protection Equipment
	9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide	
© 2022 Activar Construction Products Group, Inc.		MAY 2022

FIRE HOSE AND VALVE CABINETS: CROWNLINE SERIES

DESCRIPTION	JL INDUSTRIES			FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER
	STEEL	ALUMINUM	STAINLESS				
None	6014			1006	-	-	1012
Flat	6015	6025	6035	1000	-	-	1002
1-¼" Square	6016	6026	6036	1001	-	-	-
2-½" Rolled	6017	6027	6037	1002	-	-	1022-RR
Surface Mount	6013	6023	6033	1008	-	-	1052
None	6114			1106	VC2430-RT	-	1112
Flat	6115	6125	6135	1100	VC2430-R	-	1102
1-¼" Square	6116	6126	6136	1101	VC2430-RK	-	-
2-½" Rolled	6117	6127	6137	1102	VC2430-RL	-	1122-RR
Surface Mount	6113	6123	6133	1108	VC2430-SM	-	1152
None	6214			1016	-	-	1014
Flat	6215	6225	6235	1010	-	-	1004
1-¼" Square	6216	6226	6236	1011	-	-	-
2-½" Rolled	6217	6227	6237	1012	-	-	1024-RR
Surface Mount	6213	6223	6233	1018	-	-	1054
None	6314			-	HC3030-RT	-	1412
Flat	6315	6325	6335	-	HC3030-R	-	1402
1-¼" Square	6316	6326	6336	-	HC3030-RK	-	-
2-½" Rolled	6317	6327	6337	-	HC3030-RL	-	1432-RR
Surface Mount	6313	6323	6333	-	HC3030-SM	-	1452
None	6414			1116	HC2434-RT	-	1114/1214
Flat	6415	6425	6435	1110	HC2434-R	-	1104/1204
1-¼" Square	6416	6426	6436	1111	HC2434-RK	-	-
2-½" Rolled	6417	6427	6437	1112	HC2434-RL	-	1124-RR/1224-RR
Surface Mount	6413	6423	6433	1118	HC2434-SM	-	1154/1254
None	6514			1306,1406	HC3234-RT	-	1414/1514
Flat	6515	6525	6535	1300,1400	HC3234-R	-	1404/1504
1-¼" Square	6516	6526	6536	1301,1401	HC3234-RK	-	-
2-½" Rolled	6517	6527	6537	1302,1402	HC3234-RL	-	1434-RR/1534-RR
Surface Mount	6513	6523	6533	1308,1408	HC3234-SM	-	1454/1554
None	6614			1126/1206	HC2438-RT	-	1116/1216
Flat	6615	6625	6635	1120/1200	HC2438-R	-	1106/1206
1-¼" Square	6616	6626	6636	1121/1201	HC2438-RK	-	-
2-½" Rolled	6617	6627	6637	1122/1202	HC2438-RL	-	1126-RR/1226-RR
Surface Mount	6613	6623	6633	1128/1208	HC2438-SM	-	1156/1256
None	7214			1216/1316/1416	HC3238-RT	-	1416/1516
Flat	7215	7225	7235	1210/1310/1410	HC3238-R	-	1406/1506
1-¼" Square	7216	7226	7236	1211/1311/1411	HC3238-RK	-	-
2-½" Rolled	7217	7227	7237	1212/1312/1214	HC3238-RL	-	1436-RR/1536-RR
Surface Mount	7213	7223	7233	1218/1318/1418	HC3238-SM	-	1456/1556

* standard steel, or AL for alum, SS for stainless

 JL INDUSTRIES	 800-554-6077	CROSS REFERENCE Fire Protection Equipment
	 sales@activarcpg.com  www.activarcpg.com	
9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide		© 2022 Activar Construction Products Group, Inc. MAY 24 2022

FIRE HOSE AND VALVE CABINETS: CROWLINE SERIES CONT.

DESCRIPTION	JL INDUSTRIES			FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER		
	STEEL	ALUMINUM	STAINLESS				STEEL	ALUMINUM	STAINLESS
None	8014			1776	VC4016-RT	-	8026	8046	8066,1871*
Flat	8015	8025	8035	1770	VC4016-R	-	8025	8045	8065,1870*
1-¼" Square	8016	8026	8036	1771	VC4016-RK	-	-	-	-
2-½" Rolled	8017	8027	8037	1772	VC4016-RL	-	8027-RR	-	-
Surface Mount	8013	8023	8033	1778	VC4016-SM	-	8029	8049	8069,1875*
None	8414			1716	-	-	-	-	-
Flat	8415	8425	8435	1710	-	-	-	-	-
1-¼" Square	8416	8426	8436	1711	-	-	-	-	-
2-½" Rolled	8417	8427	8437	1712	-	-	-	-	-
Surface Mount	8413	8423	8433	1718	-	-	-	-	-
None	8514			1706	VC1818-RT	-	8021	8041	8061,1811*
Flat	8515	8550	8535	1700	VC1818-R	-	8020	8040	8060,1810*
1-¼" Square	8516	8526	8536	1701	VC1818-RK	-	-	-	-
2-½" Rolled	8517	8527	8537	1702	VC1818-RL	-	8022-RR	8042-RR	8062-RR,1812-RR
Surface Mount	8513	8523	8533	1708	VC1818-SM	-	8024	8044	8064,1815*
None	8614			1726	-	-	-	1831*	-
Flat	8615	8625	8635	1720	-	-	-	1830*	-
1-¼" Square	8616	8626	8636	1721	-	-	-	-	-
2-½" Rolled	8617	8627	8637	1722	-	-	-	1832-RR*	-
Surface Mount	8613	8623	8633	1728	-	-	-	1835*	-
None	8614			-	VC2626-RT	-	-	-	-
Flat	8615	8625	8635	-	VC2626-R	-	-	-	-
1-¼" Square	8616	8626	8636	-	VC2626-RK	-	-	-	-
2-½" Rolled	8617	8627	8637	-	VC2626-RL	-	-	-	-
Surface Mount	6613	6623	6633	-	VC2626-SM	-	-	-	-

COMPLIANCE CABINETS: CLASSIC SERIES

DESCRIPTION	JL INDUSTRIES		FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
	GALVANIZED STEEL	ALUMINUM				
Surface Mount	9163Z30	9123Z30	-	-	510SMG	-
2-¾" Trim Flange	916AZ30	912AZ30	-	-	510SR	-
Surface Mount	9263Z30	9223Z30	-	-	530SMG	-
2-¾" Trim Flange	926AZ30	922AZ30	-	-	530SR	-
4-½" Trim Flange	936AZ30	932AZ30	-	-	-	-
Surface Mount	9363Z30	9323Z30	-	-	550SMG	-

BLANKET & FIRE EXTINGUISHER CABINETS: ROYAL 3600 SERIES

DESCRIPTION	JL INDUSTRIES			FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER*
	STEEL	ALUMINUM	STAINLESS				
Flat	3615	3625	3635	-	FB3612-R	-	6605
1-½" Square	3616	3626	3636	-	FB3612-RK	-	-
2-½" Rolled	3617	3627	3637	-	FB3612-RL	-	6607-RR
4" Rolled	3612	3622	3632	-	FB3612-RA	-	-
4-½" Rolled	3618	3628	3638	-	FB3612-RM	-	-
Surface Mount	3613	3623	3633	-	FB3612-SM	-	6609

* standard steel, or AL for alum, SS for stainless

 <p>JL INDUSTRIES</p> <p>9702 Newton Ave S. Bloomington, MN 55431 Many Locations Nationwide</p>	<p>800-554-6077</p> <p>sales@activarcpg.com</p> <p>www.activarcpg.com</p>	<p>CROSS REFERENCE</p> <p>Fire Protection Equipment</p>
<p>© 2022 Activar Construction Products Group, Inc.</p>		<p>MAY 2022</p>

FIRE EXTINGUISHER CABINET DOOR STYLES

DESCRIPTION	JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
Solid w/acrylic insert & SAF-T-LOK™	B10	SBG	-	-	-E
Horiz. Duo panel w/pull handle	D	D	Horizontal duo	Duo	-D
Horiz. Duo panel w/pull & SAF-T-LOK™	E	D w/lock	Horz. duo w/Larsen-Loc®	-	-D w/BK
Full glass w/ pull handle	F	A	Full panel	Full glass	-A
Full glass w/pull & SAF-T-LOK™	G	A w/lock	Full panel w/Larsen-Loc®	Break glass	-B
Solid w/pull & SAF-T-LOK™, no glazing	L22	E w/lock	Solid w/Larsen-Loc®	-	-FS
Solid w/pull, no glazing (except Embassy)	S21	E	Solid	Solid	-F
Vertical Duo Panel w/pull handle	V	DV	Vertical duo	Vertical duo	-DV
Vertical Duo Panel w/pull & SAF-T-LOK™	W	DV w/lock	Vert. duo w/Larsen-Loc®	-	-DVL
PANORAMA DOOR STYLES					
Clear acrylic with pull	C70	-	Clear no letters	Clear	Buena A16
Clear acrylic with pull & SAF-T-LOK™	C71	-	Clear no letters, Larsen-Loc®	Clear with lock	Buena E16
Colored acrylic with pull	P	-	Colored w/letters	Clear w/letters	A (17-20)
Colored acrylic with pull & SAF-T-LOK™	Q	-	Colored letters, Larsen-Loc®	Clear letters, lock	E (17-20)

FIRE EXTINGUISHER CABINET DOOR GLAZING

DESCRIPTION	JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
Clear acrylic	10	Clear acrylic	Clear acrylic	Clear acrylic	- 6, Clear acrylic
Clear wired glass with safety film	13	Clear wire w/safety film	Clear wire	Clear wire	-
1/4" bronze acrylic	15	-	Bronze acrylic	Bronze acrylic	- 7, Amber acrylic
1/4" gray acrylic	16	-	Gray acrylic	Gray acrylic	- 9, Smoke acrylic
Clear tempered glass	17	Clear temp glass	Clear temp.	Tempered glass	Clear temp (std)
Clear safety glass	18	Laminated safety glass	Safety glass	-	Safety glass
Clear Bubble (15, 25,45 size)	25	Clear	Clear bubble	-	BA6
Clear Red Bubble (15 size)	26	Specify	Red bubble	-	-
Clear Bronze Bubble (15, 25, 45 size)	27	Specify	Bronze bubble	-	BA7
PANORAMA GLAZING STYLES					
3/16" Black acrylic with white "V" letter	40	-	Black w/white "V"	W-B, vertical	-
3/16" Red acrylic with white "V" letter	41	-	Red w/white "V"	W-R, vertical	20-VW
3/16" White acrylic with black "V" letter	42	-	White w/black "V"	B-W, vertical	18-VB
3/16" White acrylic with red "V" letter	43	-	White w/red "V"	R-W, vertical	18-VR
3/16" Black acrylic with white "H" letter	45	-	Black w/white "H"	W-B, horizontal	-
3/16" Red acrylic with white "H" letter	46	-	Red w/white "H"	W-R, horizontal	20-HW
3/16" White acrylic with black "H" letter	47	-	White w/black "H"	B-W, horizontal	18-HB
3/16" White acrylic with red "H" letter	48	-	White w/red "H"	R-W, horizontal	18-HR
3/16" Black acrylic with white "A" letter	50	-	Black w/white "A"	-	-
3/16" Red acrylic with white "A" letter	51	-	Red w/white "A"	-	20-VAW
3/16" White acrylic with black "A" letter	52	-	White w/black "A"	-	18-VAB
3/16" White acrylic with red "A" letter	53	-	White w/red "A"	-	18-VAR
Clear 1/4" acrylic	70	-	Clear	Clear	Buena A16
Clear 1/4" acrylic with SAF-T-LOK™	71	-	Clear, Larsen-Loc	Clear with lock	Buena E16



JL INDUSTRIES

800-554-6077
 sales@activarcpg.com
 www.activarcpg.com

**CROSS REFERENCE
 Fire Protection Equipment**

9702 Newton Ave S. Bloomington, MN 55431 | Many Locations Nationwide

© 2022 Activar Construction Products Group, Inc.

MAY 24 2022