SUBMITTAL: MODEL GF GLASS FIBER REINFORCED ACCESS PANELS

The GF series of lightweight glass fiber reinforced gypsum access panels are designed to blend seamlessly into drywall ceilings and walls with the minimum of visible lines. These panels are manufactured from a 70% post-consumer recycled glass for a unique green-design.



9GFHF-1212CGSQ **Hinged with Square Corners & Cam Latch**



9GFDF-1212GRC Pop-Out With Round Corners



9GFRF-1212G **Pop-Out Round**



9GFDF-1212GSQ Pop-Out With Square Corners

SPECIFICATIONS

Material: Glass Fiber reinforced Gypsum

Finish: Grey

Hinge: Concealed (hinge models only) Latch: Screwdriver Cam (hinge model only)

Sizes: Minimum 6" x 6"

Corners: Round or square (Non-hinge models)

Performance ASTM E84-80:

Fuel Contribution - 0, Flame spread—0, Smoke index—0,

Combustion—Non combustible

OPTIONS

Neoprene gasket, louvers

NOTES: Order size W x H = Door size. Rough opening size = order size + 6"





800-554-6077



sales@activarcpg.com



www.activarcpg.com

Qty	Model	Qty		Order Size W x H	No. of Latches	No. of Hinges	Approx. Wt. Lbs.
			9GFDF - Pop Ou	t Door Access Panel	S		
	Square Corners		Round Corners				
	9GFDF-0909GSQ		9GFDF-0909GRC	9" x 9"			6
	9GFDF-1212GSQ		9GFDF-1212GRC	12" x 12"			8
	9GFDF-1616GSQ		9GFDF-1616GRC	16" x 16"			11
	9GFDF-1818GSQ		9GFDF-1818GRC	18" x 18"			13
	9GFDF-2424GSQ		9GFDF-2424GRC	24" x 24"			19
	9GFDF-3030GSQ		9GFDF-3030GRC	30" x 30"			25
			9GFHF - Hinged Acce	ess Panels with Cam	Latch		
	Square Corners		Rounded Corners	Order Size W x H	No. of Latches	No. of Hinges	Approx. Wt. Lbs.
	9GFHF-0909CGSQ		9GFHF-0909CGRC	9" x 9"	1	2	7
	9GFHF-1212CGSQ		9GFHF-1212CGRC	12" x 12"	1	2	9
	9GFHF-1616CGSQ		9GFHF-1616CGRC	16" x 16"	1	2	12
	9GFHF-1818CGSQ		9GFHF-1818CGRC	18" x 18"	1	2	14
	9GFHF-2424CGSQ		9GFHF-2424CGRC	24" x 24"	1	3	21
	9GFRF- Round Pop Out Door Access Panels						
	9GFRF-09G	9'	' Diameter Round Door	9"			7
	9GFRF-12G	12	" Diameter Round Door	12"			9
	9GFRF-16G	16	" Diameter Round Door	16"			12
	9GFRF-18G	18	" Diameter Round Door	18"			14
	9GFRF-24G	24	" Diameter Round Door	24"			19
ther	sizes Available Upon Reque	st—Se	e Below				
MADI	E-TO-ORDER: 9GFHF-1212LG	RC-K					
Qty	Door Type/Frame Geries Door Type/Frame Pop-Out square	 - Г	Width Height - 09 09		Door Sty GRC Round Co	_	Optional Features K Neoprene Gasketing
	RF Pop-Out Round		12 12 16 16		GSQ Square Co	orners for DF	L Louvers
			18 18		G Round Ki		
			24 24				
	Series Door Type/Frame		Width Height -	Latch	Doc- Str.	do	Optional Feature
	Series Door Type/Frame 9GF HF Hinged	Γ		<u>Latch</u> Screwdriver Cam (std)	Door Sty GRC Round Co	_	K Neoprene Gasketing
			12 12 L	Cylinder Lock	GSQ Square Co		L Louvers
			16 16 TL	Touch latch			

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

18

24

18

24