Yes No

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31067 CLASSIFICATION: 08 91 26 Door Louvers

PRODUCT DESCRIPTION: Door louvers are constructed of cold rolled steel, stainless steel, aluminum or galvanneal steel and have a powder coat finish, #4 stainless steel finish or mill finish aluminum. Door louvers provide air flow and ventilation through the door without sacrificing privacy and security. This HPD includes all door louvers manufactured by Activar Construction Products Group - Air Louvers. This HPD serves to disclose the chemical ingredients of our door louvers. For a HPD of a specific configuration not disclosed here, please contact Activar Construction Products Group - Air Louvers using the contact information listed at the end of this document.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

 Nested Materials Method C Basic Method

Threshold Disclosed Per

Material Product Threshold Level C 100 ppm

O Per GHS SDS

Other

Residuals/Impurities Evaluation Completed in 10 of 10 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No.

For all contents above the threshold, the manufacturer has:

Characterized Yes ○ No.

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods Identified

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

STAINLESS STEEL [IRON LT-P1 | END NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM MANGANESE LT-P1 | END | MUL | REP | MAM | AQU SILICON LT-UNK MOLYBDENUM LT-UNK | SKI | REP COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU COBALT LT-1 | CAN | REP | MUL | RES | GEN | EYE | MAM | SKI TUNGSTEN METAL LT-UNK | COLD ROLLED STEEL [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM CARBON LT-UNK MOLYBDENUM LT-UNK | SKI | REP COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU] STEEL GALVANNEAL [IRON LT-P1 | END 3003-H14 ALUMINUM BM-1 | END | MAM | PHY NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU CARBON LT-UNK MOLYBDENUM LT-UNK | SKI | REP MANGANESE LT-P1 | END | MUL | REP | MAM | AQU TIN LT-P1 | EYE | MAM | AQU CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU SILICON LT-UNK] ALUMINUM [3003-H14 ALUMINUM BM-1 | END | MAM | PHY] GALVANIZED STEEL WOVEN MESH (SCREEN) [IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP | MAM | AQU CARBON LT-UNK CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM | BRASS ALLOY MESH (SCREEN) [COPPER LT-P1 | GEN | EYE | MAM | SKI | AQU ZINC LT-P1 | END | MUL | PHY | AQU LEAD BM-1 | END | PBT | REP | MUL | CAN | DEV | GEN | MAM | AQU IRON LT-P1 | END] STAINLESS STEEL ALLOY MESH (SCREEN) [CHROMIUM LT-P1 | END | SKI | GEN | REP | MAM NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU MANGANESE LT-P1 | END | MUL | REP | MAM | AQU SILICON LT-UNK CARBON LT-UNK] ALUMINUM ALLOY MESH (SCREEN) [3003-H14 ALUMINUM BM-1 END | MAM | PHY NICKEL LT-1 | CAN | RES | MUL | MAM | SKI | AQU

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

BM-1, LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD is prepared using the Nested Materials Inventory with product threshold at 1,000 ppm. Activar Construction Products Group - Air Louvers door louvers are manufactured in steel, aluminum, stainless steel or galvanized steel.

MANGANESE LT-P1 | END | MUL | REP | MAM | AQU COPPER LT-P1 |
GEN | EYE | MAM | SKI | AQU] POWDER COAT [UNDISCLOSED NOGS
UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | MUL | RES | GEN | MAM |
EYE | SKI | AQU | REP UNDISCLOSED LT-1 | CAN | END | MAM |
UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | CAN | MAM | EYE | SKI |
UNDISCLOSED BM-1 | CAN | EYE | MAM UNDISCLOSED LT-P1 |
FUSIBLE LINK AND SPRING [COPPER LT-P1 | GEN | EYE | MAM | SKI |
AQU STEEL MANUFACTURE, CHEMICALS LT-UNK SELENIUM LT-P1 | CAN | PBT | MUL | MAM | AQU NICKEL LT-1 | CAN | RES | MUL |
MAM | SKI | AQU TIN LT-P1 | EYE | MAM | AQU BISMUTH LT-UNK |
MAM]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC content data is not applicable for this product category.

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C YesO No

PREPARER: Self-Prepared

VERIFICATION #:

VERIFIER:

SCREENING DATE: 2023-01-17 PUBLISHED DATE: 2023-01-17

EXPIRY DATE: 2026-01-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

STAINLESS STEEL %: 98.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Other trace elements (less than 0.1%) may also be present per the manufacturer. These trace elements generally originate in the raw material used.

OTHER MATERIAL NOTES: The ingredients listed are the elements used in alloying stainless steel. Stainless steel contains chromium metal in the zero valence state. As such per the manufacturer, chromium metal does not present any unusual health risk. All vision lites manufactured by Activar Construction Product Group - Air Louvers are #4 stainless steel finish.

IRON ID: 7439-89-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:09 %: 45.0000 - 90.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS **END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** None found No listings found on Additional Hazard Lists SUBSTANCE NOTES: Main ingredient in stainless steel.

NICKEL					ID: 7440-02-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-01-17 10:10:10	
%: 0.0000 - 40.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: A	llov element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Nickel enhances formability and weldability of steel.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:10
%: 10.0000 - 30.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	crine Disruptor
SKI	MAK		Sensitizing Sub	stance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspect mutagenicity - 0	ed of causing genetic defects [Germ ce Category 2]
REP	GHS - New Zealand		Reproductive to	oxicity category 2
MAM	GHS - Japan		-	ise damage to organs [Specific target c toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and B	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prod	ucts
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation/		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Cosmetics & Pe	ersonal Care Products

MANGANESE ID: 7439-96-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-17 10:10:11
%: 0.0000 - 15.0000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disr	uptors Potential Endocrine Disruptor
MUL	German FEA - Substances Haza Waters	rdous to Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Decreases brittleness and increases hardness.

SUBSTANCE NOTES: Principal deoxidizer making steel more sound and defect free.

SILICON				ID: 7440-21-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:12
%: 0.0000 - 9.5000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Antioxidant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

MOLYBDENUM ID: 7439-98-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-01-17 10:10:09
%: 0.0000 - 7.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand		Reproductive toxicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
None found			No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Used to inhibit corrosion.

HAZARD DATA SOURCE	: Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2023-01-17 10:10:11
%: 0.0000 - 5.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
GEN	GHS - New Zealand		Germ cell mu	tagenicity category 1
EYE	GHS - New Zealand		Eye irritation	category 2
МАМ	GHS - Japan			es damage to organs [Specific target mic toxicity following single exposure -
SKI	GHS - New Zealand		Skin sensitisa	ation category 1
MAM	GHS - New Zealand		Acute inhalati	ion toxicity category 2
MAM	GHS - New Zealand		Acute oral tox	kicity category 2
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - chronic

category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Enhances the corrosion resistance of steel.

COBALT		ID: 7440-48-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	4 HAZARD SCREENING DATE: 2023-01-17 10:10:10	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:10
%: 0.0000 - 5.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	EU - REACH Annex XVII CMRs		•	egory 2 - Substances which should be ney are Carcinogenic to man
CAN	EU - Annex VI CMRs		Carcinogen Cate on animal evider	egory 1B - Presumed Carcinogen based nce
REP	EU - Annex VI CMRs		Reproductive To	oxicity - Category 1B
MUL	ChemSec - SIN List		CMR - Carcinog Toxicant	en, Mutagen &/or Reproductive
MUL	German FEA - Substances Haza Waters	ardous to	Class 3 - Severe	Hazard to Waters
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Poss	sibly carcinogenic to humans
CAN	MAK		Carcinogen Gro	up 2 - Considered to be carcinogenic for
CAN	US NIH - Report on Carcinogens	S	Reasonably Anti	icipated to be Human Carcinogen
RES	MAK		Sensitizing Subs	stance Sah - Danger of airway & skin
REP	EU - REACH Annex XVII CMRs		should be regard	uction Category 2 - Substances which ded as if they impair fertility or cause Toxicity in humans
GEN	MAK		Germ Cell Muta	gen 3a

CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
REP	GHS - Australia	H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360F - May damage fertility [Reproductive toxicity - Category 1A or 1B]
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
GEN	EU - Annex VI CMRs	Mutagen - Category 2
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Used to harden steel.

TUNGSTEN METAL				ID: 7440-33-7
HAZARD DATA SOURCE	: Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:11
%: 0.0000 - 4.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Increases wear resistance in steel.

COLD ROLLED STEEL %: 1.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not considered. Only intentionally added ingredients are detailed in this HPD.

OTHER MATERIAL NOTES: Cold rolled steel is the standard material used to manufacture louvers. Louvers are also available in galvanneal steel and stainless steel.

IRON ID: 7439-89-6 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:12 %: 96.0000 - 99.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Structure component **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** No listings found on Additional Hazard Lists None found

SUBSTANCE NOTES: Main base metal used to create steel.

MANGANESE ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:12

%: 0.0000 - 2.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

 ${\small \verb|SUBSTANCE| NOTES: Alloy included in cold rolled steel.}$

NICKEL					ID: 7440-02-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-01-17 10:10:14	
%: 0.0000 - 1.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: A	lloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Alloy used the manufacture of cold rolled steel.

			000000000000000000000000000000000000000	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:13
%: 0.0000 - 1.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspector mutagenicity - C	ed of causing genetic defects [Germ ce Category 2]
REP	GHS - New Zealand		Reproductive to	oxicity category 2
MAM	GHS - Japan		•	se damage to organs [Specific target c toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		1 Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		1 Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Prode	ucts
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		1 Product Standard Restricted t (RSL) - Effective July 1, 2022

SUBSTANCE NOTES: Alloy used in the manufacture of cold rolled steel.

CARBON ID: 7440-44-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:15
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Antimicrobials	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	SCREENING DATE: 2023-01-17 10:10:16
%: 0.0000 - 0.6000	GreenScreen: LT-UNK	RC: UNK	NANO: No SUBSTANCE ROLE: Corrosion inhibito
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand		Reproductive toxicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
None found			No listings found on Additional Hazard List

SUBSTANCE NOTES: Increases corrosion resistance in steel.

SUBSTANCE NOTES: Alloy used in the manufacture of cold rolled steel.

MOLYBDENUM

COPPER				ID: 7440-50-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	E: 2023-01-17 10:10:13
%: 0.0000 - 0.6000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor

ID: 7439-98-7

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
GEN	GHS - New Zealand	Germ cell mutagenicity category 1
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	GHS - New Zealand	Acute oral toxicity category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Increases the corrosion resistance in steel.

CTEEL CALVANNEAL	0/- 1 0000 <u>- 100 0000</u>

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities not considered. Only intentionally added ingredients are detailed in this HPD.

OTHER MATERIAL NOTES: Galvanneal steel is more corrosion resistant option and is an alternative to standard steel. All steel louvers are then powder coated.

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:14

%: 90.0000 - 99.0000 GreenScreen: LT-P1 RC: PostC NANO: No SUBSTANCE ROLE: Structure component

SUBSTANCE NOTES: Main ingredient in galvanneal steel.			
None found		No listings found on Additional Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	

3003-H14 ALUMINUM ID: 7429-90-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-01-17 10:10:15
%: 0.1000 - 10.5000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocr	rine Disruptor
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or ire [Specific target organs/systemic grepeated exposure - Category 1]
PHY	GHS - New Zealand		Flammable solid	s category 1
MAM	GHS - Japan			amage to organs [Specific target toxicity following single exposure -
PHY	GHS - Japan		[Substances and	t with water releases flammable gas I mixtures, which in contact with water, gases - Category 2]
PHY	GHS - Malaysia			fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]
PHY	GHS - Australia			fire spontaneously if exposed to air ds; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand		Pyrophoric solid	s category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ration		Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	acts

SUBSTANCE NOTES: Alloy used in the manufacture of galvanneal steel.

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:16

%: 0.1000 - 9.7000	GreenScreen: LT-1	RC: UNK	NANO: No SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
CAN	US CDC - Occupational Carcinog	jens	Occupational Carcinogen
CAN	MAK		Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC		Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65		Carcinogen
CAN	US NIH - Report on Carcinogens		Known to be a human Carcinogen
CAN	IARC		Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen
RES	MAK		Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazar Waters	dous to	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex	6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand		Carcinogenicity category 2
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs		Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand		Skin sensitisation category 1
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

 ${\small \verb|SUBSTANCE| NOTES|: Alloy used in the manufacture of galvanneal steel.}$

CARBON					ID: 7440-44-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	SCREENING I	DATE: 2023-01-17 10:10:17	
%: 0.1000 - 5.5000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile stre	ngth additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNING	as	
None found			N	lo warnings found on HPD Priority	Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICA	TION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six	Classes of Problematic Chemical	S
			Antimicro	bials	
SUBSTANCE NOTES: AI	loy used to increase hardness in steel.				

MOLYBDENUM				ID: 7439-98-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2023-01-17 10:10:13
%: 0.1000 - 5.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - Japan		H315 - Causes Category 2]	s skin irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive	toxicity category 2

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Increases corrosion resistance in steel.

MANGANESE ID: 7439-96-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-01-17 10:10:14	
%: 0.1000 - 4.5000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Alloy	element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
END	TEDX - Potential Endocrine Disr	otors Potential Endocrine Disruptor	
MUL	German FEA - Substances Haza Waters	lous to Class 2 - Hazard to Waters	
REP	GHS - Japan	H360 - May damage fertility or the unborn ch reproduction - Category 1B]	ild [Toxic to
MAM	GHS - Japan	H372 - Causes damage to organs through pr repeated exposure [Specific target organs/sy toxicity following repeated exposure - Category	ystemic
MAM	GHS - Australia	H372 - Causes damage to organs through pr repeated exposure [Specific target organ tox repeated exposure - Category 1]	_
MAM	GHS - Japan	H370 - Causes damage to organs [Specific to organs/systemic toxicity following single exp Category 1]	_
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chro category 3	onic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ion C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Biological and Environmentally Released Ma	terials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ion C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	-
		Children's Products	

SUBSTANCE NOTES: Critical ingredient used to manufacture galvanneal steel.

TIN ID: 7440-31-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:15

%: 0.1000 - 3.5000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

 ${\small \verb|SUBSTANCE| NOTES|: Alloy that provides increased corrosion resistance.}$

CHROMIUM				ID: 7440-47
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:16
%: 0.1000 - 3.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspector mutagenicity - C	ed of causing genetic defects [Germ cell Category 2]
REP	GHS - New Zealand		Reproductive to	oxicity category 2
MAM	GHS - Japan		-	se damage to organs [Specific target c toxicity following single exposure -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and E	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prode	ucts
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation /		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Cosmetics & Pe	ersonal Care Products

SUBSTANCE NOTES: Alloy used in manufacturer of galvanneal steel.

COPPER ID: 7440-50-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DAT	E: 2023-01-17 10:10:17
%: 0.1000 - 3.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
GEN	GHS - New Zealand		Germ cell mut	tagenicity category 1
EYE	GHS - New Zealand		Eye irritation of	category 2
MAM	GHS - Japan			s damage to organs [Specific target mic toxicity following single exposure -
SKI	GHS - New Zealand		Skin sensitisa	tion category 1
MAM	GHS - New Zealand		Acute inhalati	on toxicity category 2
MAM	GHS - New Zealand		Acute oral tox	cicity category 2
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to category 2	the aquatic environment - chronic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precau	utionary List
			Precautionary avoidance	list of substances recommended for
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Cla	asses of Problematic Chemicals
			Antimicrobials	S
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		v4 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Biological and	d Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	vation		v4 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Children's Pro	oducts

SUBSTANCE NOTES: Alloy used to increase corrosion resistance of galvanneal steel.

SILICON					ID: 7440-21-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-01-17 10:10:15	
%: 0.1000 - 2.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: A	lloy element

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

ALUMINUM

%: 98.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Mill finished aluminum is used in the 1300 all-aluminum louver and the 1400 storm proof aluminum Z-blade louver.

3003-H14 ALUMINUM				ID: 7429-90 -5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2023-01-17 10:10:16
%: 90.0000 - 99.0000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
MAM	GHS - Japan		repeated exp	es damage to organs through prolonged or posure [Specific target organs/systemic wing repeated exposure - Category 1]
PHY	GHS - New Zealand		Flammable s	solids category 1
MAM	GHS - Japan			es damage to organs [Specific target emic toxicity following single exposure -
PHY	GHS - Japan		[Substances	ntact with water releases flammable gas and mixtures, which in contact with water, ble gases - Category 2]
РНҮ	GHS - Malaysia			hes fire spontaneously if exposed to air liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia			hes fire spontaneously if exposed to air liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand		Pyrophoric s	solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	ON
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		d v4 Product Standard Restricted List (RSL) - Effective July 1, 2022
			Biological ar	nd Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		d v4 Product Standard Restricted List (RSL) - Effective July 1, 2022
			Children's Pr	roducts

SUBSTANCE NOTES: Main ingredient.

GALVANIZED STEEL WOVEN MESH (SCREEN)

%: 2.0000 - 2.5000

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Galvanized steel woven mesh screen used to prevent insects or birds from getting through a louver on an exterior

IRON				ID: 7439-89-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2023-01-17 10:10:17
%: 95.0000 - 97.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ingredient used in the manufacturer of galvanized steel mesh screen.

MANGANESE				ID: 7439-96-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:19
%: 0.5000 - 1.3000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard	to Waters
REP	GHS - Japan		H360 - May dam reproduction - C	nage fertility or the unborn child [Toxic to Category 1B]
MAM	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
MAM	GHS - Australia		repeated exposu	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
AQU	GHS - New Zealand		Hazardous to the category 3	e aquatic environment - chronic

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

 ${\small \verb|SUBSTANCE| NOTES|: Ingredient| used to manufacture| galvanized steel | mesh | screen. |}$

CARBON				ID: 7440-44- 0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:19
%: 0.1000 - 0.8700	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Antimicrobials	
SUBSTANCE NOTES: AI	loy used to increase hardness.			

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:17
%: 0.0000 - 0.1500	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
SKI	MAK		Sensitizing Subs	stance Sh - Danger of skin sensitization
GEN	GHS - Japan		H341 - Suspecte mutagenicity - C	ed of causing genetic defects [Germ cell Category 2]
REP	GHS - New Zealand		Reproductive to	xicity category 2
MAM	GHS - Japan		-	se damage to organs [Specific target c toxicity following single exposure -

CHROMIUM

ID: 7440-47-3

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Alloy used to manufacture steel.

BRASS ALLOY MESH (SCREEN) %: 2.0000 - 2.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Brass mesh screen is made from copper alloys.

COPPER				ID: 7440-50-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE	2023-01-17 10:10:18
%: 89.0000 - 92.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
GEN	GHS - New Zealand		Germ cell muta	agenicity category 1
EYE	GHS - New Zealand		Eye irritation ca	ategory 2
МАМ	GHS - Japan			damage to organs [Specific target ic toxicity following single exposure -
SKI	GHS - New Zealand		Skin sensitisati	ion category 1
MAM	GHS - New Zealand		Acute inhalatio	n toxicity category 2
MAM	GHS - New Zealand		Acute oral toxic	city category 2
AQU	GHS - New Zealand		Hazardous to t	he aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to t category 2	he aquatic environment - chronic

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Increases corrosion resistance in steel.

ZINC				ID: 7440-66-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-01-17 10:10:19
%: 1.0000 - 2.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
РНҮ	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Provides enhanced corrosion resistance.

LEAD ID: 7439-92-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry HAZARD S	CREENING DATE:	2023-01-17 10:10:20
%: 0.0000 - 0.0500	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	Disruptors	Potential Endoc	rine Disruptor
РВТ	OSPAR - Priority PBTs & EDs concern	s & equivalent	PBT - Chemical	for Priority Action
REP	EU - SVHC Authorisation List		Toxic to reprodu	uction - Candidate list
PBT	OR DEQ - Priority Persistent	Pollutants	Priority Persiste	nt Pollutant - Tier 1
MUL	ChemSec - SIN List		CMR - Carcinog Toxicant	en, Mutagen &/or Reproductive
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Poss	sibly carcinogenic to humans
CAN	MAK		Carcinogen Gro	up 2 - Considered to be carcinogenic for
CAN	US NIH - Report on Carcinog	ens	Reasonably Ant	icipated to be Human Carcinogen
DEV	G&L - Neurotoxic Chemicals		Developmental I	Neurotoxicant
CAN	US EPA - IRIS Carcinogens		(1986) Group B2	? - Probable human Carcinogen
CAN	IARC		Group 2a - Ager	nt is probably Carcinogenic to humans
DEV	CA EPA - Prop 65		Developmental	toxicity
PBT	US EPA - Priority PBTs (NWI	MP)	Priority PBT	
РВТ	WA DoE - PBT		PBT	
РВТ	US EPA - Toxics Release Inve	entory PBTs	PBT	
DEV	US NIH - Reproductive & Dev Monographs	velopmental	Clear Evidence	of Adverse Effects - Developmental
REP	US NIH - Reproductive & Dev Monographs	velopmental	Clear Evidence	of Adverse Effects - Reproductive

REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 1 - Substances known to impair fertility or cause Developmental Toxicity in humans	
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1A	
GEN	MAK	Germ Cell Mutagen 3a	
REP	CA EPA - Prop 65	Reproductive Toxicity - Female	
REP	CA EPA - Prop 65	Reproductive Toxicity - Male	
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]	
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Reproductive toxicity - Category 1]	
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]	
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]	
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]	
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H362 - May cause harm to breast-fed children [Reproductive toxicity, effects on or via lactation]	
REP	GHS - New Zealand	Reproductive toxicity category 1	
CAN	GHS - New Zealand	Carcinogenicity category 2	
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1	
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
GEN	GHS - New Zealand	Germ cell mutagenicity category 2	
MAM	GHS - New Zealand	Acute oral toxicity category 3	
REP	GHS - New Zealand	Effects on or via lactation	

CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Ingredient used in the manufacturer of brass alloy mesh screen.

SUBSTANCE NOTES: Ingredient used in the manufacturer of brass alloy mesh screen.

IRON				ID: 7439-89-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2023-01-17 10:10:22
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists

PRODUCT THRESHOLD: 1000 ppm

CHROMIUM

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Information not provided by supplier.

OTHER MATERIAL NOTES: Stainless steel alloy woven mesh used for insect or bird screen.

GHS - Japan

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:18 %: 17.0000 - 19.0000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Tensile strength additive **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** SKI MAK Sensitizing Substance Sh - Danger of skin sensitization **GEN** H341 - Suspected of causing genetic defects [Germ cell

REP GHS - New Zealand Reproductive toxicity category 2 MAM GHS - Japan H371 - May cause damage to organs [Specific target

ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION**

RESTRICTED LIST Cradle to Cradle Products Innovation C2C Certified v4 Product Standard Restricted Institute (C2CPII) Substances List (RSL) - Effective July 1, 2022

Biological and Environmentally Released Materials

RESTRICTED LIST Cradle to Cradle Products Innovation C2C Certified v4 Product Standard Restricted Institute (C2CPII) Substances List (RSL) - Effective July 1, 2022

RESTRICTED LIST Cradle to Cradle Products Innovation C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Institute (C2CPII)

Cosmetics & Personal Care Products

Children's Products

mutagenicity - Category 2]

Category 2]

organs/systemic toxicity following single exposure -

SUBSTANCE NOTES: Ingredient used in the manufacture of stainless steel mesh screen to harden the stainless steel and prevent corrosion.

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:19 %: 8.0000 - 10.0000 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

MATERIAL TYPE: Metal

ID: 7440-47-3

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Improves formability and weldability.

MANGANESE				ID: 7439-96 -
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:20
%: 1.0000 - 2.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazaro	d to Waters
REP	GHS - Japan		H360 - May dam	nage fertility or the unborn child [Toxic to Category 1B]
MAM	GHS - Japan		repeated exposi	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
MAM	GHS - Australia		repeated exposi	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
AQU	GHS - New Zealand		Hazardous to the category 3	e aquatic environment - chronic

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Added to stainless steel to improve hot working properties.

SILICON					ID: 7440-21- 3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:22	
%: 0.0000 - 0.7500	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: All	oy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priorit	y Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additiona	al Hazard Lists

CARBON				ID: 7440-4
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:23
%: 0.0000 - 0.1500	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lis
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Antimicrobials	
SUBSTANCE NOTES: AI	loy used in stainless steel to increase hard	ness.		

ALUMINUM ALLOY MESH (SCREEN)

%: 1.0000 - 2.0000

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: One of the choices for screen material is an aluminum mesh screen.

3003-H14 ALUMINUM ID: 7429-90-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING D	ATE: 2023-01-17 10:10:19
%: 98.0000 - 99.0000	GreenScreen: BM-1	RC: UNK NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	WARNING	S
END	TEDX - Potential Endocrine Disr	otors Potential E	ndocrine Disruptor
MAM	GHS - Japan	repeated e	uses damage to organs through prolonged or xposure [Specific target organs/systemic owing repeated exposure - Category 1]
PHY	GHS - New Zealand	Flammable	solids category 1
MAM	GHS - Japan		uses damage to organs [Specific target stemic toxicity following single exposure -
PHY	GHS - Japan	[Substance	contact with water releases flammable gas es and mixtures, which in contact with water, hable gases - Category 2]
PHY	GHS - Malaysia		ches fire spontaneously if exposed to air c liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia		ches fire spontaneously if exposed to air c liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric	solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICAT	TION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)		ied v4 Product Standard Restricted s List (RSL) - Effective July 1, 2022
		Biological	and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)		ied v4 Product Standard Restricted s List (RSL) - Effective July 1, 2022
		Children's	Products

SUBSTANCE NOTES: Main metal for aluminum mesh screen.

NICKEL	ID: 7440-02-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:20 %: 0.0000 - 0.0600 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Nickel added to aluminum imparts strength.

MANGANESE			ID: 7439-96-5
HAZARD DATA SOURCE	: Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-01-17 10:10:23
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: UNK	NANO: No SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
END	TEDX - Potential Endocrine Disr	uptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard to Waters
REP	GHS - Japan		H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
МАМ	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
МАМ	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
МАМ	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: Increases strength in aluminum alloy.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	SCREENING I	DATE: 2023-01-17 10:10:22
%: 0.0000 - 0.0500	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additiv
HAZARD TYPE	LIST NAME AND SOURCE		WARNING	GS
GEN	GHS - New Zealand		Germ cell	mutagenicity category 1
EYE	GHS - New Zealand		Eye irritat	cion category 2
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - New Zealand		Skin sens	sitisation category 1
MAM	GHS - New Zealand		Acute inhalation toxicity category 2	
MAM	GHS - New Zealand		Acute oral toxicity category 2	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute cate 1	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICA	ATION
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Pre	ecautionary List
			Precautio avoidance	onary list of substances recommended for e
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six	x Classes of Problematic Chemicals
			Antimicro	bials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		ified v4 Product Standard Restricted ees List (RSL) - Effective July 1, 2022
			Biological	I and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		ified v4 Product Standard Restricted res List (RSL) - Effective July 1, 2022
			Children's	B 4 4

POWDER COAT %: 0.0000 - 1.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Information not provided by the supplier.

OTHER MATERIAL NOTES: Mixture of polyester resins and pigments for coating louvers. This is a dry powder electrostatically applied and then cured in the oven.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:24
%: 50.0000 - 59.0000	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
LIAZADO DATA COLIDOR.	Dhana Ohania I and Matariala I ilanan	LIAZADD CODEENING DATE	0000 04 47 40 40 40	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:18
%: 0.0000 - 21.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Powder coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:19	
%: 0.0000 - 5.5000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE:	Powder coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	ChemSec - SIN List		CMR - Carcinog	en, Mutagen &/or Repro	oductive

Toxicant

MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters	
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization	
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man	
GEN	EU - Annex VI CMRs	Mutagen - Category 1B	
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list	
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]	
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]	
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
GEN	GHS - New Zealand	Germ cell mutagenicity category 1	
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1	
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
EYE	GHS - New Zealand	Serious eye damage category 1	
MAM	GHS - New Zealand	Acute inhalation toxicity category 3	
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand	Skin sensitisation category 1	
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]	
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]	
MAM	GHS - New Zealand	Acute oral toxicity category 3	
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]	
МАМ	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]	

MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:20
%: 0.0000 - 2.6000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Car	rcinogen
CAN	CA EPA - Prop 65		Carcinogen - spe route	cific to chemical form or exposure
CAN	IARC		Group 2B - Possi from occupationa	bly carcinogenic to humans - inhaled al sources
CAN	MAK		•	p 3A - Evidence of carcinogenic effects to establish MAK/BAT value
END	TEDX - Potential Endocrine Disr	Disruptors Potential Endocrine Disruptor		ne Disruptor
CAN	MAK		Carcinogen Grou low risk under MA	p 4 - Non-genotoxic carcinogen with AK/BAT levels
CAN	EU - GHS (H-Statements) Annex	6 Table 3-1	H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
CAN	EU - Annex VI CMRs		Carcinogen Cate	gory 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted RSL) - Effective July 1, 2022
			Cosmetics & Pers	sonal Care Products
POSITIVE LIST	US Environmental Protection Ag EPA)	jency (US		rer Chemicals Ingredients list (SCIL)

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

UNDISCLOSED	ID: Undisclosed
-------------	-----------------

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:22
%: 0.0000 - 2.3000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Powder coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

ι	NDISCLOSED	ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-01-17 10:10:23
%: 0.0000 - 1.3000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		•	up 3B - Evidence of carcinogenic effects t for classification
МАМ	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
EYE	GHS - Japan			serious eye damage [Serious eye ritation - Category 1]
SKI	GHS - Japan		H315 - Causes s Category 2]	skin irritation [Skin corrosion / irritation -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

UNDISCLOSED	ID: Unc	disclosed
	ID: Uno	disclos

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCRE	EENING DATE:	2023-01-17 10:10:21
%: 0.0000 - 0.7200	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

UNDISCLOSED

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:22
%: 0.0000 - 0.6400	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Powder coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer does not publicly disclose the ingredients because its considered proprietary.

FUSIBLE LINK AND SPRING %: 0.5000 - 1.0000

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes PRODUCT THRESHOLD: 1000 ppm MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Information is not provided by the supplier.

OTHER MATERIAL NOTES: The fusible link is part of the 1900A fire rated louver and allows the operable blades to close once the link has melted (165F). 1900A is the only louver that has this feature.

COPPER ID: 7440-50-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:23

ID: Undisclosed

%: 1.0000 - 2.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
GEN	GHS - New Zealand		Germ cell muta	genicity category 1
EYE	GHS - New Zealand		Eye irritation ca	tegory 2
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
SKI	GHS - New Zealand		Skin sensitisation	on category 1
МАМ	GHS - New Zealand		Acute inhalation	n toxicity category 2
MAM	GHS - New Zealand		Acute oral toxic	eity category 2
AQU	GHS - New Zealand		Hazardous to th	ne aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to the category 2	ne aquatic environment - chronic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precauti	onary List
			Precautionary li avoidance	st of substances recommended for
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Clas	ses of Problematic Chemicals
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Inr Institute (C2CPII)	novation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Biological and I	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Inr Institute (C2CPII)	novation		4 Product Standard Restricted t (RSL) - Effective July 1, 2022
			Children's Prod	ucts

SUBSTANCE NOTES: Used in creating bismuth alloy to soften the steel and allow the fusible link to melt at 165 degrees F.

STEEL MANUFACTURE, CHEMICALS

ID: 65997-19-5

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:24
%: 0.5000 - 1.0000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: One of the ingredients in the fusible link for the 1900A louver.

SELENIUM ID: 7782-49-2

%: 0.0000 - 1.0000	GreenScreen: LT-P1	RC: UNK NANO: No SUBSTANCE ROLE: Alloy element
		-
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
PBT	OR DEQ - Priority Persistent Pollu	utants Priority Persistent Pollutant - Tier 1
MUL	German FEA - Substances Hazard Waters	dous to Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements) Annex 6	6 Table 3-1 H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6	6 Table 3-1 H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innova Institute (C2CPII)	ction C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innova Institute (C2CPII)	ction C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innova Institute (C2CPII)	tion C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: Used in bismuth alloy.

NICKEL ID: 7440-02-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-01-17 10:10:22
%: 0.0000 - 1.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcin	ogens	Occupational Ca	arcinogen
CAN	MAK		Carcinogen Gro	up 1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent	is Carcinogenic to humans
CAN	CA EPA - Prop 65		Carcinogen	
CAN	US NIH - Report on Carcinoger	ıs	Known to be a h	numan Carcinogen
CAN	IARC		Group 2b - Poss	sibly carcinogenic to humans
CAN	US NIH - Report on Carcinoger	ıs	Reasonably Ant	icipated to be Human Carcinogen
RES	MAK		Sensitizing Subs	stance Sah - Danger of airway & skin
MUL	German FEA - Substances Haz Waters	ardous to	Class 2 - Hazaro	d to Waters
CAN	EU - GHS (H-Statements) Anne	x 6 Table 3-1	H351 - Suspecto Category 2]	ed of causing cancer [Carcinogenicity -
MAM	EU - GHS (H-Statements) Anne	x 6 Table 3-1	repeated expos	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
CAN	GHS - New Zealand		Carcinogenicity	category 2
CAN	GHS - Japan		H351 - Suspecto Category 2]	ed of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
MAM	GHS - Australia		repeated expos	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
MAM	GHS - Japan			damage to organs [Specific target c toxicity following single exposure -
CAN	EU - Annex VI CMRs	EU - Annex VI CMRs		egory 2 - Suspected human Carcinogen
SKI	GHS - New Zealand		Skin sensitisation	on category 1
AQU	GHS - New Zealand		Hazardous to th	e aquatic environment - acute category
AQU	GHS - New Zealand		Hazardous to the	e aquatic environment - chronic
CAN	GHS - Australia		H351 - Suspecto Category 2]	ed of causing cancer [Carcinogenicity -

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation	C2C Certified v4 Product Standard Restricted
	Institute (C2CPII)	Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: Used in bismuth alloy.

ADDITIONAL LISTINGS

None found

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-01-17 10:10:23
%: 0.0000 - 0.5000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
EYE	GHS - New Zealand		Eye irritation category 2	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand		Hazardous to th category 1	e aquatic environment - chronic

SUBSTANCE NOTES: Used in making bismuth alloy which softens the steel allowing it to melt at 165 degrees F.

LIST NAME AND SOURCE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-01-17 10:10:24

%: 0.0000 - 0.5000 GreenScreen: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

NOTIFICATION

No listings found on Additional Hazard Lists

ID: 7440-31-5

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Used in softening steel so it will melt at 165 degrees.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC content data is not applicable for this product category.

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2021-07-08 EXPIRY DATE: 2024-08-08 CERTIFIER OR LAB: None



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SCREWS

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available ACCESSORY TYPE: Fastner

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Depending on the louver model the appropriate screws will be included. For steel louvers, steel screws with powder coat paint are sent. For stainless steel louvers, stainless steel screws are included. Steel screws are powder coat painted to match the product..

Section 5: General Notes

This HPD covers all steel, galvanneal, aluminum and stainless steel door louvers manufactured by Activar Construction Products Group - Air Louvers. Final assembly locations include: Minneapolis, MN and Commerce, CA. This product can be used to meet LEED v4 points for MR Credit: Building Product Disclosure and Optimization - Material Ingredients - Option 1. All ingredients have been screened against the Living Building Challenge Red List and is found to be Red List Free. Note: The undisclosed ingredients of the powder coat paint have also been screened and are confirmed Red List Free. Please contact us for more information is you are looking to meet LEED or LBC.

MANUFACTURER INFORMATION

MANUFACTURER: Activar Construction Products Group

ADDRESS: 9702 Newton Ave. S

Bloomington Minnesota 55431, United States

WEBSITE: www.activarcpg.com/

CONTACT NAME: Lisa K Hyatt
TITLE: Communications Specialist

PHONE: (952) 837-1276

EMAIL: Ikhyatt@activarcpg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.