
FIRE PROTECTION CABINET - ARCHITECTURAL: ACADEMY SERIES - Aluminum

As a leader in the industry, JL Industries offers an aluminum cabinet: The Architectural Academy Series. Available in multiple tub sizes designed to be compatible with multiple fire extinguishers. Select from a wide variety of options and



SPECIFICATIONS:

Tub Material & Finish:

Steel, white powder coat (recessed & semi-recessed)

Aluminum, clear anodized (surface mount)

Trim Material & Finish: Aluminum, clear anodized Door Material & Finish: Aluminum; clear anodized

Glazing: .090" Clear acrylic

Hinge: Continuous hinge, zinc-plated steel, opens to 180°

Hardware: Zinc plated pull handle with roller catch or cylinder

Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-1/2" trim style do not comply with ADA.

OPTIONS:

Tub: 0.040 Aluminum

Door: Full, vertical duo, solid, horizontal

Glazing: 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze

acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

Handles: Recessed handle, magnetic catch

Alarms: Commander alarm, Brigadier alarm, Strobe alarm

Material: Dark bronze anodized

Finish: Red, black, other powder coat colors **Lettering:** Silkscreen, engraving, etching

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-½" higher than door center, so allow for that when mounting cabinet.

Standard Pull with no lock or flush pull are centered on door.


Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.





FIRE PROTECTION CABINET - ARCHITECTURAL: ACADEMY SERIES - Aluminum

QTY	MODEL & TRIM		ADA				TRIM	O. D.	WALL ROUGH OPENING*			WT	COMPATIBLE FIRE
ŲII	MODEL	TRIM PROJECTION	≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	LBS	EXTINGUISHERS
	C8125	3/8" flat square	✓	9"	18"	5-½"	12-¾"	21-%"	10"	19"	5-%"	10	Cosmic, Galaxy 2.5 - 6
	C8126	1-½" square	✓	9"	18"	5-1/2"	12-¾"	21-¾"	10"	19"	4-1/8"	10	lb
	C8127	2-½" rolled	✓	9"	18"	5-1/2"	12-¾"	21-%"	10"	19"	3-¾"	12	(mount 6 lb to tub)
	C8123	surface-mount square		12-3/16"	21-3/16"	6"			-	-	-	13	Mercury 2.5 - 5 lb
	C1720	2-¼" square	✓	10-½"	24"	5"	13-%"	27-%"	11-½"	25"	3"	15	Cosmic, Galaxy Mercury 2.5 - 5 lb
	C1825	3/8" flat square	✓	10-½"	24"	5-1/2"	13-%"	27-%"	11-1/2"	25"	5-%"	15	
	C1826	1-½" square	✓	10-1/2"	24"	5-1/2"	13-%"	27-%"	11-1/2"	25"	4-1/8"	15	Cosmic/Galaxy 2.5 - 6
	C1827	3" rolled	✓	10-1⁄2"	24"	5-1/2"	13-%"	27-%"	11-1/2"	25"	2-%"	17	lb (mount 6 lb to tub)
	C1822	4" rolled w/ rec hndl	✓	10-1/2"	24"	5-1/2"	13-%"	27-%"	11-1/2"	25"	2-1/2"	17	Mercury 2.5 - 5 lb
	C1828	4-½" rolled		10-1⁄2"	24"	5-1/2"	13-%"	27-%"	11-1/2"	25"	1-3/4"	17	
	C1025	3/8" flat square	✓	10-½"	24"	6"	13-%"	27-%"	11-1/2"	25"	5-%"	15	
	C1026	1-½" square	✓	10-½"	24"	6"	13-%"	27-%"	11-1/2"	25"	4-%"	16	
	C1027	3" rolled	✓	10-1⁄2"	24"	6"	13-%"	27-%"	11-1/2"	25"	3-1/8"	18	Cosmic, Galaxy 2.5 -
	C1022	4" rolled w/ rec hndl	✓	10-1⁄2"	24"	6"	13-%"	27-%"	11-1/2"	25"	3"	18	10 lb Mercury 2.5 - 5 lb
	C1028	4-½" rolled		10-1⁄2"	24"	6"	13-%"	27-%"	11-1/2"	25"	2-1/4"	18	Sentinel 5 lb
	C1023	surface-mount square		13-11/16"	27-3/16"	6-1/2"			-	-	-	17	Serience 3 15
	C1029	surface-mount rolled		13-11/16"	27-3/16"	6-1/2"			-	-	-	17	
	C2025	3/8" flat square	✓	12"	27"	7-3/4"	15-¾"	30-%"	13"	28"	7-%"	21	Cosmic, Galaxy
	C2026	1-¼" square	✓	12"	27"	7-3/4"	15-¾"	30-%"	13"	28"	6-%"	22	(mount 20 lb to tub)
	C2027	2-½" rolled	✓	12"	27"	7-3/4"	15-¾"	30-%"	13"	28"	6"	23	Mercury 2.5 - 15 lb
	C2022	4" rolled w/ rec hndl	✓	12"	27"	7-3/4"	15-¾"	30-%"	13"	28"	4-3/4"	25	(mount 15.5 lb to tub) Sentinel 5 - 10 lb
	C2028	4-½" rolled		12"	27"	7-3/4"	15-¾"	30-%"	13"	28"	4"	25	Grenadier, Saturn,
	C2023	surface-mount square		15- ³ / ₁₆ "	30-3/16"	8"			-	-	-	25	Nebula 270
	C3025	3/8" flat square	✓	16"	32"	7-3/4"	19-%"	35-%"	17"	33"	7-%"	29	Cosmic, Galaxy
	C3026	1-¼" square	✓	16"	32"	7-3/4"	19-¾"	35-¾"	17"	33"	6-%"	29	(mount 20 lb to tub)
	C3027	2-½" rolled	✓	16"	32"	7-3/4"	19-¾"	35-¾"	17"	33"	6"	30	Mercury 2.5 - 15 lb
	C3022	4" rolled w/ rec hndl	✓	16"	32"	7-3/4"	19-¾"	35-¾"	17"	33"	4-3/4"	30	(mount 15.5 lb to tub) Sentinel 5 - 15 lb
	C3028	4-½" rolled		16"	32"	7-3/4"	19-¾"	35-¾"	17"	33"	4"	32	Grenadier, Saturn
	C3023	surface-mount square		19- ³ / ₁₆ "	35- ³ / ₁₆ "	8"			-	-	N/A	32	Nebula 250-272
	C4025	3/8" flat square	√	20"	27"	7-3/4"	23-%"	30-%"	21"	28"	7-%"	33	Two each of:
	C4026	1-¼" square	√	20"	27"	7-3/4"	23-¾"	30-%"	21"	28"	6-%"	33	Cosmic, Galaxy (FE20C
	C4027	2-½" rolled	✓	20"	27"	7-34"	23-%"	30-%"	21"	28"	6"	34	(mount 20 lb to tub)
	C4022	4" rolled w/ rec hndl	√	20"	27"	7-3/4"	23-%"	30-%"	21"	28"	4-3/4"	35	Mercury 2.5 - 15.5 lb
	C4028	4-½" rolled		20"	27"	7-3/4"	23-%"	30-%"	21"	28"	4"	36	Sentinel 5 lb Grenadier
		surface-mount square		23-3/16"	30-3/16"	8"			-	-	-	36	Saturn

*Confirm wall rough opening depth prior to ordering







* 9 Surface-mount rolled is non-standard

FIRE PROTECTION CABINET - ARCHITECTURAL: ACADEMY SERIES - Aluminum

VERTICAL HORIZONTAL **FULL VIEW SOLID** DUO DUO **S21** F ν D STANDARD PULL L22 G W Ε L24

DOOR/LATCH STYLE

GLAZING/DOOR TYPE

MODEL	DESCRIPTION	MODEL	DESCRIPTION
F	Full view	10	.09" Clear acrylic
G	Full view w/ Saf-T-Lok™	13	1/4" Clear wired glass
D	Horizontal duo	15	1/8" Bronze acrylic
E	Horizontal duo w/ Saf-T-Lok™	16	1/8" Gray acrylic
V	Vertical duo	17	1/8" Clear tempered glass
W	Vertical duo w/ Saf-T-Lok™	18	1/4" Clear safety glass
В	Small view window w/ Saf-T-Lok™	21	No glazing, no lock w/ pull (S21 only)
S	Solid (no glazing)	22	No glazing, Saf-T-Lok™ w/ pull (L22 only)
L	Solid (no glazing) / Saf-T-Lok™	24	No glazing, Saf-T-Lok™ and no pull (L24 only)

OPTIONS HANDLE/LATCH

ALARM OPTIONS

(installed at an additional cost)

(installed	at	an	additional	cost

MODEL	DESCRIPTION	MODEL	DESCRIPTION
Α	Recessed handle	CA	Commander
LH	Lever handle (not avail. with Saf-T-Lok™)	BA	Brigadier
MC	Magnetic latch (replaces roller catch)	SA	Strobe

FINISH OPTIONS

CUSTOM LETTERING OPTIONS (when manufactured at additional cost)

MODEL	DESCRIPTION		MODEL	DESCRIPTION	
BK	Black door, trim, tub		SS	Silkscreen	
R	Red door, trim, tub	ET		Etching on glass	
C	OLOR - OTHER (please specify)		EN	Engraving on metal	
Door			LETT	ERING - OTHER (please specify)	
Trim			Other		
Tub		Refer to supplemental submittal for more options			

Refer to supplemental submittal for more options

HANDLE/LATCH OPTIONS (sold separately)

PUF Futura "FIRE" Mill PUFR Futura "FIRE" Red PUFW Futura "FIRE" White PUCH Chrome pull handle

PLASTIC SIGNS (sold separately)

QTY	MODEL	DESCRIPTION
	225	FE, 3D ANGLE, 4" x 12"
	235	FE, 3D TENT, 4" x 18"
	245	FE, 3D TENT, 5" x 6"
	255	FE, FLUSH, 4" x 12"

LETTERING (sold separately)

QTY	MODEL	"FIRE EXTINGUISHER" DESCRIPTION				
	LDCVRFE	DIE CUT, VERT, RED, 3/4" x 18"				
	LDCVWFE	DIE CUT, VERT, WHITE, 3/4" x 18"				
	LDCVBFE	DIE CUT, VERT, BLACK, 3/4" x 18"				
	LDVRFE	DECAL, VERT, RED, 3/4" x 18" DECAL, VERT, BLACK, 3/4" x 18"				
	LDVBFE					
	LDVWFE	DECAL, VERT, WHITE, 3/4" x 18"				
	LDCVRFE-ESM-A	DIE CUT, VERT, RED, (fits 81 tub), 3/4" x 14"				
	LDCHRFE-2	DIE CUT, HORZ, RED, 2" HIGH, 4-½" x 21"				
	Other					

Refer to supplemental submittal for more options

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.