





FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ FIRE-FX2™ SERIES - Aluminum

Crownline cabinets provide protection and accessibility for critical fire department connections including valves and hoses. The product offering includes; fire department valve cabinets, fire hose cabinets and combination cabinets. Combinations include both hoses and valves or a hose or valve in combination with a fire extinguisher.



C6127F10FX2



SPECIFICATIONS:

Tub Material & Finish: Steel white powder coat

Knockouts: Hose and valve cabinets include dual knockouts for 1-1/2" and 2-1/2" diameter pipe located each side of tub, except for surface-mount and fire-rated, that are by others during installation

Trim Material & Finish: Aluminum clear anodized

Trim Projection: 3/8" Flat square, 1-1/2" square, 2-1/2" rolled

Door Material & Finish: Aluminum clear anodized

Door Style: Full view

Glazing: .090" Clear acrylic

Insulation: Foil-faced mineral wool

Hinge: Continuous hinge, zinc-plated steel, opens to 180°

Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-1/2" trim style do not comply with ADA.

FIRE-RATINGS:

UL classified and labeled up to 2 hours in accordance with UL 1479 (ASTM-E814) and CAN/USC-S115.

OPTIONS:

Door: Vertical duo, solid, horizontal duo

Glazing: 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

Handles: Recessed handle

Alarms: Commander alarm, brigadier alarm, strobe alarm

Material: Dark bronze anodized

Finish: Red, black, other powder coat colors

Lettering: Silkscreen, engraving, etching

Other: Shelf for 8000 series only

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-1/2" higher than door center, so allow for that when mounting cabinet.

Standard Pull with no lock or flush pull are centered on door.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



JL INDUSTRIES

9702 Newton Avenue S, Bloomington, MN 55431

800-554-6077
sales@activarcpg.com
www.activarcpg.com

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.


Distributor:		Project:	
Contractor:		Approved By:	
Date:		Architect:	
Scale: N/A	Page 1 of 4	Item#:	

FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ FIRE-FX2™ SERIES - Aluminum

*Confirm wall rough opening depth prior to ordering

QTY	MODEL & TRIM		ADA	TUB I. D.			TRIM O. D.			WALL ROUGH OPENING*			WT	COMPATIBLE FIRE EQUIPMENT
	MODEL	TRIM PROJECTION		≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)		
COMBINATION HOSE & FIRE EXTINGUISHER CABINET														
	C6025	3/8" flat square	✓	24"	30"	6"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	6-15/16"	38	Combination Hose & FE: KOs fit 1-1/2", Hose Rack Unit with 50' or 75' Hose (HRA:050B, 050CH, 075B, 075CH) & Cosmic 2.5lb or Galaxy 2.5lb - 5lb Extinguisher	
	C6026	1-1/4" square	✓	24"	30"	6"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	5-15/16"	40		
	C6027	2-1/2" rolled	✓	24"	30"	6"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	5-5/16"	41		
	C6225	3/8" flat square	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	6-15/16"	39		
	C6226	1-1/4" square	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	5-15/16"	41		
	C6227	2-1/2" rolled	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	5-5/16"	42		
	C6125	3/8" flat square	✓	24"	30"	8"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	8-15/16"	46	Combination Hose & FE: KOs 1-1/2" & 2-1/2" Hose Rack Unit - 100' Hose (HRA 100B, HRA100CH) & Cosmic 2.5lb or Galaxy 2.5lb - 5lb Extinguisher	
	C6126	1-1/4" square	✓	24"	30"	8"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	7-15/16"	47		
	C6127	2-1/2" rolled	✓	24"	30"	8"	27-3/8"	33-3/8"	26-5/16"	32-5/16"	7-5/16"	48		
FIRE HOSE CABINET														
	C6425	3/8" flat square	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	8-15/16"	48	Hose: KOs 1-1/2" & 2-1/2" Hose Rack Unit 100' Hose (HRA100B-2.5)	
	C6426	1-1/4" square	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	7-15/16"	49		
	C6427	2-1/2" rolled	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	26-5/16"	37-1/16"	7-5/16"	50		
	C6625	3/8" flat square	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	26-5/16"	41-1/16"	8-15/16"	54	Hose: KOs 1-1/2" & 2-1/2" Hose Rack Unit 125' Hose (HRA125B-2.5)	
	C6626	1-1/4" square	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	26-5/16"	41-1/16"	7-15/16"	56		
	C6627	2-1/2" rolled	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	26-5/16"	41-1/16"	7-5/16"	58		
COMBINATION HOSE & VALVE OR HOSE & FIRE EXTINGUISHER CABINET														
	C6325	3/8" flat square	✓	30"	30"	8"	33-3/8"	33-3/8"	32-5/16"	32-5/16"	8-15/16"	51	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2", Hose Rack Unit 50' or 75' Hose & Valve or Hose Rack Unit 50' or 75' Hose & Cosmic or Galaxy Extinguisher	
	C6326	1-1/4" square	✓	30"	30"	8"	33-3/8"	33-3/8"	32-5/16"	32-5/16"	7-15/16"	53		
	C6327	2-1/2" rolled	✓	30"	30"	8"	33-3/8"	33-3/8"	32-5/16"	32-5/16"	7-5/16"	56		
	C6525	3/8" flat square	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	35-1/16"	37-1/16"	8-15/16"	60	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2", Hose Rack Unit 50' or 75' Hose & Valve or Hose Rack Unit 50' or 75' Hose & Cosmic or Galaxy Extinguisher	
	C6526	1-1/4" square	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	35-1/16"	37-1/16"	7-15/16"	61		
	C6527	2-1/2" rolled	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	35-1/16"	37-1/16"	7-5/16"	64		
	C7225	3/8" flat square	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	35-1/16"	41-1/16"	8-15/16"	63	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2" Hose Rack Unit 125' Hose & Valve or Hose Rack Unit 125' & Cosmic or Galaxy Extinguisher	
	C7226	1-1/4" square	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	35-1/16"	41-1/16"	7-15/16"	66		
	C7227	2-1/2" rolled	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	35-1/16"	41-1/16"	7-5/16"	70		

--** for 6" depth tubs with 2-1/2" rolled trim, knockouts by others during installation back or side of tub, as determined by field conditions.



SQUARE TRIM STYLE & PROJECTION	
RECESSED	SEMI-RECESSED
5	6
3/8" Flat Square	1-1/4" Square

ROLLED TRIM STYLE & PROJECTION
SEMI-RECESSED
7
2-1/2" or 3" Rolled




FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ FIRE-FX2™ SERIES - Aluminum

*Confirm wall rough opening depth prior to ordering

QTY	MODEL & TRIM		ADA	TUB I. D.		TRIM O. D.		WALL ROUGH OPENING*			WT	COMPATIBLE FIRE EQUIPMENT
	MODEL	TRIM PROJECTION		≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)
VALVE CABINET												
C8525	3/8" flat square	✓		18"	18"	8"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	8-15/16"	28
C8526	1-1/4" square	✓		18"	18"	8"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	7-15/16"	30
C8527	2-1/2" rolled	✓		18"	18"	8"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	7-5/16"	32
C8425	3/8" flat square	✓		18"	18"	10"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	10-15/16"	32
C8426	1-1/4" square	✓		18"	18"	10"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	9-15/16"	34
C8427	2-1/2" rolled	✓		18"	18"	10"	21-3/8"	21-3/8"	20-5/16"	20-5/16"	9-5/16"	36
COMBINATION DUAL SIDE-BY-SIDE VALVE & FIRE EXTINGUISHER CABINET or TWO VALVES CABINET												
C8725	3/8" flat square	✓		26"	26"	8"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	8-15/16"	51
C8726	1-1/4" square	✓		26"	26"	8"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	7-15/16"	51
C8727	2-1/2" rolled	✓		26"	26"	8"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	7-5/16"	53
C8625	3/8" flat square	✓		26"	26"	10"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	10-15/16"	54
C8626	1-1/4" square	✓		26"	26"	10"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	9-15/16"	54
C8627	2-1/2" rolled	✓		26"	26"	10"	29-3/8"	29-3/8"	28-5/16"	28-5/16"	9-5/16"	56
COMBINATION VALVE & FIRE EXTINGUISHER CABINET												
C8025	3/8" flat square	✓		16"	40"	9"	19-3/8"	43-3/8"	18-5/16"	42-5/16"	9-15/16"	45
C8026	1-1/4" square	✓		16"	40"	9"	19-3/8"	43-3/8"	18-5/16"	42-5/16"	8-15/16"	45
C8027	2-1/2" rolled	✓		16"	40"	9"	19-3/8"	43-3/8"	18-5/16"	42-5/16"	8-5/16"	47

--** for 6" depth tubs with 2-1/2" rolled trim, knockouts by others during installation back or side of tub, as determined by field conditions.










Valve:
KOs 1-1/2" & 2-1/2"
1 centered, each side of tub
Fire Department Valve

Dual side by side Valve & Extinguisher or 2 Valves:
KOs 1-1/2" & 2-1/2"
1 centered, each side of tub
Fire Department Valve & Cosmic
or Galaxy 2½lb -10lb Fire
Extinguisher
or
2 Fire Department Valves

SQUARE TRIM STYLE & PROJECTION	
RECESSED	SEMI-RECESSED
5	6
3/8" Flat Square	1-1/4" Square

ROLLED TRIM STYLE & PROJECTION	
SEMI-RECESSED	7
2-1/2" or 3" Rolled	

FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ FIRE-FX2™ SERIES - Aluminum

	SOLID	FULL VIEW	VERTICAL DUO	HORIZONTAL DUO	SMALL WINDOW	CENTER HORIZONTAL DUO
SOLID	S21	F	V	D		
STANDARD PULL						(Not available)
L22	L22	G	W	E	B	A
STANDARD PULL & SAF-T-LOK						
L24						
NO HANDLE & SAF-T-LOK						

HANDLE/LATCH OPTIONS (sold separately)

QTY	MODEL	DESCRIPTION
	PUF	Futura "FIRE" Mill
	PUFR	Futura "FIRE" Red
	PUFW	Futura "FIRE" White
	PUCH	Chrome pull handle

DOOR/LATCH STYLE		GLAZING/DOOR TYPE	
MODEL	DESCRIPTION	MODEL	DESCRIPTION
F	Full view	10	.09" Clear acrylic
G	Full view w SAF-T-LOK™	13	1/4" Clear wired glass
D	Horizontal duo	15	1/8" Bronze acrylic
E	Horizontal duo w SAF-T-LOK™	16	1/8" Gray acrylic
A	Center duo panel w SAF-T-LOK™	17	1/8" Clear tempered glass
V	Vertical duo	18	1/4" Clear safety glass
W	Vertical duo w SAF-T-LOK™	21	No glazing, no lock w pull (S21 only)
B	Small view window w SAF-T-LOK™	22	No glazing w SAF-T-LOK™ w pull (L22 only)
S	Solid (no glazing)	24	No glazing w SAF-T-LOK™ and no pull (L24 only)
L	Solid (no glazing) w SAF-T-LOK™		

HANDLE/LATCH OPTIONS (installed at an additional cost)

MODEL	DESCRIPTION
A	Recessed handle
LH	Lever handle (not avail. with SAF-T-LOK™)
FM	Futura "FIRE" Mill
FR	Futura "FIRE" Red
FW	Futura "FIRE" White

ALARM OPTIONS (installed at an additional cost)

MODEL	DESCRIPTION
CA	Commander
BA	Brigadier
SA	Strobe

MATERIAL OPTIONS

MODEL	DESCRIPTION
9	Dark bronze anodized aluminum (Pull to match)

FINISH OPTIONS

MODEL	DESCRIPTION
BK	Black door, trim, tub
R	Red door, trim, tub
COLOR - OTHER (please specify)	
Door	
Trim	
Tub	

CUSTOM LETTERING OPTIONS (when manufactured at additional cost)

MODEL	DESCRIPTION
SS	Silkscreen
ET	Etching on glass
EN	Engraving on metal
LETTERING - OTHER (please specify)	
Other	

Refer to supplemental submittal for more options

LETTERING (sold separately)

QTY	MODEL	"FIRE EXTINGUISHER" DESCRIPTION
	LDCVRFE	DIE CUT, VERT, RED, 3/4" x 18"
	LDCVWFE	DIE CUT, VERT, WHITE, 3/4" x 18"
	LDCVBFE	DIE CUT, VERT, BLACK, 3/4" x 18"
	LDVRFE	DECAL, VERT, RED, 3/4" x 18"
	LDVBFE	DECAL, VERT, BLACK, 3/4" x 18"
	LDVWFE	DECAL, VERT, WHITE, 3/4" x 18"
	LDCVRFE-ESM-A	DIE CUT, VERT, RED, (fits 81 tub), 3/4" x 14"
	LDCHRFE-2	DIE CUT, HORZ, RED, 2" HIGH, 4-1/2" x 21"
	Other	

Refer to supplemental submittal for more options

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.