


FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS:

CROWNLINE™ SERIES - Stainless Steel

Crownline cabinets provide protection and accessibility for critical fire department connections including valves and hoses. The product offering includes; fire department valve cabinets, fire hose cabinets and combination cabinets. Combinations include both hoses and valves or a hose or valve in combination with a fire extinguisher.



SPECIFICATIONS:

Tub Material & Finish:

Recessed & semi-recessed: Steel white powder coat
Surface mount: 304 Stainless steel #4

Knockouts: Hose and valve cabinets include dual knockouts for 1-1/2" and 2-1/2" diameter pipe located each side of tub, except for surface-mount and fire-rated, that are by others during installation

Trim Material & Finish: 304 Stainless steel #4

Trim Projection: 3/8" Flat square, 1-1/2" square, 2-1/2" rolled, surface-mount square

Door Material & Finish: 304 Stainless steel #4

Door Style: Full view

Glazing: .090" Clear acrylic

Hinge: Continuous hinge, stainless steel, opens to 180°

Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-1/2" trim style do not comply with ADA.

OPTIONS:

Tub: 304 Stainless steel #4

Door: Vertical duo, solid, horizontal duo

Glazing: 1/8" clear tempered, 1/4" clear wired glass, 1/8" bronze acrylic, 1/8" gray acrylic, 1/4" clear laminated safety glass

Handles: Recessed handle

Alarms: Commander alarm, brigadier alarm, strobe alarm

Material: #6 Satin stainless steel, #7 polished stainless steel, #8 mirror stainless steel

Finish: Red, black, other powder coat colors

Lettering: Silkscreen, engraving, etching

Other: Shelf for 8000 series only

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-1/2" higher than door center, so allow for that when mounting cabinet.

Standard Pull with no lock or flush pull are centered on door.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



JL INDUSTRIES

9702 Newton Avenue S, Bloomington, MN 55431

800-554-6077
sales@activarcpg.com
www.activarcpg.com


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

Distributor:		Project:	
Contractor:		Approved By:	
Date:		Architect:	
Scale: N/A	Page 1 of 4	Item#:	

QTY	MODEL & TRIM		ADA	TUB I. D.			TRIM O. D.			WALL ROUGH OPENING*			KNOCKOUT LOCATIONS			WT	COMPATIBLE FIRE EQUIPMENT
	MODEL	TRIM PROJECTION		≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	DEPTH L (J)	HEIGHT (G)	DEPTH R (K)		
COMBINATION HOSE & FIRE EXTINGUISHER CABINET																	
C6035	3/8" flat square	✓	24"	30"	6"	27-3/8"	33-3/8"	25"	31"	5-7/8"	2-1/2"	4"	2-1/2"	28	Combination Hose & FE: KOs fit 1-1/2", Hose Rack Unit with 50' or 75' Hose (HRA:050B, 050CH, 075B, 075CH) & Cosmic 2.5lb or Galaxy 2.5lb - 5lb Extinguisher		
C6036	1-1/4" square	✓	24"	30"	6"	27-3/8"	33-3/8"	25"	31"	4-7/8"	2-1/2"	4"	2-1/2"	30			
C6037	2-1/2" rolled	✓	24"	30"	6"	27-3/8"	33-3/8"	25"	31"	3-5/8"	--**	--**	--**	31			
C6033	surface-mount square	27-1/8"	33-3/16"	6-1/2"	27-3/8"	33-3/8"	-	-	-	-	-	-	-	32			
C6039	surface-mount rolled	27-1/8"	33-3/16"	6-1/2"	27-3/8"	33-3/8"	-	-	-	-	-	-	-	32			
C6235	3/8" flat square	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	25"	35-3/4"	5-7/8"	2-1/2"	4"	2-1/2"	28	Combination Hose & FE: KOs fit 1-1/2" Hose Rack Unit - 100' Hose (HRA 100B, HRA100CH) & Cosmic 2.5lb or Galaxy 2.5lb - 5lb Extinguisher		
C6236	1-1/4" square	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	25"	35-3/4"	4-7/8"	2-1/2"	4"	2-1/2"	30			
C6237	2-1/2" rolled	✓	24"	34-3/4"	6"	27-3/8"	38-1/8"	25"	35-3/4"	3-5/8"	--**	--**	--**	31			
C6233	surface-mount square	27-1/8"	37-15/16"	6-1/2"	27-3/8"	38-1/8"	-	-	-	-	-	-	-	32			
C6239	surface-mount rolled	27-1/8"	37-15/16"	6-1/2"	27-3/8"	38-1/8"	-	-	-	-	-	-	-	32			
C6135	3/8" flat square	✓	24"	30"	8"	27-3/8"	33-3/8"	25"	31"	7-7/8"	4"	4"	2-1/2"	36	Combination Hose & FE: KOs 1-1/2" & 2-1/2" Hose Rack Unit - 100' Hose (HRA 100B, HRA100CH) & 2.5lb or Galaxy 2.5lb - 5lb Extinguisher		
C6136	1-1/4" square	✓	24"	30"	8"	27-3/8"	33-3/8"	25"	31"	6-7/8"	4"	4"	2-1/2"	37			
C6137	2-1/2" rolled	✓	24"	30"	8"	27-3/8"	33-3/8"	25"	31"	5-5/8"	4"	4"	2-1/2"	38			
C6133	surface-mount square	27-1/8"	41-15/16"	8-1/2"	27-3/8"	33-3/8"	-	-	-	-	-	-	-	40			
C6139	surface-mount rolled	27-1/8"	41-15/16"	8-1/2"	27-3/8"	33-3/8"	-	-	-	-	-	-	-	40			
FIRE HOSE CABINET																	
C6435	3/8" flat square	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	25"	35-3/4"	7-7/8"	4"	4"	2-1/2"	36	Hose: KOs 1-1/2" & 2-1/2" Hose Rack Unit 100' Hose (HRA100B-2.5)		
C6436	1-1/4" square	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	25"	35-3/4"	6-7/8"	4"	4"	2-1/2"	37			
C6437	2-1/2" rolled	✓	24"	34-3/4"	8"	27-3/8"	38-1/8"	25"	35-3/4"	5-5/8"	4"	4"	2-1/2"	38			
C6433	surface-mount square	27-1/8"	37-15/16"	8-1/2"	27-3/8"	38-1/8"	-	-	-	-	-	-	-	40			
C6439	surface-mount rolled	27-1/8"	37-15/16"	8-1/2"	27-3/8"	38-1/8"	-	-	-	-	-	-	-	40			
C6635	3/8" flat square	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	25"	39-3/4"	7-7/8"	4"	4"	2-1/2"	41	Hose: KOs 1-1/2" & 2-1/2" Hose Rack Unit 125' Hose (HRA125B-2.5)		
C6636	1-1/4" square	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	25"	39-3/4"	6-7/8"	4"	4"	2-1/2"	43			
C6637	2-1/2" rolled	✓	24"	38-3/4"	8"	27-3/8"	42-1/8"	25"	39-3/4"	5-5/8"	4"	4"	2-1/2"	45			
C6633	surface-mount square	27-1/8"	41-15/16"	8-1/2"	27-3/8"	42-1/8"	-	-	-	-	-	-	-	50			
C6639	surface-mount rolled	27-1/8"	41-15/16"	8-1/2"	27-3/8"	42-1/8"	-	-	-	-	-	-	-	50			
COMBINATION HOSE & VALVE OR HOSE & FIRE EXTINGUISHER CABINET																	
C6335	3/8" flat square	✓	30"	30"	8"	33-3/8"	33-3/8"	31"	31"	7-7/8"	4"	4"	2-1/2"	39	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2", Hose Rack Unit 50' or 75' Hose & Valve or Hose Rack Unit 50' or 75' Hose & Cosmic or Galaxy Extinguisher		
C6336	1-1/4" square	✓	30"	30"	8"	33-3/8"	33-3/8"	31"	31"	6-7/8"	4"	4"	2-1/2"	41			
C6337	2-1/2" rolled	✓	30"	30"	8"	33-3/8"	33-3/8"	31"	31"	5-5/8"	4"	4"	2-1/2"	44			
C6333	surface-mount square	33-1/8"	33-3/16"	8-1/2"	33-3/8"	33-3/8"	-	-	-	-	-	-	-	48			
C6339	surface-mount rolled	33-1/8"	33-3/16"	8-1/2"	33-3/8"	33-3/8"	-	-	-	-	-	-	-	48			
C6535	3/8" flat square	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	33-3/4"	35-3/4"	7-7/8"	4"	4"	2-1/2"	46	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2", Hose Rack Unit 100' Hose & Valve or Hose Rack Unit 100' Hose & Valve or Hose Rack Unit 100' & Cosmic or Galaxy Extinguisher		
C6536	1-1/4" square	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	33-3/4"	35-3/4"	6-7/8"	4"	4"	2-1/2"	47			
C6537	2-1/2" rolled	✓	32-3/4"	34-3/4"	8"	36-1/8"	38-1/8"	33-3/4"	35-3/4"	5-5/8"	4"	4"	2-1/2"	50			
C6533	surface-mount square	35-7/8"	37-15/16"	8-1/2"	36-1/8"	38-1/8"	-	-	-	-	-	-	-	54			
C6539	surface-mount rolled	35-7/8"	37-15/16"	8-1/2"	36-1/8"	38-1/8"	-	-	-	-	-	-	-	54			
C7235	3/8" flat square	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	33-3/4"	39-3/4"	7-7/8"	4"	4"	2-1/2"	48	Hose & Valve or Hose & Extinguisher: KOs 1-1/2" & 2-1/2" Hose Rack Unit 125' Hose & Valve or Hose Rack Unit 125' & Cosmic or Galaxy Extinguisher		
C7236	1-1/4" square	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	33-3/4"	39-3/4"	6-7/8"	4"	4"	2-1/2"	51			
C7237	2-1/2" rolled	✓	32-3/4"	38-3/4"	8"	36-1/8"	42-1/8"	33-3/4"	39-3/4"	5-5/8"	4"	4"	2-1/2"	55			
C7233	surface-mount square	35-7/8"	41-15/16"	8-1/2"	36-1/8"	42-1/8"	-	-	-	-	-	-	-	60			
C7239	surface-mount rolled	35-7/8"	41-15/16"	8-1/2"	36-1/8"	42-1/8"	-	-	-	-	-	-	-	60			

--** for 6" depth tubs with 2-1/2" rolled trim, knockouts by others during installation back or side of tub, as determined by field conditions.

*Confirm wall rough opening depth prior to ordering



SQUARE TRIM STYLE & PROJECTION		
RECESSED	SEMI-RECESSED	SURFACE-MOUNT
5	6	3

3/8" Flat Square 1-1/4" Square 5-1/2" to 8-1/2" Square

ROLLED TRIM STYLE & PROJECTION		
SEMI-RECESSED	SURFACE-MOUNT	
7	9	


2-1/2" or 3" Rolled 5-1/2" to 8-1/4" Rolled

FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ SERIES - Steel

QTY	MODEL & TRIM		ADA	TUB I. D.			TRIM O. D.		WALL ROUGH OPENING*			KNOCKOUT LOCATIONS			WT	COMPATIBLE FIRE EQUIPMENT
	MODEL	TRIM PROJECTION	≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	DEPTH L (J)	HEIGHT (G)	DEPTH R (K)	LBS	
VALVE CABINET																
	C8535	3/8" flat square	✓	18"	18"	8"	21-3/8"	21-3/8"	19"	19"	7-7/8"	4"	9"	2-1/2"	22	
	C8536	1-1/4" square	✓	18"	18"	8"	21-3/8"	21-3/8"	19"	19"	6-7/8"	4"	9"	2-1/2"	24	
	C8537	2-1/2" rolled	✓	18"	18"	8"	21-3/8"	21-3/8"	19"	19"	5-5/8"	4"	9"	2-1/2"	26	
	C8533	surface-mount square		21-1/8"	21-3/16"	8-1/2"	21-3/8"	21-3/8"	-	-	-	-	-	-	28	
	C8539	surface-mount rolled		21-1/8"	21-3/16"	8-1/2"	21-3/8"	21-3/8"	-	-	-	-	-	-	28	
	C8435	3/8" flat square	✓	18"	18"	10"	21-3/8"	21-3/8"	19"	19"	9-7/8"	5"	9"	5"	24	
	C8436	1-1/4" square	✓	18"	18"	10"	21-3/8"	21-3/8"	19"	19"	8-7/8"	5"	9"	5"	26	
	C8437	2-1/2" rolled	✓	18"	18"	10"	21-3/8"	21-3/8"	19"	19"	7-5/8"	5"	9"	5"	28	
	C8433	surface-mount square		21-1/8"	21-3/16"	10-1/2"	21-3/8"	21-3/8"	-	-	-	-	-	-	30	
	C8439	surface-mount rolled		21-1/8"	21-3/16"	10-1/2"	21-3/8"	21-3/8"	-	-	-	-	-	-	30	
COMBINATION DUAL SIDE-BY-SIDE VALVE & FIRE EXTINGUISHER CABINET or TWO VALVES CABINET																
	C8735	3/8" flat square	✓	26"	26"	8"	29-3/8"	29-3/8"	27"	27"	7-7/8"	4"	13"	2-1/2"	41	
	C8736	1-1/4" square	✓	26"	26"	8"	29-3/8"	29-3/8"	27"	27"	6-7/8"	4"	13"	2-1/2"	41	
	C8737	2-1/2" rolled	✓	26"	26"	8"	29-3/8"	29-3/8"	27"	27"	5-5/8"	4"	13"	2-1/2"	43	
	C8733	surface-mount square		29-1/8"	29-3/16"	10-1/2"	29-3/8"	29-3/8"	-	-	-	-	-	-	45	
	C8739	surface-mount rolled		29-1/8"	29-3/16"	10-1/2"	29-3/8"	29-3/8"	-	-	-	-	-	-	45	
	C8635	3/8" flat square	✓	26"	26"	10"	29-3/8"	29-3/8"	27"	27"	9-7/8"	5"	13"	5"	43	
	C8636	1-1/4" square	✓	26"	26"	10"	29-3/8"	29-3/8"	27"	27"	8-7/8"	5"	13"	5"	43	
	C8637	2-1/2" rolled	✓	26"	26"	10"	29-3/8"	29-3/8"	27"	27"	7-5/8"	5"	13"	5"	45	
	C8633	surface-mount square		29-1/8"	29-3/16"	10-1/2"	29-3/8"	29-3/8"	-	-	-	-	-	-	47	
	C8639	surface-mount rolled		29-1/8"	29-3/16"	10-1/2"	29-3/8"	29-3/8"	-	-	-	-	-	-	47	
COMBINATION VALVE & FIRE EXTINGUISHER CABINET																
	C8035	3/8" flat square	✓	16"	40"	9"	19-3/8"	43-3/8"	17"	41"	8-7/8"	4-1/2"	4"	4-1/2"	35	
	C8036	1-1/4" square	✓	16"	40"	9"	19-3/8"	43-3/8"	17"	41"	7-7/8"	4-1/2"	4"	4-1/2"	35	
	C8037	2-1/2" rolled	✓	16"	40"	9"	19-3/8"	43-3/8"	17"	41"	6-5/8"	4-1/2"	4"	4-1/2"	37	
	C8033	surface-mount square		19-1/8"	43-3/16"	9-1/2"	19-3/8"	43-3/8"	-	-	-	-	-	-	38	
	C8039	surface-mount rolled		19-1/8"	43-3/16"	9-1/2"	19-3/8"	43-3/8"	-	-	-	-	-	-	38	

--** for 6" depth tubs with 2-1/2" rolled trim, knockouts by others during installation back or side of tub, as determined by field conditions.

*Confirm wall rough opening depth prior to ordering













Valve:
KOs 1-1/2" & 2-1/2"
1 centered, each side of tub
Fire Department Valve

Dual side by side Valve & Extinguisher or 2 Valves:
KOs 1-1/2" & 2-1/2"
1 centered, each side of tub
Fire Department Valve & Cosmic
or Galaxy 2½lb -10lb Fire
Extinguisher
or
2 Fire Department Valves

SQUARE TRIM STYLE & PROJECTION		
RECESSED	SEMI-RECESSED	SURFACE-MOUNT
5	6	3
3/8" Flat Square	1-1/4" Square	5-1/2" to 8-1/2" Square

ROLLED TRIM STYLE & PROJECTION	
SEMI-RECESSED	SURFACE-MOUNT
7	9
2-1/2" or 3" Rolled	5-1/2" to 8-1/4" Rolled

FIRE PROTECTION CABINET - FIRE EXTINGUISHER, VALVE, HOSE, & COMBINATION CABINETS: CROWNLINE™ SERIES - Stainless Steel

	SOLID	FULL VIEW	VERTICAL DUO	HORIZONTAL DUO	SMALL WINDOW	CENTER HORIZONTAL DUO
STANDARD PULL	S21	F	V	D		(Not available)
						
STANDARD PULL & SAF-T-LOK	L22	G	W	E	B	A
						
NO HANDLE & SAF-T-LOK	L24					

MATERIAL OPTIONS

MODEL	DESCRIPTION
F6	#6 Stainless steel finish
F7	#7 Stainless steel finish
F8	#8 Stainless steel finish

FINISH OPTIONS

MODEL DESCRIPTION

COLOR - OTHER (please specify)

Door

Trim

Tub

CUSTOM LETTERING OPTIONS (when manufactured at additional cost)

MODEL DESCRIPTION

SS Silkscreen

ET Etching on glass

EN Engraving on metal

LETTERING - OTHER (please specify)

Other

Refer to supplemental submittal for more options

HANDLE/LATCH OPTIONS (sold separately)

QTY	MODEL	DESCRIPTION
1	PUF	Futura "FIRE" Mill
1	PUFR	Futura "FIRE" Red
1	PUFW	Futura "FIRE" White
1	PUCH	Chrome pull handle

PLASTIC SIGNS (sold separately)

QTY	MODEL	DESCRIPTION
1	22S	FE, 3D ANGLE, 4" x 12"
1	23S	FE, 3D TENT, 4" x 18"
1	24S	FE, 3D TENT, 5" x 6"
1	25S	FE, FLUSH, 4" x 12"

LETTERING (sold separately)

QTY	MODEL	"FIRE EXTINGUISHER" DESCRIPTION
1	LDCVRFE	DIE CUT, VERT, RED, 3/4" x 18"
1	LDCVWFE	DIE CUT, VERT, WHITE, 3/4" x 18"
1	LDCVBFE	DIE CUT, VERT, BLACK, 3/4" x 18"
1	LDVRFE	DECAL, VERT, RED, 3/4" x 18"
1	LDVBFE	DECAL, VERT, BLACK, 3/4" x 18"
1	LDVWFE	DECAL, VERT, WHITE, 3/4" x 18"
1	LDCVRFE-ESM-A	DIE CUT, VERT, RED, (fits 81 tub), 3/4" x 14"
1	LDCHRFE-2	DIE CUT, HORZ, RED, 2" HIGH, 4-1/2" x 21"
1	Other	

Refer to supplemental submittal for more options

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.