

CSS1017FX2MCCA-F6R4SS01

Tub Material (Optional) Tub Size Door/Trim Material Trim Projection Door Style Door Glazing Fire-Rated Handle Alarm Material Finish Lettering

Options

TUB MATERIAL (optional)	
AL	Aluminum
SS	#4 Stainless steel

Note: For surface mount cabinets, add 3 3/16" to width and height measurements.

TRIM PROJECTION	
4	Trimless 1" overlapping door
4W	Trimless for wallboard bead
4P	Trimless with recessed 3/4" plaster
5	3/8" Square edge
6	1-1/4" or 1-1/2" Square edge
0	2-1/4" Square edge
7	2-1/2" or 3" Rolled edge
2	4" Rolled edge with flush pull
8	4-1/2" Rolled edge
3	Surface mount square edge
9	Surface mount square edge

DOOR STYLES	
STANDARD DOORS	
A	Cntr Duo Saf-T-Lok™
B	Small View Saf-T-Lok™
D	Horz Duo, pull
E	Horz Duo Saf-T-Lok™
F	Full View, pull
G	Full View Saf-T-Lok™
V	Vert duo, pull†
W	Vert duo Saf-T-Lok™
S21	Solid, pull
S22	Solid Saf-T-Lok™
L24	Solid Saf-T-Lok™, no pull
PANORAMA DOORS	
P	Colored acrylic, pull
Q	Colored acrylic, Saf-T-Lok™ pull,
C	Clear polycarbonate, frameless

DOOR GLAZING		
STANDARD CABINETS		
10	0.090" Clear acrylic	
13	1/4" Clear wired glass	
15	1/8" Bronze acrylic	
16	1/8" Gray acrylic	
17	1/8" Clear tempered glass	
18	1/4" Clear safety glass	
PANORAMA DOOR (P&Q STYLE) 3/16" ACRYLIC & LETTERING		
40	Black acrylic	White vertical
41	Red acrylic	
42	White acrylic	
43	White acrylic	Red vertical
45	Black acrylic	White horizontal
46	Red acrylic	
47	White acrylic	
48	White acrylic	Red horizontal
50	Black acrylic	White ascending
51	Red acrylic	
52	White acrylic	
53	White acrylic	Red ascending
PANORAMA (C STYLE)		
70	3/16" Clear poly, pull	
71	3/16" Clear poly, Saf-T-Lok™	
CLEAR VU, SMB		
25	Clear Bubble	
26	Red Bubble	
27	Bronze Bubble	

Continue below with Options

FIRE-RATING		HANDLE		ALARM		MATERIAL		FINISH				LETTERING			
FX2 Fire-rated								COLOR		COMPONENT					
		(None) Std. handle		CA Commander		F6 #6 Stainless steel		Std.White: Door, Trim, & Tub (for CRS)		1 Door		SS01 Silk screening, SS-FELVR FIRE EXTINGUISHER, vertical red			
		A Recessed handle		SA Strobe		F7 #7 Polished stainless steel		AB AMS Beige		R Red		2 Trim			
		LH Lever handle		BA Brigadier		F8 #8 Mirror stainless steel		B Bronze		RH Red Hammertone		12 Door & trim		ET01 Etching, ET-FELVR FIRE EXTINGUISHER, vertical red	
		MC Magnetic catch (steel only)				F26D Satin Chrome		BA Brass		RT Red Textured		3 Tub			
		FM Futura FIRE Mill				F9 US9 Bright polished bronze		BK Black		SB SC Beige		4 Door, trim & tub		EN01 Engraving, EN-FELVR FIRE EXTINGUISHER, vertical red	
		FR Futura FIRE Red				F3 #316 Stainless steel		BT Bronze Textured		SI Silver					
		FW Futura FIRE White						FB Flat Black		ST Silver Textured					
								G Gray		W White					
								GH Grey Hammertone		WH White Hammertone					
								GT Gray Textured		WT White Textured					
								O Orange		Y Yellow					

NOTE: Not all options are available with all series. Refer to product submittal for details.

NOTE: Not all options are available with all series.
Refer to product submittal for details.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.



JL INDUSTRIES

9702 Newton Avenue S. Bloomington, MN 55431

 800-554-6077

 sales@activarcpg.com

 www.activarcpg.com

Distributor:

Contractor:

Date:

Scale: N/A

Page 1 of 8

Project:

Approved By:


Architect:

Item#:	
--------	--

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

10-28-2025







FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Door/Trim Material and Optional Finish




DOOR/TRIM MATERIAL - PART NUMBER CODE (when made-to-order on cabinet)












								
1	2	3	4	5	6	7	8	9
Cold Rolled Steel, white powdercoat	Aluminum, #180 clear satin anodized finish	Stainless Steel, #4 stain finish	Bronze, US10 satin, clear coat finish	Brass, US3 polished, clear coat finish	Galvanneal Steel, white powdercoat	US4 Satin Bronze	US10B, Oil-rubbed Bronze	Dark Anodized Aluminum


OPTIONAL MATERIAL - PART NUMBER CODE (when made-to-order on cabinet)






					
F6	F7	F8	F9	F26D	F3
#6 Stainless Steel	#7 Polished Stainless Steel	#8 Mirror Stainless Steel	US9 Bright Polished Bronze	Satin Chrome	316 Stainless Steel


Colors are reference only. For accuracy, order physical color samples by contacting customer service at 800-554-6077.



TRIM PROJECTION - PART NUMBER CODE (when made-to-order on cabinet)										
TRIMLESS			RECESSED	SEMI-RECESSED					SURFACE-MOUNT	
										
4P	4W	4	5	6	0	7	2	8	3	9
Flush Flange Recessed 3/4" Plaster	Flush Flange Walboard Bead	1" Overlapping Door	3/8" Flat Square	1-1/4" or 1-1/2" Square	2-1/4" Square	2-1/2" or 3" Rolled	4" Rolled w/ Rec. Hndl	4-1/2" Rolled	5-1/2" to 8-1/4" Square	5-1/2" to 8-1/4" Rolled






























TRIM PROJECTION CLEAR VU - PART NUMBER CODE (when made-to-order on cabinet)					
					
5	6	7	3	9	
3/8" Flat Square	1-1/4" or 1-1/2" Square	2-1/2" or 3" Rolled	5-1/2" to 8-1/4" Square	5-1/2" to 8-1/4" Rolled	




FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Door and Latch Style

DOOR AND LATCH STYLE PART NUMBER CODE (when made-to-order on cabinet)

Architectural & Crowline					Architectural	Crowline	Panorama	
					SMALL WINDOW	CENTERED HORIZONTAL DUO	TEXTURED	CLEAR
STANDARD PULL	S21	F	V	D	(Not available)		P	C70
								
STANDARD PULL & SAF-T-LOK	L22	G	W	E	B	A*	Q	C71
								
RECESSED PULL	S21A	F_A	V_A	D_A	(Not available)		P_A	
								
RECESSED PULL & SAF-T-LOK	L22A	G_A	W_A	E_A	B_A	A_A*	Q_A	
								
NO HANDLE & SAF-T-LOK	L24							
								


*Crowline option only




DOOR & TRIM PARTS - SOLD SEPARATELY

QTY	FOR CABINET SERIES	MODEL	DESCRIPTION
Trim			
	1000	T-1016	CRS, white, 1-½" sq
		T-1017	CRS, white, 3" rolled
		T-1027	Alum, 3" rolled
		T-1037	SS #4, 3" rolled
Door			
	1000	D-101F	CRS, white, full view, std pull
		D-101G	CRS, white, full view w Saf-T-Lok, std pull
		D-101V	CRS, white, vertical duo, std pull
		D-102F	Alum, full view, std pull
		D-103F	SS #4, full view, std pull
	2000	D-201F	CRS, white, full view, std pull
		D-201V	CRS, white, vertical duo, std pull
	Embassy	D-561S	CRS, white, solid door, concealed pull
		D-561V	CRS, white, vertical duo, concealed pull
Door & Trim			
	1000	TD-1016G	CRS, white, 1-½" sq, full view w Saf-T-Lok, std pull
		TD-1017F	CRS, white, 3" rolled, full view, std view

Other: Specify below



FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL - Glazing



GLAZING PART NUMBER CODE
(when made-to-order on cabinet)

GLAZING PART NUMBER CODE (when made-to-order on cabinet)

GLAZING: AMBASSADOR, ACADEMY, COSMOPOLITAN, CAVALIER, ROYAL, CROWNLINE, EMBASSY, ORBIT		
10	15	16
.090 Clear	1/8" Bronze	1/8" Gray
		
13	17	18
1/4" Clear Wireshield	1/8" Clear Tempered	1/4" Clear Laminated
		

BUBBLE STYLES: CLEAR VU, SMB		
25	26	27
Clear	Red	Bronze
		


GLAZING PARTS - SOLD SEPARATELY

QTY	FOR CABINET SERIES	MODEL	DESCRIPTION	FITS DOOR STYLES
	1000	G10F10	.090 Clear acrylic 8-½" x 22-¾"	F10, G10, V10, W10
		G10F13	1/4" Wireshield 8-½" x 22-¾"	F13, V13
		G10F17	1/8" Tempered 8-½" x 22-¾"	F17, V17
		G10F10A	.090 Clear acrylic 5-¾" x 22-¾"	F10, V10A
		G10F17A	1/8" Tempered 5-¾" x 22-¾"	F17A, V17A
	2000	G20F10	.090 Clear acrylic 10" x 25-¾"	F10, V10
		G20F17	1/8" Tempered 10" x 25-¾"	F17, V17
		G20F10A	.090 Clear acrylic 6-¾" x 25-¾"	F10A, V10A
		G10F17A	1/8" Tempered 6-¾" x 25-¾"	F17A, V17A


QTY	FOR CABINET SERIES	MODEL	DESCRIPTION
	Clear Vu 1500	BCV10F25	Clear bubble 8-½" x 22-¼"
		BCV10F26	Red bubble 8-½" x 22-¼"
		BCV10F27	Bronze bubble 8-½" x 22-¼"
	Clear Vu 2500	BCV25F25	Clear bubble 12" x 28-½"
		BCV25F27	Bronze bubble 12" x 28-½"

PANORAMA GLAZING/LETTERING					
P & Q STYLE DOORS			C STYLE DOORS		
Vertical Lettering	Horizontal Lettering	Ascending Lettering	3/16" Acrylic		
			70		
White text on Black	40	45	50	Standard Pull	
					
	41	46	51	Standard Pull & Saf-T-Lok	
White text on Red					
	42	47	52	Black text on White	
Black text on White					
Red text on White	43	48	53	Red text on White	
					




FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Fire-rated, Handles



FIRE-RATED PART NUMBER CODE


FX2	
Fire-rated with lightweight mineral wool insulation	

HANDLE PART NUMBER CODE (when made-to-order on cabinet)


PULL HANDLES	(None)	(None*)	(None*)	(None*)	(None*)	(None**)
	Std. pull	Satin oil-rubbed bronze US10B	Satin bronze US10	Polished brass US3	Satin stainless US32D	Chrome
OTHER HANDLES	FM	FR	FW	A	LH	(None◇)
	Futura mill	Futura red	Futura white	Recessed pull	Lever handle	Concealed
LATCHES & LOCKS	(None)	G, E, W, B, L	MC	*Comes standard on Cavalier cabinets with same finish **Comes standard on premium grade cabinet materials (F7, F8, F26D) ◇Comes standard on Embassy cabinets		
	Roller, Std.	(Door style PN) Saf-T-Lok	Magnetic catch			
LATCHES & LOCKS				The roller catch is the standard latch on cabinet doors. It has a spring loaded nylon roller.		
LATCHES & LOCKS				Cabinets with Saf-T-Lok appear to be locked, but can be opened with a sharp pull that breaks or bends the plastic cam.		
LATCHES & LOCKS				The adhesive backed magnetic catch requires 5 lb force to operate. It can only be used on steel doors.		

HARDWARE PARTS - SOLD SEPARATELY




QTY	MODEL	DESCRIPTION
Pull Handles		
	PUS	Std. pull handle 4", zinc-plated steel, 2 screws
	PUS-US10B	Pull handle, 4", stain oil-rubbed bronze, 2 screws
	PUS-US10	Pull handle, 4", stain bronze, 2 screws
	PUS-US3	Pull handle, 4", polished brass, 2 screws
	PUS-US32D	Pull handle, 4", satin stainless steel, 2 screws
	PUCH	Pull handle, 4", chrome finish, 2 screws
Other Handles		
	PUF	Futura "FIRE" Mill
	PUFR	Futura "FIRE" Red
	PUFW	Futura "FIRE" White
	PRH	Recessed pull handle, black plastic
	C-KIT-LH	Lever handle kit w/ lever handle, catch, bracket, screws
	CBE-001	Concealed handle, black ABS for Embassy
Latches & Locks		
	SL-LC	Saf-T-Lok with lock and cam, includes keys (2)
	SL	Saf-T-Lok, includes keys (2)
	LC	Saf-T-Lok polycarbonate cam
	SL-KEY	Saf-T-Lok keys (2)
	MC-KIT	Magnetic catch kit with tape
	RC	Roller catch with 2 screws
Hardware Packs		
	HPF	Hdw pack: 4 glass clips, 1 roller catch, 6 screws
	HPFPUS	Pull & hdw pack kit: HPF + PUS 4 glass clips, 1 roller catch, 6 screws, 1 pull










FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Alarms



ALARM PART NUMBER CODE (when made-to-order on cabinet)

CA	SA	BA
COMMANDER ALARM	STROBE ALARM	BRIGADIER ALARM
 <p>Audio alarm</p> <ul style="list-style-type: none">85dB warning horn sounds alert when plunger switch is activated as the cabinet door is openedAlarm is deactivated when the door closesInstalled inside of the cabinet near the door and includes a 9V battery (14-9V)	 <p>Visual and audio strobe alarm</p> <ul style="list-style-type: none">Sounds a 110 dB warning horn and flashes red light when door is opened.The strobe alarm works in conjunction with the commander alarm to sound an alert for 2 minutes when plunger switch is activated as the cabinet door is opened.The commander alarm is installed inside the cabinet near the door and includes a 9V battery. (14-9V)The strobe is installed on cabinet tops with at least 3" or wider trim. For cabinets with less than 3" trim, the alarm ships loose for field installation on the wall.	 <p>Mini Theft Stopper (r) audio alarm with door position sensor for fire extinguishers in cabinets</p> <ul style="list-style-type: none">Includes compact 3-3/8" x 1" STOP sign to discourage wrongful useSounds a 105dB warning horn when seal is broken one of two different ways:<ul style="list-style-type: none">When magnet (mounted on door jamb) senses door is openWhen extinguisher is removed with steel clip through handleAlarm stays on until cord is plugged back into the alarm unitDeactivation pin provided for service by authorized personnel9-volt battery is provided

ALARM PARTS - SOLD SEPARATELY


QTY	Model & Description	QTY	Model & Description	QTY	Model & Description
	C-KIT-CA Commander Alarm Kit Commander alarm, 9V battery, 3 screws		C-KIT-SA Strobe Alarm KIT Strobe alarm with 2 screws, Commander alarm with 3 screws, Zip tie, zip tie mount, double-sided tape		BA Brigadier Alarm Mini Theft Stopper® for extinguishers in cabinets (see details above)
	C-KIT-CA-BRKTS Commander Alarm Kit Commander alarm, 9V battery, 6 screws, brackets (surface mount & Embassy)		SA Strobe Alarm Strobe alarm with 2 screws (Replacement part only)		BA-A002 Brigadier 2 Alarm Theft stopper® for wall mounted extinguishers. Includes a visible 5-3/8" x 2" STOP sign to discourage wrongful use. Sounds a 105dB warning horn when seal is broken when extinguisher moved from its normal position.
	CA Commander Alarm Commander alarm only, no battery, no screws (Replacement part only)				Mini Theft Stopper and Theft Stopper are trademarks registered by Safety Technology International

FIRE PROTECTION CABINETS - SUPPLEMENTAL SUBMITTAL OPTIONS - Finish Color & Lettering

COMMON FINISH COMBINATIONS PN CODE		
(none)	Std. White door, trim, & tub (steel)	
R1	Red Door, White Trim & Tub	
R12	Red Door/Trim, White Tub	
R3	Red Tub, White Trim/Tub	
R4	Red Door/Trim/Tub	
BK1	Black Door, White Trim/Tub	
BK12	Black Door/Trim, White Tub	
BK3	Black Tub, White Door/Trim	
BK4	Black Door/Trim/Tub	
BK4R1FB23	Red Door, Flat Black Trim/Tub	
G12BK3	Gray Door/Trim, Black Tub	
Other - Specify below:		



C2017S21FX2-R12




COMMON LETTERING COMBINATIONS PN CODE		
SS01	SS-FELVR, Silkscreen, FIRE EXTINGUISHER, vertical, red	
SS01D	SS-FELVRD, Silkscreen, FIRE EXTINGUISHER, vertical, red, on door of duo	
SS01G	SS-FELVRD, Silkscreen, FIRE EXTINGUISHER, vertical, red, on glazing of duo	
SSC01	SS-FELVR, Silkscreen, FIRE EXTINGUISHER, vertical, red, centered	
SS02	SS-FELVB, Silkscreen, FIRE EXTINGUISHER, vertical, black	
SS03	SS-FELVW, Silkscreen, FIRE EXTINGUISHER, vertical, white	
ET01	ET-FELVR, Etching, FIRE EXTINGUISHER, vertical, red	
EN01	EN-RELVR, Engraving, FIRE EXTINGUISHER, vertical, red	
Other - Specify below:		


FINISH COLORS PN CODE			COMPONENT PN CODE	
AB	AMS Beige		1	Door
B	Bronze		2	Trim
BA	Brass		3	Tub
BK	Black		4	Door, trim, tub
BT	Bronze Texture		12	Door & trim
FB	Flat Black		13	Door & tub
G	Gray		23	Trim & tub
GH	Gray Hammertone		Other - Specify below	
GT	Gray Texture		Door	
O	Orange		Trim	
R	Red		Tub	
RH	Red Hammertone			
RT	Red Texture			
SB	SC Beige			
SI	Silver			
ST	Silver Texture			
W	White			
WH	White Hammertone			
WT	White Texture			
Y	Yellow			
Other - Specify below:				

LETTERING PROCESS	WORDING	ORIENTATION	COLOR	COMPONENT*
SS Silkscreen (door or glazing)	FE FIRE EXTINGUISHER	V Vertical	R Red	D Door
ET Etching (glazing)	FB FIRE BLANKET	H Horizontal	B Black	G Glazing
EN Engraving (door)	FH FIRE HOSE	A Ascending	W White	
	FDV FIRE DEPARTMENT VALVE			


*For silk screen only on DUO style doors (V, W, D, E, A)




SSC02D/ENC02D
centered in black
shown on door




SSC02/ETC02
centered in black
shown on glazing



SS01/ET01
in red
shown on glazing



SS01D/EN01D
in red
shown on door



SS01G/ET01G
in red
shown on glazing