





FIRE PROTECTION, FIRE EXTINGUISHER CABINET, ARCHITECTURAL: PANORAMA™ FIRE-FX2™


SERIES - Steel

As a leader in the industry, JL Industries offers a frameless style door cabinet: The Panorama Series. Available with a wide variety of lettering on an opaque textured acrylic or clear polycarbonate glazing.




800-554-6077
sales@activarcpg.com
www.activarcpg.com

© 2026 Activar Construction Products Group, Inc.



C1017C70FX2



C1017C71FX2

SPECIFICATIONS:

Tub Material and Finish: Steel white powder coat

Trim Projection: 3/8" flat square, 1-1/4" or 1-1/2" square, 2-1/2" or 3" rolled, 4" rolled w/ rec hndl, 4-1/2" rolled

Door Material & Finish: Steel white powder coat

Door Style: Frameless

Glazing: Clear 3/16" unlettered smooth polycarbonate

Insulation: Foil-faced mineral wool

Hinge: Continuous hinge, white powder coat CRS, opens to 180°

Hardware: Zinc plated pull handle with roller catch or cylinder Saf-T-Lok™

ADA Compliance: Cabinet cannot protrude more than 4" and the handle cannot be mounted more than 48" above finished floor. Surface-mount and 4-1/2" trim style do not comply with ADA.

FIRE-RATINGS:

UL classified and labeled up to 2 hours in accordance with UL 1479 (ASTM-E814) and CAN/USC-S115.

OPTIONS:

Glazing: 3/16" Textured obscure acrylic with lettering

Handles: Magnetic catch (steel only)

Alarms: Commander alarm, brigadier alarm, strobe alarm

Material: Galvanneal

Finish: Red, black, other powder coat colors

Lettering: Silkscreen (C style door only)

ADDITIONAL ACCESSORIES (sold separately)

Die cuts, decals, plastic signs

See supplemental submittals for more information on various options and accessories.

ADA CABINET MOUNTING HEIGHT:

Standard pull on G, E, W, L22 and B door styles with Saf-T-Lok are 3-1/2" higher than door center, so allow for that when mounting cabinet.

Standard pull with no lock or flush pull are centered on door.

Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.



JL INDUSTRIES

9702 Newton Avenue S, Bloomington, MN 55431


Distributor:		Project:	
Contractor:		Approved By:	
Date:		Architect:	
Scale: N/A	Page 1 of 3	Item#:	



FIRE PROTECTION, FIRE EXTINGUISHER CABINET, ARCHITECTURAL: PANORAMA™ FIRE-FX2™ SERIES - Steel

QTY	MODEL & TRIM		ADA	TUB I. D.		TRIM O. D.		WALL ROUGH OPENING*			WT	COMPATIBLE FIRE EXTINGUISHERS	
	MODEL	TRIM PROJECTION		≤4"	WIDTH (A)	HEIGHT (B)	DEPTH (C)	WIDTH (E)	HEIGHT (F)	WIDTH (W)	HEIGHT (H)	DEPTH (D)	
	C8115	3/8" flat square	✓	9"	18"	5-1/2"	12-3/8"	21-3/8"	10"	19"	5-3/8"	11	Cosmic, Galaxy 2.5 - 6 lb (mount 6 lb to tub) Mercury 2.5 - 5 lb
	C8116	1-1/2" square	✓	9"	18"	5-1/2"	12-3/8"	21-3/8"	10"	19"	4-1/8"	11	
	C8117	2-1/2" rolled	✓	9"	18"	5-1/2"	12-3/8"	21-3/8"	10"	19"	3-1/8"	12	
	C1815	3/8" flat square	✓	10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2"	25"	5-3/8"	16	
	C1816	1-1/2" square	✓	10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2"	25"	4-1/8"	16	
	C1817	3" rolled	✓	10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2"	25"	2-5/8"	18	
	C1812	4" rolled w/ rec hndl	✓	10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2"	25"	1-7/8"	19	
	C1818	4-1/2" rolled		10-1/2"	24"	5-1/2"	13-7/8"	27-3/8"	11-1/2"	25"	1-1/8"	20	
	C1015	3/8" flat square	✓	10-1/2"	24"	6"	13-7/8"	27-3/8"	11-1/2"	25"	5-7/8"	17	
	C1016	1-1/2" square	✓	10-1/2"	24"	6"	13-7/8"	27-3/8"	11-1/2"	25"	4-5/8"	17	
	C1017	3" rolled	✓	10-1/2"	24"	6"	13-7/8"	27-3/8"	11-1/2"	25"	3-1/8"	18	
	C1012	4" rolled w/ rec hndl	✓	10-1/2"	24"	6"	13-7/8"	27-3/8"	11-1/2"	25"	2-3/8"	19	
	C1018	4-1/2" rolled		10-1/2"	24"	6"	13-7/8"	27-3/8"	11-1/2"	25"	1-5/8"	20	
	C2015	3/8" flat square	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	13"	28"	7-5/8"	23	
	C2016	1-1/4" square	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	13"	28"	6-5/8"	24	
	C2017	2-1/2" rolled	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	13"	28"	5-3/8"	25	
	C2012	4" rolled w/ rec hndl	✓	12"	27"	7-3/4"	15-3/8"	30-3/8"	13"	28"	4-1/8"	27	
	C2018	4-1/2" rolled		12"	27"	7-3/4"	15-3/8"	30-3/8"	13"	28"	3-3/8"	27	
	C3015	3/8" flat square	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	17"	33"	7-5/8"	35	
	C3016	1-1/4" square	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	17"	33"	6-5/8"	35	
	C3017	2-1/2" rolled	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	17"	33"	5-3/8"	37	
	C3012	4" rolled w/ rec hndl	✓	16"	32"	7-3/4"	19-3/8"	35-3/8"	17"	33"	4-1/8"	37	
	C3018	4-1/2" rolled		16"	32"	7-3/4"	19-3/8"	35-3/8"	17"	33"	3-3/8"	38	
	C4015	3/8" flat square	✓	20"	27"	7-3/4"	23-3/8"	30-3/8"	21"	28"	7-5/8"	36	
	C4016	1-1/4" square	✓	20"	27"	7-3/4"	23-3/8"	30-3/8"	21"	28"	6-5/8"	36	
	C4017	2-1/2" rolled	✓	20"	27"	7-3/4"	23-3/8"	30-3/8"	21"	28"	5-3/8"	37	
	C4012	4" rolled w/ rec hndl	✓	20"	27"	7-3/4"	23-3/8"	30-3/8"	21"	28"	4-1/8"	38	
	C4018	4-1/2" rolled		20"	27"	7-3/4"	23-3/8"	30-3/8"	21"	28"	3-3/8"	39	

*Confirm wall rough opening depth prior to ordering



SQUARE TRIM STYLE & PROJECTION	
RECESSED	SEMI-RECESSED
5	6
3/8" Flat Square	1-1/4" or 1-1/2" Square

ROLLED TRIM STYLE & PROJECTION		
SEMI-RECESSED		
7	2	8
2-1/2" or 3" Rolled	4" Rolled w/ Rec. Hndl	4-1/2" Rolled



FIRE PROTECTION, FIRE EXTINGUISHER CABINET, ARCHITECTURAL: PANORAMA™ FIRE-FX2™ SERIES - Steel

	TEXTURED	CLEAR
STANDARD PULL	P 	C70
	Q 	C71
STANDARD PULL & SAF-T-LOK		

DOOR STYLE		GLAZING/DOOR TYPE	
MODEL	DESCRIPTION	MODEL	DESCRIPTION
P Colored acrylic		P & Q style doors only	
Q	Colored acrylic w SAF-T-LOK™	40	3/16" Black acrylic w white vertical lettering
		41	3/16" Red acrylic w white vertical lettering
		42	3/16" White acrylic w black vertical lettering
		43	3/16" White acrylic w red vertical lettering
		45	3/16" Black acrylic w white horizontal lettering
		46	3/16" Red acrylic w white horizontal lettering
		47	3/16" White acrylic w black horizontal lettering
		48	3/16" White acrylic w red horizontal lettering
		50	3/16" Black acrylic w white ascending lettering
		51	3/16" Red acrylic w white ascending lettering
		52	3/16" White acrylic w black ascending lettering
		53	3/16" White acrylic w red ascending lettering
		C style doors only	
		70	Clear 3/16" polycarbonate
		71	Clear 3/16" polycarbonate w SAF-T-LOK™

HANDLE OPTIONS (installed at an additional cost)		ALARM OPTIONS (installed at an additional cost)	
MODEL	DESCRIPTION	MODEL	DESCRIPTION
A	Recessed handle (P & Q style doors only)	CA	Commander
MC	Magnetic catch (steel only) (replaces roller catch)	BA	Brigadier
FM	Futura "FIRE" Mill	SA	Strobe
FR	Futura "FIRE" Red		
FW	Futura "FIRE" White		

COLOR OPTIONS		LETTERING (sold separately)	
MODEL	DESCRIPTION	MODEL	DESCRIPTION
BK	Black door, trim, tub	SS	Silk Screening SS01= SS-FELVR: Silk screen, fire extinguisher, vertical, red
R	Red door, trim, tub	Other	
COLOR - OTHER (please specify)			
Door			
Trim			
Tub			

Refer to supplemental submittal for more options

HANDLE/LATCH OPTIONS (sold separately)

QTY	MODEL	DESCRIPTION
	PUF	Futura "FIRE" Mill
	PUFR	Futura "FIRE" Red
	PUFW	Futura "FIRE" White
	PUCH	Chrome pull handle

PLASTIC SIGNS (sold separately)

QTY	MODEL	DESCRIPTION
	22S	FE, 3D ANGLE, 4" x 12"
	23S	FE, 3D TENT, 4" x 18"
	24S	FE, 3D TENT, 5" x 6"
	25S	FE, FLUSH, 4" x 12"

Refer to supplemental submittals for information on more options and accessories.

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.