


**UP TO 3 HOURS**

**VISION LITE - SLIMLINE™ WOODLITE FOR IGU'S - VWLIG**

Low profile Slimline™ vision lites mount flush to the door providing a clean aesthetic look. Woodlites™ include a beautiful wood veneer finish, designed to fit 1"-3" doors and glass thickness of 3/16" - 1-1/16". VWLIG's are also used for custom 1" - 3" door thickness.



**VWLIG 1212ROR 01**

*Interpretation of fire and building codes may vary. Consult with the local authority having jurisdiction (AHJ) to determine appropriate standards.*

**SPECIFICATIONS:**

**Application:** For door thickness 1" - 3" and glazing thickness 3/16" - 1-1/16".

**Door Thickness:** \_\_\_\_\_

**Glazing Thickness:** \_\_\_\_\_

For 1-3/4" door with glazing thickness of 3/16"-5/16" see VSLH

**Frame Material:** 20 gauge cold rolled steel

**Standard Finish:** Gray powder coat with .010 wood veneer, select from standard options

**Fasteners:** #8 x 1" Flathead Phillips screws with wood veneer plugs

**Size:**

**Minimum:** 4" x 4"

**Maximum:** 48" x 77"

Door Cutout = Order Size (W x H)

Glazing Size = Order Size minus 1" (W - 1" x H - 1")

Exposed Glazing = Order Size minus 2" (W - 2" x H - 2")

**Protrusion:** For glazing thickness that is within 3/4" of the door thickness or thicker, frame will not be flush. Protrusion ranges from .11-.84. See example chart on page 2.

**FIRE RATINGS:**

UL listed and labeled/stamped to ANSI/UL 10B, ANSI/UL 10C and CAN/ULC S104 when properly installed in ANSI and approved door. Ratings up to 180 minutes can be achieved depending on exposed glazing size and area.

**OPTIONS:**

**PAKs:** Vision lite, glazing & glazing tape combined

**Compatible Air Louvers Glazing:**

**Fire-Rated:** PPF, FL, FLP, WS, PYRO, CT45, CT60, CT90, PPL

**Non-Rated:** TEMP, ARM 1, ARM2, ARM3, BRG1

**Other:** Torx screws

**TAPE WHEN SOLD SEPARATELY**

Qty	Model	Description Dimensions
	<b>GTAPE 200B</b>	Standard glazing tape 1/16" 1/16" thick x 3/8" wide x 200 ft
	<b>FGS3000S90</b>	Intumescent tape for wired glass 5/64" thick x 7/16" wide x 16 ft

Refer to glazing tape submittal for more information



**AIR LOUVERS**


9702 Newton Ave S. Bloomington, MN 55431 | Many Locations Nationwide

800-554-6077  
 sales@activarcpg.com  
 www.activarcpg.com

Distributor:		Project:
Contractor:		Approved By:
Date:		Architect:
Scale: N/A	Page 1 of 2	Item #:

**Protrusion**

DOOR THICKNESS	GLAZING THICKNESS	GLAZING AVAILABLE	PROTRUSION
1"	1/2"	LAMI, INSU	.25
	5/8"	INSU	.31
	1"	CT45, CT60; INSU	.5
	1-3/16"	BRG1	.59
	1-5/16"	ARM3	.65
	1-1/2"	CT90	.75
	1-11/16"	--	.84
1-3/4"	1-3/16"	BRG1	.22
	1-5/16"	ARM3	.28
	1-1/2"	CT90	.37
	1-11/16"	--	.47



**MADE-TO-ORDER SLIMLINE™ VISION LITE FOR IGUS - EXAMPLE: VWLIG 3236WB 01**

QTY	MODEL	WIDTH	HEIGHT	WOOD VENEER OPTIONS	GLAZING THICKNESS*	DOOR THICKNESS	PAK GLAZING	OPTIONS																																																																						
	<b>VWLIG</b>			<table border="1"> <tr><td><b>MA</b></td><td>White Maple</td></tr> <tr><td><b>WB</b></td><td>White Birch</td></tr> <tr><td><b>CH</b></td><td>Cherry</td></tr> <tr><td><b>VGF</b></td><td>Fir Vertical Grain</td></tr> <tr><td><b>RO</b></td><td>Red Oak</td></tr> <tr><td><b>ROR</b></td><td>Red Oak Rift</td></tr> <tr><td><b>WN</b></td><td>Walnut</td></tr> <tr><td><b>MAR</b></td><td>Mahogany African Ribbon Striped</td></tr> </table>	<b>MA</b>	White Maple	<b>WB</b>	White Birch	<b>CH</b>	Cherry	<b>VGF</b>	Fir Vertical Grain	<b>RO</b>	Red Oak	<b>ROR</b>	Red Oak Rift	<b>WN</b>	Walnut	<b>MAR</b>	Mahogany African Ribbon Striped	<table border="1"> <tr><td><b>516</b></td><td>5/16"</td></tr> <tr><td><b>12</b></td><td>1/2"</td></tr> <tr><td><b>38</b></td><td>3/8"</td></tr> <tr><td><b>01</b></td><td>1"</td></tr> <tr><td colspan="2">Other Specify size:</td></tr> </table>	<b>516</b>	5/16"	<b>12</b>	1/2"	<b>38</b>	3/8"	<b>01</b>	1"	Other Specify size:		<table border="1"> <tr><td colspan="2">5/16" Std.</td></tr> <tr><td><b>0138D</b></td><td>1-3/8"</td></tr> <tr><td><b>01D</b></td><td>1"</td></tr> <tr><td><b>02D</b></td><td>2"</td></tr> <tr><td colspan="2">Other Specify size:</td></tr> </table>	5/16" Std.		<b>0138D</b>	1-3/8"	<b>01D</b>	1"	<b>02D</b>	2"	Other Specify size:		<table border="1"> <tr><td colspan="2">None</td></tr> <tr><td><b>FL PAK</b></td><td>3/16" Firelite NT</td></tr> <tr><td><b>PPF PAK</b></td><td>3/16" Pyran Platinum F</td></tr> <tr><td><b>PYRO PAK</b></td><td>1/4" PyroShield*</td></tr> <tr><td><b>TEMP PAK</b></td><td>1/4" Non-Rated Tempered</td></tr> <tr><td><b>WS PAK</b></td><td>1/4" WireShield</td></tr> <tr><td><b>FLP PAK</b></td><td>5/16" Firelite Plus</td></tr> <tr><td><b>PPL PAK</b></td><td>3/8" Pyran Platinum L</td></tr> <tr><td><b>ARM1 PAK</b></td><td>13/16" Armrshield 1</td></tr> <tr><td><b>CT45 PAK</b></td><td>1" Contrashield 45*</td></tr> <tr><td><b>CT60 PAK</b></td><td>1" Contrashield 60*</td></tr> <tr><td><b>ARM2 PAK</b></td><td>1-1/16" Armrshield 2</td></tr> <tr><td><b>BRG1 PAK</b></td><td>1-3/16" BRG 1</td></tr> <tr><td><b>ARM3 PAK</b></td><td>1-5/16" Armrshield 3</td></tr> <tr><td><b>CT90 PAK</b></td><td>1-1/2" Contrashield 90*</td></tr> </table>	None		<b>FL PAK</b>	3/16" Firelite NT	<b>PPF PAK</b>	3/16" Pyran Platinum F	<b>PYRO PAK</b>	1/4" PyroShield*	<b>TEMP PAK</b>	1/4" Non-Rated Tempered	<b>WS PAK</b>	1/4" WireShield	<b>FLP PAK</b>	5/16" Firelite Plus	<b>PPL PAK</b>	3/8" Pyran Platinum L	<b>ARM1 PAK</b>	13/16" Armrshield 1	<b>CT45 PAK</b>	1" Contrashield 45*	<b>CT60 PAK</b>	1" Contrashield 60*	<b>ARM2 PAK</b>	1-1/16" Armrshield 2	<b>BRG1 PAK</b>	1-3/16" BRG 1	<b>ARM3 PAK</b>	1-5/16" Armrshield 3	<b>CT90 PAK</b>	1-1/2" Contrashield 90*	<table border="1"> <tr><td colspan="2">None</td></tr> <tr><td><b>-T</b></td><td>Torx Screw</td></tr> </table>	None		<b>-T</b>	Torx Screw
<b>MA</b>	White Maple																																																																													
<b>WB</b>	White Birch																																																																													
<b>CH</b>	Cherry																																																																													
<b>VGF</b>	Fir Vertical Grain																																																																													
<b>RO</b>	Red Oak																																																																													
<b>ROR</b>	Red Oak Rift																																																																													
<b>WN</b>	Walnut																																																																													
<b>MAR</b>	Mahogany African Ribbon Striped																																																																													
<b>516</b>	5/16"																																																																													
<b>12</b>	1/2"																																																																													
<b>38</b>	3/8"																																																																													
<b>01</b>	1"																																																																													
Other Specify size:																																																																														
5/16" Std.																																																																														
<b>0138D</b>	1-3/8"																																																																													
<b>01D</b>	1"																																																																													
<b>02D</b>	2"																																																																													
Other Specify size:																																																																														
None																																																																														
<b>FL PAK</b>	3/16" Firelite NT																																																																													
<b>PPF PAK</b>	3/16" Pyran Platinum F																																																																													
<b>PYRO PAK</b>	1/4" PyroShield*																																																																													
<b>TEMP PAK</b>	1/4" Non-Rated Tempered																																																																													
<b>WS PAK</b>	1/4" WireShield																																																																													
<b>FLP PAK</b>	5/16" Firelite Plus																																																																													
<b>PPL PAK</b>	3/8" Pyran Platinum L																																																																													
<b>ARM1 PAK</b>	13/16" Armrshield 1																																																																													
<b>CT45 PAK</b>	1" Contrashield 45*																																																																													
<b>CT60 PAK</b>	1" Contrashield 60*																																																																													
<b>ARM2 PAK</b>	1-1/16" Armrshield 2																																																																													
<b>BRG1 PAK</b>	1-3/16" BRG 1																																																																													
<b>ARM3 PAK</b>	1-5/16" Armrshield 3																																																																													
<b>CT90 PAK</b>	1-1/2" Contrashield 90*																																																																													
None																																																																														
<b>-T</b>	Torx Screw																																																																													

**\*This glazing product has been discontinued by the manufacturer. Contact us regarding a replacement product.**

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.